Presented to the L. H. Bailey Hortorium
by the Missouri Botanical Garden, 1972.



# 1888

# Catalogue of New, Beautiful, and Rare Plants and ORCHIDS

Offered by

WILLIAM BULL,

F.L.S., F.R.G.S., F.Z.S., F.R.H.S., M.A.I., F.R.B.S. & M.S.A
Socc. Hort. Berol. Bruxell. St. Petersburgh et
Paris et Soc. Agric. et Bot. Gandav. Socius.

*New Plant Merchant,*

536, KINGS Rd., CHELSEA,
*(and Ashburnham Park)* LONDON, S.W.

SHOUT
SHARE
IT

# MR. WILLIAM BULL'S

# ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
HIS ROYAL HIGHNESS THE PRINCE OF WALES
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
HIS SERENE HIGHNESS THE DUKE OF TECK
HIS MAJESTY THE EMPEROR OF GERMANY
HIS MAJESTY THE EMPEROR OF RUSSIA
HIS MAJESTY THE EMPEROR OF AUSTRIA
HIS MAJESTY THE KING OF SWEDEN
HIS MAJESTY THE KING OF SIAM
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
His Grace the DUKE OF RICHMOND
His Grace the DUKE OF BEDFORD
His Grace the DUKE OF DEVONSHIRE
His Grace the DUKE OF MARLBOROUGH
His Grace the DUKE OF RUTLAND
His Grace the DUKE OF HAMILTON
His Grace the DUKE OF BUCCLEUCH
His Grace the DUKE OF ROXBURGHE
His Grace the DUKE OF PORTLAND
His Grace the DUKE OF MANCHESTER
His Grace the DUKE OF NEWCASTLE
His Grace the DUKE OF NORTHUMBERLAND
His Grace the DUKE OF WELLINGTON
His Grace the DUKE OF SUTHERLAND
His Grace the DUKE OF CLEVELAND
His Grace the DUKE OF WESTMINSTER
His Grace the DUKE OF LEINSTER
His Grace the DUKE OF ABERCORN
The Most Hon. the MARQUESS OF HUNTLY
The Most Hon. the MARQUESS OF LOTHIAN
The Most Hon. the MARQUESS OF LANSDOWNE
The Most Hon. the MARQUESS OF HERTFORD
The Most Hon. the MARQUESS OF BUTE
The Most Hon. the MARQUESS OF WATERFORD
The Most Hon. the MARQUESS OF DOWNSHIRE
The Most Hon. the MARQUESS OF DROGHEDA
The Most Hon. the MARQUESS OF ELY
The Most Hon. the MARQUESS OF HEADFORT
The Most Hon. the MARQUESS OF EXETER
The Most Hon. the MARQUESS OF NORTHAMPTON
The Most Hon. the MARQUESS OF CAMDEN
The Most Hon. the MARQUESS OF ANGLESEY
The Most Hon. the MARQUESS OF CONYNGHAM
The Most Hon. the MARQUESS OF LONDONDERRY
The Most Hon. the MARQUESS OF BRISTOL
The Most Hon. the MARQUESS OF ABERGAVENNY
The Most Hon. the MARQUESS OF TAVISTOCK
The Right Hon. the EARL PERCY
The Right Hon. the EARL OF SHREWSBURY & TALBOT
The Right Hon. the EARL OF DERBY
The Right Hon. the EARL OF PEMBROKE
The Right Hon. the EARL OF DEVON
The Right Hon. the EARL OF DENBIGH
The Right Hon. the EARL OF WESTMORLAND
The Right Hon. the EARL OF LINDSEY
The Right Hon. the EARL OF SANDWICH
The Right Hon. the EARL OF ESSEX
The Right Hon. the EARL OF JERSEY
The Right Hon. the EARL POULETT
The Right Hon. the EARL OF CRAWFORD AND BALCARRES
The Right Hon. the EARL OF EGLINTON AND WINTON
The Right Hon. the EARL OF STRATHMORE AND KINGHORNE
The Right Hon. the EARL OF MAR AND KELLIE
The Right Hon. the EARL OF GALLOWAY
The Right Hon. the EARL OF LAUDERDALE
The Right Hon. the EARL OF WEMYSS AND MARCH
The Right Hon. the EARL OF KINNOULL
The Right Hon. the EARL OF DALHOUSIE
The Right Hon. the EARL OF SEAFIELD
The Right Hon. the EARL OF ROSEBERY
The Right Hon. the EARL OF STAIR
The Right Hon. the EARL OF HOPETOUN
The Right Hon. the EARL OF DARTMOUTH
The Right Hon. the EARL FERRERS
The Right Hon. the EARL OF AYLESFORD
The Right Hon. the EARL COWPER
The Right Hon. the EARL OF MACCLESFIELD
The Right Hon. the EARL OF ASHBURNHAM
The Right Hon. the EARL OF ILCHESTER
The Right Hon. the EARL OF RADNOR
The Right Hon. the EARL SPENCER
The Right Hon. the EARL OF MANSFIELD
The Right Hon. the EARL OF MEATH
The Right Hon. the EARL FITZWILLIAM
The Right Hon. the EARL OF FIFE
The Right Hon. the EARL OF SEFTON
The Right Hon. the EARL OF ANTRIM
The Right Hon. the EARL OF ANNESLEY
The Right Hon. the EARL OF ERNE
The Right Hon. the EARL OF CARNARVON
The Right Hon. the EARL OF CLONMELL
The Right Hon. the EARL OF BANDON
The Right Hon. the EARL OF CALEDON
The Right Hon the EARL OF WILTON
The Right Hon. the EARL OF ROSSLYN
The Right Hon. the EARL OF CLANCARTY
The Right Hon. the EARL OF POWIS
The Right Hon. the EARL GREY

## LIST OF PATRONS—Continued.

The Right Hon. the EARL MANVERS
The Right Hon. the EARL OF NORMANTON
The Right Hon. the EARL OF LONSDALE
The Right Hon. the EARL CADOGAN
The Right Hon. the EARL OF HAREWOOD
The Right Hon. the EARL BEAUCHAMP
The Right Hon. the EARL BROWNLOW
The Right Hon. the EARL OF ST. GERMANS
The Right Hon. the EARL HOWE
The Right Hon. the EARL OF STRADBROKE
The Right Hon. the EARL OF DUNRAVEN
The Right Hon. the EARL VANE
The Right Hon. the EARL AMHERST
The Right Hon. the EARL CAWDOR
The Right Hon. the EARL OF CAMPERDOWN
The Right Hon. the EARL OF LICHFIELD
The Right Hon. the EARL OF DURHAM
The Right Hon. the EARL OF EFFINGHAM
The Right Hon. the EARL OF YARBOROUGH
The Right Hon. the EARL OF LEICESTER
The Right Hon. the EARL OF ZETLAND
The Right Hon. the EARL OF ELLESMERE
The Right Hon. the EARL OF COTTENHAM
The Right Hon. the EARL OF DARTREY
The Right Hon. the EARL OF FEVERSHAM
The Right Hon. the EARL OF RAVENSWORTH
The Right Hon. the EARL OF NORTHBROOK
The Right Hon. the EARL OF WHARNCLIFFE
The Right Hon. the EARL OF LATHOM
The Right Hon. the EARL SONDES
The Right Hon. the EARL OF SELBORNE
The Right Hon. the EARL OF BECTIVE
The Right Hon. LORD H. C. G. GORDON-LENNOX
The Right Hon. VISCOUNT FALMOUTH
The Right Hon. VISCOUNT DILLON
The Right Hon VISCOUNT VALENTIA
The Right Hon. VISCOUNT DOWNE
The Right Hon. VISCOUNT GAGE
The Right Hon. VISCOUNT POWERSCOURT
The Right Hon. VISCOUNT BANGOR
The Right Hon. VISCOUNT DONERAILE
The Right Hon. VISCOUNT MONCK
The Right Hon. VISCOUNT MELVILLE
The Right Hon. VISCOUNT TEMPLETOWN
The Right Hon. VISCOUNT GOUGH
The Right Hon. VISCOUNT EVERSLEY
The Right Hon. VISCOUNT HALIFAX
The Right Hon. VISCOUNT BRIDPORT
The Right Hon. VISCOUNT CRANBROOK
The Right Hon. VISCOUNT SHERBROOKE
The Right Hon. VISCOUNT NEWPORT
The Right Hon. VISCOUNT HOLMESDALE
The Right Hon. LORD BROOKE
The Right Hon. LORD KILMARNOCK
The Right Hon. LORD JAMES W. BUTLER
The Right Hon. LORD HASTINGS
The Right Hon. LORD CLINTON
The Right Hon. LORD DACRE
The Right Hon. LORD WINDSOR
The Right Hon. LORD STAFFORD
The Right Hon. LORD HERRIES
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD BALFOUR OF BURLEIGH
The Right Hon. LORD REAY
The Right Hon. LORD KINNAIRD
The Right Hon. LORD MIDDLETON
The Right Hon. LORD SCARSDALE
The Right Hon. LORD BOSTON
The Right Hon. LORD FOLEY
The Right Hon. LORD BAGOT
The Right Hon. LORD DYNEVOR
The Right Hon. LORD WALSINGHAM
The Right Hon. LORD SUFFIELD
The Right Hon. LORD KENYON
The Right Hon. LORD BRAYBROOKE
The Right Hon. LORD AUCKLAND
The Right Hon. LORD CALTHORPE
The Right Hon. LORD BOLTON
The Right Hon. LORD DUNSANY
The Right Hon. LORD CLONBROCK
The Right Hon. LORD HENNIKER
The Right Hon. LORD CLARINA
The Right Hon. LORD VENTRY
The Right Hon. LORD ELLENBOROUGH
The Right Hon. LORD CREWE
The Right Hon. LORD RENDLESHAM
The Right Hon. LORD DELAMERE
The Right Hon. LORD RAYLEIGH
The Right Hon. LORD POLTIMORE
The Right Hon. LORD CLONCURRY
The Right Hon. LORD CAREW
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD WENLOCK
The Right Hon. LORD WROTTESLEY
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LEIGH
The Right Hon. LORD LONDESBOROUGH
The Right Hon. LORD TRURO
The Right Hon. LORD AVELAND
The Right Hon. LORD BELPER
The Right Hon. LORD FERMOY
The Right Hon. LORD EBURY
The Right Hon. LORD CHESHAM
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD LECONFIELD
The Right Hon. LORD TREDEGAR
The Right Hon. LORD WESTBURY
The Right Hon. LORD FITZHARDINGE
The Right Hon. LORD ATHLUMNEY
The Right Hon. LORD HYLTON
The Right Hon. LORD PENRHYN
The Right Hon. LORD HOWARD OF GLOSSOP
The Right Hon. LORD WOLVERTON
The Right Hon. LORD HARLECH
The Right Hon. LORD ALINGTON
The Right Hon. LORD WIMBORNE
The Right Hon. LORD ARDILAUN
The Right Hon. LORD LAMINGTON
The Right Hon. LORD HOTHFIELD
The Right Hon. LORD HILLINGDON
The Right Hon. LORD ROTHSCHILD
The Right Hon. LORD ST. OSWALD
The Right Hon. LORD BURTON
The Right Hon. LORD BRASSEY
M. LE COMTE DE GERMINY
M. LE COMTE DE JAUCOURT
The BARON DE ROTHSCHILD
The BARON ADOLPHE DE ROTHSCHILD
The BARON ALPHONSE DE ROTHSCHILD
The ROYAL HORTICULTURAL SOCIETY, KENSINGTON
The ROYAL BOTANIC GARDENS, KEW, REGENT'S PARK, EDINBURGH, DUBLIN AND BELFAST
The ROYAL GARDENS AT HYDE & BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD, MANCHESTER, LIVERPOOL AND HULL
The IMPERIAL GARDENS, ST. PETERSBURG
The ROYAL BOTANIC GARDENS, CALCUTTA AND CEYLON
The BOTANIC GARDENS, ADELAIDE, NATAL, BUITENZORG AND ZURICH
The ROYAL HORTICULTURAL SOCIETY OF SOUTH AUSTRALIA
The AGRI-HORTICULTURAL SOCIETIES, BOMBAY, CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN HORTICULTURE

# WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING FOR THE FIRST TIME MANY

## BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

THE CONGO, CHINA, INDIAN ARCHIPELAGO, NATAL,
SOUTH SEA ISLANDS, EAST INDIES, BRAZIL, &c., &c.,

*An Inspection of which is invited.*

---

## THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

**MANY GOLD MEDALS,**

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

## WILLIAM BULL, F.L.S.,

**FOR NEW AND RARE PLANTS ALONE,**

AT THE PRINCIPAL LONDON AND INTERNATIONAL FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

---

Telegraphic Address—"WILLIAM BULL, LONDON."

---

## NOTICE.

*The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.*

**DRACÆNA ARGENTEO-STRIATA.**

For description and price, *vide* page 8.

**PAVETTA NATALENSIS.**

For description and price, *vide* page 9.

MUSSÆNDA ERYTHROPHYLLA.

For description and price, *vide* page 8.

**NIDULARIUM STRIATUM.**

For description and price, *vide* page 8.

# NEW PLANTS

## ANNOUNCED FOR THE FIRST TIME,

BY

## WILLIAM BULL, F.L.S.

### AGLAONEMA PICTA COMPACTA.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves, the petioles of which are sheathing green, with a membranous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly blotched with grey, and of a pale green beneath. The spathes are green, pointed, with the outer surface shining. This plant is a native of Java. 10*s.* 6*d.*

### ALOCASIA MARGINATA.

A striking and ornamental Aroidaceous plant, introduced from Brazil. The leaf-blade is about twenty inches long by twelve inches wide, broadly cordate, rounded into a sharply pointed apex; the basal lobes are five to six inches long, oblong, very obtusely rounded at the apex, with a deep narrow sinus between. The upper leaf surface is of a dark green colour, the reverse being slightly tinted purple, with pale reddish midrib and nerves. The petioles, which are sheathing for nearly half their length, are marked with irregular zig-zag bars of blackish-brown, the margin of the sheath having a band of the same colour, in reference to which the plant has been named. 15*s.*

### ALOCASIA PRINCEPS.

This ornamental and effective stove plant has been imported from the Malay Archipelago. It has slender petioles of a greyish-green colour, heavily marmorated with chocolate-brown; the leaf-blades are saggitate, the hinder lobes narrow and spreading, forming a triangular open sinus, while the margins are deeply sinuous, imparting to the plant a very distinct character. On the upper surface the leaves are of a metallic olive-green colour, darkening along the midrib and primary veins; the under surface is greyish green, the veins being round and prominent, of a dark chocolate-brown colour, a well defined margin of the same tint surrounding the entire leaf. 1½ guinea.

### APHELANDRA AMŒNA.

A very pretty ornamental foliaged stove plant, with ovate acuminate leaves of a deep green colour, very attractively variegated with silvery grey on each side of the midrib and primary veins, which curve gracefully forward in the direction of the apex. It has been introduced from Brazil. 10*s.* 6*d.*

### ARDISIA POLYCEPHALA.

An attractive berry-bearing stove shrub, introduced from the East Indies. It is of free growth, and has opposite dark glossy green leaves, which, when young, are of a charming bright crimson colour, imparting to the plant a most distinct appearance. The flowers are white, borne in umbels on short lateral branches, being succeeded in due course by jet black berries. 10*s.* 6*d.* & 15*s.*

### CROTON DELIGHT.

An extremely handsome variety, imported from the Antipodes. It has oblong acute leaves, six to eight inches long by one and a half to two inches wide. In the young state they are of a bright yellow colour, margined with green, the costa and primary veins being cream coloured; as the leaves attain maturity, the bright central variegation changes to a clear ivory-white, with here and there a few dots of the same colour scattered through the margin of the leaf. A very effective and pleasing variety. 21*s.*

### CROTON JUNIUS.

A very elegant variety, with long narrow foliage of varying character; in some instances the midrib is excurrently extended and attached to another portion of the leaf-blade, while in others the leaves are entire, with slightly undulate margins. In the young state the lower half of the leaves is bright lemon-yellow, which, as the foliage attains age, becomes suffused with crimson, the remaining portion being rich bronzy green, a coloration in striking contrast to the bright orange-scarlet of the stem and petioles. 21*s.*

## CROTON MAGNIFICENT.

A very striking and most handsome variety, with ovate lanceolate leaves, from six to eight inches long by two and a half inches wide. In the young state the leaves have a central variegation of rich golden yellow; as the leaves mature the margins become deep olive green, while the midrib and primary veins, with a narrow band on each side of the costa, assume a bright carmine tint. In some instances the bright golden colour of the young leaves gradually becomes heavily suffused with bright carmine. 21*s.*

## CROTON MONARCH.

A most ornamental and effective variety, introduced from the Antipodes. It is of good habit and has oblong acute, dark green leaves, richly spotted and maculated in the most pleasing manner with bright yellow. The leaves attain a length of about twelve inches, and are about two and a half inches in width, while the spots vary in size, in some instances taking the form of large blotches. 15*s.*

## CROTON VICTORY.

A magnificent variety with a very effective variegation of bright crimson. The mature leaves are about a foot long by two and a half inches broad, of a deep olive green colour, with rich crimson veins and costa, from which extends in an arcuate manner, a rich coloration of reddish-crimson, the deep green of the laminæ between the primary veins being broken up in an irregular manner by the same bright colour. When in a young state the leaves are deep orange-yellow, suffused with crimson. 21*s.*

## CYPRIPEDIUM SAUNDERSIANUM.

One of the most remarkable and distinct hybrid Cypripediums yet raised, obtained by crossing *C. caudatum* and *C. Schlimii*. It has large bright red-mauve flowers; the dorsal sepal, oblong triangular, white with purple and green stripes; lateral sepals, broad and wavy, white, green at the top; the broad ligulate petals are undulate and of a fine reddish-purple. The pouch is very hemispheric in front, and of a bright red-mauve colour. The leaves are bright green. Price on application.

## DRACÆNA ARGENTEO-STRIATA.

An extremely elegant narrow-leaved species, imported from the South Sea Islands. It has linear lanceolate bright green leaves, beautifully striated and occasionally margined with creamy-white, the bright green being also relieved with streaks of silvery grey. It is of exceptionally neat habit, and admirably adapted for table decoration and other ornamental purposes. For illustration, *vide* page 3. 5 guineas.

## EOMICON CHIONANTHA.

A very pretty half-hardy perennial Papaveraceous plant, a native of China. The flowers, which are borne on erect thin panicles about a foot high, are pure white, two inches in diameter, the numerous stamens and anthers being yellow. The pale green radicle leaves, are broadly cordiform, thinly coriaceous in texture, with a sinuate margin, the petioles being long and slender, with a narrowly sheathing base. This charming and desirable introduction should be grown in the cold greenhouse or frame. It has been figured in the *Botanical Magazine*, Tab. 6871. 10*s.* 6*d.*

## ESMERALDA BELLA.

A new and very distinct Orchidaceous plant, with short and broad shining unequally bilobed leaves, and elegant flowers. The sepals and petals are light ochre, with fine bars of warm cinnamon; the lip, white; the side laciniæ having purple-brown stripes, margin chestnut-brown. The basilar roundish callus is white, spotted with brown, and the column, ochre coloured, full of reddish spots. It has been fully described by Professor Reichenbach, in the *Gardeners' Chronicle* for February 4th, 1888. Price on application.

## MUSSÆNDA ERYTHROPHYLLA.

A remarkable introduction from the Congo. It is of shrubby habit, and produces heads of the richest dazzling scarlet bracts, which are roundish ovate in form, about three and a-half inches long, by three inches wide; at the base of each bract are borne on short pedicels three or four funnel-shaped flowers, of a sulphur-yellow colour, the whole plant, including the bracts and flowers, being covered with a silky pubescence. The leaves are opposite, roundish ovate, and of a bright green colour. For illustration, *vide* page 5. 1 guinea.

## NIDULARIUM STRIATUM.

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from eight to twelve inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are freely furnished with small spinose teeth. For illustration, *vide* page 6. 5 guineas.

## PANAX CRISPATUM.

A very dwarf and compact growing stove plant, introduced from Brazil. It is densely furnished with triangular pinnately divided deep green leaves, consisting of several pairs of overlapping leaflets and a terminal one, each of which is deeply incised and slightly toothed on the margin, thus giving the plants a crispy and very ornamental appearance. The stem and petioles are of a deep olive green colour, sparsely spotted with lighter green. 10*s.* 6*d.*

## PANAX LEPIDUM.

This distinct and compact ornamental stove plant is of dense habit with biternate leaves of a rich deep green colour, the leading division surpassing the others in size; in the secondary divisions the lateral pinnulæ are obliquely obovate, the inner portions of the two blades almost covering the small centre pinnulo, which is deflexed and in some instances almost rudimentary. The outside margins are deeply incised in an irregular manner and spinosely toothed. It has been imported from Brazil. 7*s.* 6*d.*

## PANAX NITIDUM.

A pretty evergreen stove plant of dense and compact habit, imported from Brazil. The stems and petioles are of a brownish or deep olivo green colour, spotted or marmorated with yellowish-green; the deep green leaves are roundish obovate appressed at the apex, the margins being furnished with short teeth slightly spinose; the front portion of the leaves is sometimes deeply indented with two, three, or more incisions. 7*s.* 6*d.*

## PANAX ORNATUM.

An elegant growing ornamental stove plant introduced from Brazil. It has long pinnate leaves, the pinnæ being narrow lanceolate deeply toothed on the margins, the indentations often forming long irregularly shaped blunt teeth. The stems and petioles are dark brownish-green freckled or spotted with light green. 7*s.* 6*d.*

## PAVETTA NATALENSIS.

A shrubby growing stove plant, imported from Natal, producing large and extremely handsome dense cymose heads of salver shaped snow-white flowers, furnished with very long exserted styles. The leaves are lanceolate and of a bright shining dark green colour. For illustration, *vide* page 4. 1 guinea.

## PINANGA LEPIDA.

An elegant growing stove palm, introduced from the East Indies. In the young state it has short rufescent petioles, the laminæ being pinnately parted into unequal segments, prominently veined on the upper surface. When first developed the leaves have a brownish-crimson tint, gradually changing, as the foliage matures, to a deep lustrous green, faintly mottled with a darker shade. 1 guinea.

## GREENHOUSE RHODODENDRON, DIANA.

An extremely free flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10*s.* 6*d.*

## GREENHOUSE RHODODENDRON, FAIR ROSAMOND.

A most charming variety producing fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. This handsome hybrid is extremely free flowering, and forms a desirable addition to the greenhouse or conservatory. 10*s.* 6*d.*

## NEW ERECT FLOWERED GLOXINIAS.

**ALPHA**, dark crimson lobes and throat, the base of throat spotted with crimson; lobes shading off to rose. 5*s.*

**CASINO**, the mouth of throat rich crimson; lobes shading off to rose; base of throat spotted with rose. 5*s.*

**LUCRECE**, mouth of throat rich magenta, surrounded with purplish-lilac; white margin. 5*s.*

**SARNIA**, throat spotted with rose, mouth fiery crimson, lobes blush pink. 5*s.*

For General Collection, *vide* page 112.

## NEW SPOTTED PELARGONIUMS.

**ARGUS**, blush ground suffused with pink, a maroon blotch on all the petals, surrounded with fiery crimson, feathered at the base. 10*s.* 6*d.*

**RUBIS**, centre of upper petals dark maroon, surrounded with fiery crimson, margined with bright rose; lower petals clear rose spotted with crimson. 10*s.* 6*d.*

For General Collection, *vide* page 114.

## ALOCASIA SANDERIANA.

A remarkably handsome and truly grand Arad, from the Eastern Archipelago, forming one of the finest of variegated-leaved stove plants. The colour of the young leaves is bright glossy green, and on the older leaves the surface has a metallic blue reflection. The leaf-blade is arrow-shaped, the front portion with about three triangular lobes on each side, the basal portion with one or two smaller lobes ; the thick costa and the stout cross veins are white, conspicuously bordered with ivory-white, the margins also being white. This is certainly the most beautiful of all the Alocasias, and a most magnificent foliage plant. 10*s.* 6*d.*, 15*s.* and 1 guinea.

# NEW, RARE AND DESIRABLE STOVE PLANTS.

## ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. *5s.*

**ACACIA** SPILÆROCEPHALA, *7s. 6d.*
**ACALYPHA** ILLUSTRATA, *2s. 6d.* and *3s. 6d.*
MACROPHYLLA, *2s. 6d.* and *3s. 6d.*
MARGINATA, *2s. 6d.* and *3s. 6d.*
MUSAICA, *2s. 6d.* and *3s. 6d.*
OBOVATA, *3s. 6d.*
**ACANTHUS** MONTANUS, *3s. 6d.*
**ACHIMENES,** *vide* Index.
**ÆCHMEA** AMAZONICA, *5s.* and *7s. 6d.*
DISCOLOR, *vide* Lamprococcus discolor
FULGENS, *vide* Lamprococcus fulgens
MINIATA, *vide* Lamprococcus miniata
MARLÆ REGINÆ, *10s. 6d.*
VEITCHII, *vide* Chevalliera Veitchii
WEILBACHII, *vide* Lamprococcus Weilbachii

## ÆCHMEA PANICULIGERA.

A very handsome Bromeliad, imported from the West Indies. The flower scape is several feet high, of a reddish purple colour, and clothed with white down; this supports a large compound panicle, one to two feet long, of numerous rose-coloured flowers, the petals of which project beyond the sepals, and are of a deep bright purple, the inflorescence being highly attractive. *10s. 6d.*

**ÆSCHYNANTHUS** GRANDIFLORUS, *3s. 6d.*
LOBBIANUS, *2s. 6d.* and *3s. 6d.*
PULCHER, *3s. 6d.*
of sorts, *2s. 6d.* and *3s. 6d.*
**AGLAONEMA** MARANTÆFOLIA (oblongifolia), *5s.*
PICTA COMPACTA, *vide* page 7.
—— ORACILE, *5s.*
**ALLAMANDA** CHELSONI, *3s. 6d.*
GRANDIFLORA, *5s.*
HENDERSONI, *3s. 6d.*
NERIIFOLIA, *3s. 6d.*
NOBILIS, *3s. 6d.*
**ALOCASIA** CHANTRIERI.
GIGANTEA, *3s. 6d.* and *5s.*
GRANDIS, *10s. 6d.*
HYBRIDA, *7s. 6d.*
INTERMEDIA, *3s. 6d.* and *5s.*
JENNINGSII, *2s. 6d.*
JOHNSTONI, *vide* Cyrtosperma Johnstoni
LOWII, *3s. 6d.* and *5s.*
MACRORHIZA VARIEGATA, *3s. 6d.* and *5s.*
MARGINATA, *vide* page 7.
MARSHALLII, *2s. 6d.*
METALLICA, *3s. 6d.* and *5s.*
(SCHISTOCASIA) PORTEI, *10s. 6d.* and *15s.*
PUCCIANA
REGINÆ, 1 guinea
SANDERIANA, *vide* page 10.
THIBAUTIANA, *7s. 6d.* and *10s. 6d.*
ZEBRINA, *7s. 6d.* and *10s. 6d.*
**ALPINIA** MUTICA, *7s. 6d.*
VITTATA, *3s. 6d.* and *5s.*
**AMARYLLIS** ACHIEVEMENT, *7s. 6d.*
ACHILLES, *10s. 6d.*
ACRAMANNI PULCHERRIMA, 1 guinea
AMAZON, *10s. 6d.*
**AMARYLLIS** AMBASSADOR, *7s. 6d.*
ARIADNE, *10s. 6d.*
ASPASIA, *5s.*
AULICA, *2s. 6d.* and *3s. 6d.*
—— SUPERBA, *5s.* and *7s. 6d.*
BARON, *5s.*
BRILLIANT, 1 and 1½ guinea
CERBERUS, *10s. 6d.*
COMMANDER, *7s. 6d.*
COQUETTE, *5s.*
CORSAIR, *10s. 6d.*
COUNTESS, *10s. 6d.*
CYRUS, *10s. 6d.*
DIADEM, *15s.*
DR. MASTERS, 1 guinea
ELECTRA, 1 guinea
EMMELINE, *7s. 6d.*
EMPRESS OF INDIA, *5s.*
EUROPA, 1 guinea
EUTERPE, *15s.*
FIOARO, *7s. 6d.*
FORMOSISSIMA (*Jacobæa Lily*), *6d.*
GENERAL, 1 guinea
HENDERSONI, *10s. 6d.* and *15s.*
—— COCCINEA, *10s. 6d.* and *15s.*
HEROINE, *10s. 6d.*
IGNESCENS, *2s. 6d.* and *3s. 6d.*
IMPERIALIS, 1 guinea
(BRUNSVIGIA) JOSEPHINÆ, *7s. 6d.*
JUPITER, *7s. 6d.*
LEOPOLDII, *10s. 6d.* and *15s.*
MABEL, *10s. 6d.*
METEOR, *10s. 6d.*
NEPTUNE, *10s. 6d.*
NIMROD, *5s.*
OBERON, 1 guinea

## ANTHURIUM CHELSEIENSE.

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by 3½ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spathe, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. From the free manner in which the beautiful spathes are produced and the long time which they last in perfection, combined with the ornamental character of the foliage, this handsome hybrid is a most desirable acquisition. 1, 1½ and 2 guineas.

**AMARYLLIS** ONDINE, 10*s.* 6*d.*
OPTIMA, 10*s.* 6*d.*
OSCAR, 10*s.* 6*d.*
PARDINA HYBRIDA, 7*s.* 6*d.* and 10*s.* 6*d.*
PAULINE, 15*s.*
PORTIA, 5*s.*
PRINCEPS, 1½ guinea
PROCERA, 1 guinea
PYRROCHROA, 5*s.* and 7*s.* 6*d.*
REGALIS, 1 guinea
REGINA, 1 guinea
RETICULATA, 5*s.*
ROMEO, 7*s.* 6*d.*
ROSALIND, 5*s.*

**AMARYLLIS** SAPPHO, 7*s.* 6*d.*
SOUVENIR, 7*s.* 6*d.*
STELLA, 7*s.* 6*d*
SULTANA, 10*s.* 6*d.*
SYLVIA, 7*s.* 6*d.*
THOMAS SPEED, 5*s.*
TITANIA, 7*s.* 6*d.*
TROJAN, 10*s.* 6*d.*
URANIE, 7*s.* 6*d.*
VERONA, 15*s.*
VESTA, 10*s.* 6*d.*
VESUVIUS, 7*s.* 6*d.*
VICTORIA, 10*s.* 6*d.*

**AMARYLLIS**, choice selections of good sorts, 3, 4, and 6 guineas per dozen.

**AMASONIA** CALYCINA, 5*s.* and 7*s.* 6*d.*
**AMHERSTIA** NOBILIS, price on application
**AMORPHOPHALLUS** VIROSUS, a remarkable Aroid, a good illustration of which is given in the *Botanical Magazine* for February, 1888. 3 guineas

**ANŒCTOCHILUS**, *vide* Orchids
**ANANASSA** PENANOENSIS VARIEGATA, 1 guinea
SATIVA VARIEGATA, 10*s.* 6*d.*
**ANCHOMANES** DUBIUS, 10*s.* 6*d.*
**ANCYLOGYNE** LONGIFLORA, 3*s.* 6*d.*

## ANTHURIUM CARNEUM.

A handsome and attractive new hybrid, between *Anthurium ornatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spatho remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 7*s.* 6*d.* and 10*s.* 6*d.*

**ANTHURIUM** ANDREANUM, 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
BAKERI, 10*s.* 6*d.*
CANDIDUM, 3*s.* 6*d.*
CHANTRIERI, 10*s.* 6*d.* and 15*s.*
CHELSEIENSE, *vide* page 12.
CRUENTUM, 15*s.* and 1 guinea

**ANTHURIUM** CRYSTALLINUM, 3*s.* 6*d.*, 5*s.* & 7*s.* 6*d.*
DECHARDI, 3*s.* 6*d.* and 5*s.*
FERRIERENSE, 5*s.* and 7*s.* 6*d.*
GALEOTTIANUM, 7*s.* 6*d.*
HARRISII PULCHRUM, 7*s.* 6*d.* and 10*s.* 6*d.*
HYBRIDUM, 7*s.* 6*d.* and 10*s.* 6*d.*

## ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 10*s.* 6*d.* and 15*s.*

## ANTHURIUM INTERMEDIUM.

We have in this the result of the intercrossing of *A. hybridum* and *A. crystallinum*. The leaf-blades are deflexed, over a foot long, oblong ovate, cordate at the base, with an open rounded sinus, the upper surface of a velvety green, with a slight olive tinge, the costa and principal veins being whitish. The spathe is lanceolate, and of a pale reddish hue, with a rosy red spadix. 7*s.* 6*d.* & 10*s.* 6*d.*

**ANTHURIUM** LIEVENSII, 1 guinea
LEUCONEURUM, 3*s.* 6*d.*
LUCIDUM, 5*s.*
MACROLOBUM, 7*s.* 6*d.* and 10*s.* 6*d.*
MAGNIFICUM—*syn.* **A. grande** and **A. cordifolium**, 3*s.* 6*d.*
MOOREANUM, 15*s.* and 1 guinea
NYMPHÆIFOLIUM, 10*s.* 6*d.*
ORNATUM, 10*s.* 6*d.*

**ANTHURIUM** REGALE, 3*s.* 6*d.* and 5*s.*
SCHERZERIANUM, 3*s.* 6*d.* and 5*s.*
—— ALBUM (true) 2 and 3 guineas
—— GIGANTEUM, 2 and 3 guineas
—— MAXIMUM, *vide* page 14.
—— PALMERI, 10*s.* 6*d.*, 15*s.* and 1 guinea
—— SPLENDENS, 1 and 2 guineas
—— WARDII, 3 guineas
—— WILLIAMSII, 3*s.* 6*d.*

## ANTHURIUM SPLENDIDUM.

A strikingly beautiful stove Aroid, imported from South America, quite distinct from anything previously in cultivation, the surface of the cordate leaves being remarkably peculiar. The course of the nerves is marked by a broadish band of deep lustrous velvety green, the intervening spaces being of a pale yellowish green. The leaf surface is seabrous, and the portions between the ribs strongly bullate, as if raised in papillose blisters. 15*s.* and 1 guinea.

## ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3 and 5 guineas.

## APHELANDRA CHRYSOPS.

One of the most handsome species yet introduced, producing a grand golden inflorescence a foot in length, composed of four rows of compound ovate pointed bracts, proceeding from which are its flowers, which are of the same bright yellow colour. To add to its beauty, this plant has also striking variegated leaves, thus combining two attractive qualities, and rendering it one of the most desirable of ornamental plants. It has been imported from Brazil and has received a First-class Certificate from the Floral Committee of the Royal Horticultural Society. 10*s.* 6*d.*

## ARISTOLOCHIA ELEGANS.

A beautiful free-flowering species of neat growth, imported from Brazil. It has cordate ovate leaves, smooth above, and glaucescent beneath. The handsome and elegant flowers have a slightly distended tube, which is suddenly bent upwards, the upper part dilated into a cordate cup-shaped limb of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion, even on small plants, and are entirely free from the objectionable odour peculiar to the genus. It has been certificated by the Royal Horticultural Society, and is described and figured in the *Gardeners' Chronicle* for September 5, 1885. *5s.*

## ARISTOLOCHIA RIDICULA.

A very remarkable and most interesting new species introduced from Brazil. The tube of the flower is from 3½ to 4½ inches long, abruptly contracted and then bent upon itself below the middle, the basal part being much inflated; the upper portion somewhat conical, widening towards the mouth, which is prolonged into two ascending and backwardly directed lobes, diverging from each other at an obtuse angle. The entire limb is of a tawny colour, closely covered with dark purple reticulations on a cream coloured ground; the lobes are dark with light reticulations, and are sparsely covered with clavate dark purple brown hairs. The bright green leaves are orbicular reniform, with an entire margin; the entire plant, stems, leaves and flowers being covered with hair. 10*s.* 6*d.*

**ANTHURIUM** TRIUMPHANS, 10*s.* 6*d.* and 15*s.*
VEITCHII,
WAROCQUEANUM, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

**ANTIGONON** AMABILE, 5*s.*
INSIGNE, 7*s.* 6*d.*
SPECIOSUM, 7*s.* 6*d.*

**APHELANDRA** AMŒNA, *vide* page 7.
AURANTIACA, 3*s.* 6*d.*
—— ROEZLII, 2*s.* 6*d.* and 3*s.* 6*d.*
CHAMISSONIANA, 3*s.* 6*d.* and 5*s.*
CHRYSOPS, *vide* page 15.
CRISTATA, 3*s.* 6*d.*
FASCINATOR, 3*s.* 6*d.*
LEOPOLDII, 3*s.* 6*d.*
MARGARITÆ, 5*s.*
NITENS, 3*s.* 6*d.*
PORTEANA, 3*s.* 6*d.*
PUMILA, 7*s.* 6*d.*

**ARALIA** CHABRIERI, *vide* ELÆODENDRON ORIENTALE
COCHLEATA, 7*s.* 6*d.*
ELEGANTISSIMA, 5*s.*
FILICIFOLIA, 3*s.* 6*d.*
GRACILLIMA, 5*s.*
GUILFOYLEI, 5*s.*
LEPTOPHYLLA, 3*s.* 6*d.*

**BARLERIA** ARGENTEA, 5*s.*
**BATATAS** PANICULATA, 3*s.* 6*d.* and 5*s.*
**BAUHINIA** PICTA, 7*s.* 6*d.*
**BAUHINIAS**, of sorts, 5*s.* and 7*s.* 6*d.*
**BEAUMONTIA** GRANDIFLORIA, 5*s.* and 7*s.* 6*d.*
**BEGONIA**, *vide* Index
**BELOPERONE** ATROPURPUREA, 5*s.*
**BERTOLONIA** FORMOSA, 7*s.* 6*d.*
GUTTATA, 5*s.*
—— ALBA, 10*s.* 6*d.*
—— SPLENDENS, 15*s.*
MARCHANDI, 5*s.*
MARGARITACEA SUPERBA, 7*s.* 6*d.* and 10*s.* 6*d.*

**ARALIA** LONGIPES, 10*s.* 6*d.*
MACULATA, 5*s.*
RETICULATA, 3*s.* 6*d.*
ROTUNDA, 7*s.* 6*d.*
VEITCHII, 5*s.*
—— GRACILLIMA, 3*s.* 6*d.* and 5*s.*
**ARDISIA** OLIVERI, 3*s.* 6*d.*
PICTA, 1 guinea.
POLYCEPHALA, *vide* page 7.
**ARDISIAS**, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
**ARISTOLOCHIA** CLYPEATA, 7*s.* 6*d.*
ELEGANS, *vide* page 16.
FLORIBUNDA, 7*s.* 6*d.*
GIGAS, 3*s.* 6*d.* and 5*s.*
ORNITHOCEPHALA, 5*s.* and 7*s.* 6*d.*
RIDICULA, *vide* page 17.
TRICAUDATA, 5*s.*
TRILOBATA, 3*s.* 6*d.* and 5*s.*
**ARTANTHE** RUBRONODOSA, 7*s.* 6*d.*
**ARTOCARPUS** CANNONI, *see* Ficus.
EBURNEUS, 5*s.*
INTEGRIFOLIUS (The Jack Fruit), 10*s.* 6*d.*
LACINIATUS METALLICUS, *see* Ficus.
**ASPARAGUS**, of sorts, *vide* pages 50 and 52.
**ATACCIA** CRISTATA, 7*s.* 6*d.* and 10*s.* 6*d.*

**BERTOLONIA** MARMOREA SUPERBA, 3*s.* 6*d.* and 5*s.*
MIRANDÆI, 7*s.* 6*d.*
ORNATA, 7*s.* 6*d.*
PUBESCENS, 3*s.* 6*d.*
SUPERBISSIMA, 1 guinea.
VAN HOUTTEI, 5*s.*
VELUTINA, 5*s.*
VITTATA, 7*s.* 6*d.*
**BIGNONIA** AURANTIACA, 7*s.* 6*d.* and 10*s.* 6*d.*
CHAMBERLAYNII, 3*s.* 6*d.* and 5*s.*
MAGNIFICA, 5*s.* and 7*s.* 6*d.*
PICTA, 3*s.* 6*d.* and 5*s.*

## BIGNONIA REGALIS.

A very handsome stove climber, with opposite elliptic lanceolate leaves. The flowers are exceedingly beautiful, very large, and of a bright yellow and red colour. It has been recently imported from British Guiana, and is a decided acquisition to this beautiful genus. 10*s.* 6*d.*

**BIGNONIA** RETICULATA, 5*s.*
ROEZLIANA, 5*s.*
—— VILLOSA, 5*s.*
VENUSTA, 3*s.* 6*d.* and 5*s.*
*See also* page 52.
**BILLBERGIA** CHLOROSTICTA, 15*s.* and 21*s.*
FARINOSA, 10*s.* 6*d.*
LEOPOLDII, 7*s.* 6*d.*
MORELIANA, 5*s.* and 7*s.* 6*d.*

**BILLBERGIA** SAUNDERSII, 10*s.* 6*d.*
THYRSOIDEA, 5*s.*
VITTATA, 5*s.*
**BOMAREAS**, *vide* page 55.
**BOUGAINVILLEA** GLABRA, 2*s.* 6*d.* and 3*s.* 6*d.*
LATERITIA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPECIOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPECTABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
SPLENDENS, 2*s.* 6*d.* and 3*s.* 6*d.*

## BOUGAINVILLEA REFULGENS.

This desirable introduction from Brazil will be found one of the most beautiful Stove climbers extant. It partakes of the general character of its congeners, but the magnificent bracts surrounding the flowers are of the richest and most brilliant purple-mauve imaginable, produced in long and pendulous racemes. The pubescent foliage is of a rich dark green colour. 7*s.* 6*d.*

**BROSIMUM**, *vide* GALACTODENDRON
**BROWNEA** COCCINEA, 1 guinea.
ERECTA, 1 and 1½ guinea.
GRANDICEPS
HYBRIDA, 1½ guinea.

**BRUNFELSIA** AMERICANA, 5*s.*
**BRUNSVIGIA** JOSEPHINÆ, *vide* Amaryllis Josephinæ
**BURBIDGEA** NITIDA, 3*s.* 6*d.*
**BURCHELLIA** CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*

HALF NATURAL SIZE.

## CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in drooping racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 3 guineas.

**CALADIUM**, *vide* Index
**CALLIPHRURIA** HARTWEGIANA, 7*s*. 6*d*.
SUBEDENTATA, 2*s*. 6*d*.
**CALPICARPUM** ORNATUM, 1 guinea.
**CAMOENSIA** MAXIMA, *vide* page 19.
**CAMPSIDIUM** FILICIFOLIUM, 2*s*. 6*d*. & 3*s*. 6*d*.
**CAMPYLOBOTRYS**, *vide* Hoffmannia
**CANNA**, *vide* Index
**CAPPARIS** FRONDOSA, 5*s*.
**CARAGUATA**, *vide* Tillandsia.
**CARLUDOVICA**, *vide* Index
**CARUMBIUM** POLYANDRUM, 10*s*. 6*d*.
**CARYOPHYLLUS** AROMATICUS, 1 guinea.
**CENTRADENIA** FLORIBUNDA ROSEA, 3*s*. 6*d*.
**CENTRADENIA** GRANDIFLORA, 3*s*. 6*d*.
**CEROPEGIA** GARDNERI, 3*s*. 6*d*. and 5*s*.
**CENTROPOGON** LUCYANUS, 1*s*. 6*d*. and 2*s*. 6*d*.
**CENTROSOLENIA** BULLATA (EPISCIA TESSELLATA), 5*s*.
**CHAMÆCLADON** RUBENS, 5*s*.
**CHAMERANTHEMUM** BEYRICHII VARIEGATUM, 3*s*. 6*d*.
NITIDUM, *vide* Ebermaiera nitida
**CHEVALLIERA** (ÆCHMEA) VEITCHII, 7*s*. 6*d*. & 10*s*. 6*d*.
**CHIRITA** MOONII, 7*s*. 6*d*.
SINENSIS, 3*s*. 6*d*.
**CHRYSOPHYLLUM** IMPERIALE, 10*s*. 6*d*. to 21*s*.

## CIENKOWSKIA KIRKII.

This handsome and interesting plant is a native of Eastern Tropical Africa; its blossoms are exceedingly attractive and beautiful; they are produced on a many-flowered scape, and are of a soft purplish rose colour, with a bifid golden spot in the centre. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society 7*s*. 6*d*. & 10*s*. 6*d*.

**CINNAMOMUM** CASSIA
VERUM, 7*s*. 6*d*.
ZEYLANICUM
**CISSUS** ALBO-NITENS, 3*s*. 6*d*.
DISCOLOR, 2*s*. 6*d*. and 3*s*. 6*d*.
ENDRESII, 7*s*. 6*d*.
LINDENI, 3*s*. 6*d*. and 5*s*.
PORPHYROPHYLLA, 3*s*. 6*d*. and 5*s*.
**CLERODENDRON** BALFOURIANUM, 2*s*. 6*d*. & 3*s*. 6*d*.
CALAMITOSUM, 3*s*. 6*d*. and 5*s*.
DELECTUM, 3*s*. 6*d*. and 5*s*.
FALLAX, 3*s*. 6*d*.
FRAGRANS FLORE PLENO, 2*s*. 6*d*.
HASTATUM, 5*s*.
KÆMPFERI, 3*s*. 6*d*. and 5*s*.

## CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish-purple. 5*s*. and 7*s*. 6*d*.

## CLERODENDRON MINAHASSÆ.

This species has been introduced from Celebes. It has erect tetragonal stems with opposite obovate serrated leaves. The flowers form a broad terminal cymose panicle, and have a large leafy calyx, the lobes of which are tipped with red; the corolla is four inches long, yellowish-white, with a limb of lanceolate lobes, and exserted purple anthers. In its fruiting state it is very ornamental, as the calyx grows much larger after the flowers fall, spreading out so as to resemble a flower three inches across, sanguineous red, with a round blue berry in the centre. 10*s*. 6*d*. and 15*s*.

## CLERODENDRON RUMPHIANUM.

A remarkably distinct stove flowering plant, introduced from Java. The flowers, which form erect pyramidal panicles at the ends of the branches, emerge from sanguineous bracts, and are long-tubed, with a sub-equal limb of obovate segments, which are at first flesh-coloured, deepening to a pleasing tint of red, eventually crimson; they have red exserted stamens. The opposite leaves are large, roundish-ovate, of a dark green colour. 10*s*. 6*d*.

**CLERODENDRON** SPECIOSUM, 3*s*. 6*d*.
SPLENDENS, 3*s*. 6*d*. and 5*s*.
THOMSONÆ, 3*s*. 6*d*.
VISCOSUM, 3*s*. 6*d*. and 5*s*.
**CLIDEMIA** VITTATA, 7*s*. 6*d*.
**COCCOCYPSELUM** DISCOLOR, 2*s*. 6*d*. and 3*s*. 6*d*.
**COCCOLOBA** PLATYCLADA, 3*s*. 6*d*.
**COCHLIOSTEMA** JACOBIANUM, 3*s*. 6*d*., 5*s*. & 7*s*. 6*d*.
**COFFEA** ARABICA, 3*s*. 6*d*. and 5*s*.
ARABICA VARIEGATA, 7*s*. 6*d*.
**COFFEA** LIBERICA, 3*s*. 6*d*. and 5*s*.
**COLA** ACUMINATA (KOLA NUT), 15*s*.
**COLEUS**, *vide* Index
**COLOCASIA**, *vide* Alocasia
**COMBRETUM** GRANDIFLORUM 5*s*.
PURPUREUM, 5*s*.
**CORYNOSTYLIS** HYBANTHUS ALBIFLORA, 3*s*. 6*d*.
**COSSIGNIA** BORBONICA, 10*s*. 6*d*.
**COSTUS** ALBESCENS, 7*s*. 6*d*.
ELEGANS, 5*s*.

## COSTUS MOSAICUS.

An interesting and distinct species imported from the Congo. The obliquely lanceolate leaves, which are from three to four inches long, are arranged in a spiral manner on succulent stems, and have a central irregular band of dark green, the remaining portion being ornamented with a pretty mosaic variegation of silvery grey. 5*s*.

## CRINUM AUGUSTUM.

This magnificent and noble species has large and deliciously-scented flowers, borne in immense heads consisting of from twenty to twenty-five blooms, supported on stout erect scapes. The individual flowers consist of six segments, each about six inches long, which contract at the base into a tube four inches in length. The segments inside are purplish white, contrasting in a very pleasing manner with the exterior, which is bright rosy purple. 10*s*. 6*d*.

## CRINUM NOBILE.

A very fine new Crinum producing immense flowers, individually measuring about seven inches in diameter; they are of a creamy white colour suffused with purplish-rose on the outer halves of the petals, the same colour being more prominently shown on the exterior of the flowers. The blooms are produced in umbels on dark purplish-bronze scapes, springing from stout short-necked bulbs, the olive green leaves being about fifteen inches long by four inches broad, undulated and wavy at the margins. 10*s.* 6*d.*

**CRINUM** AMABILE, 7*s*. 6*d*.
ASIATICUM, 5*s*.
AUGUSTUM, *vide* page 20.
CAMPANULATUM, 5*s*.
COMMELYNII, 5*s*.
ERUBESCENS, 7*s*. 6*d*.
FORMOSUM, 3*s*. 6*d*.
GIGANTEUM, 7*s*. 6*d*.
MOOREI, *vide* page 55.
NOBILE, *vide* page 21.
ORNATUM, 5*s*.
SCABRUM, 10*s*. 6*d*.
ZEYLANICUM, 3*s*. 6*d*.

**CROSSANDRA** INFUNDIBULIFORMIS, 3*s*. 6*d*.
UNDULATA, 3*s*. 6*d*.
**CROTON** (CODIÆUM) ANDREANUS, 2*s*. 6*d*.
ANGUSTIFOLIUS, 2*s*. 6*d*.
APPENDICULATUS, 2*s*. 6*d*.
ARGUS, 3*s*. 6*d*.
AUREO-LINEATUS, 3*s*. 6*d*.
AUREO-PUNCTATUS, 3*s*. 6*d*.
BARONNE JAMES DE ROTHSCHILD, 3*s*. 6*d*.
BISMARCKI, 3*s*. 6*d*.
CAMPTOPHYLLUS, 2*s*. 6*d*.
CERBERUS, 5*s*.
CHALLENGER (IMPERATOR), 5*s*.

## CROTON BEAUTY.

An exceedingly handsome variegated variety from the South Pacific. The leaves are lanceolate, profusely and strikingly variegated with golden yellow on a rich green ground; as they attain age the green ground colour gradually becomes a deep bronze, while the yellow variegation develops into a rich rosy-crimson. It is a variety of medium growth and highly ornamental character. 15*s*.

## CROTON BROOMFIELDII.

A richly-marked golden variegated variety of great beauty. The leaves are nine or ten inches long, and about two and a half inches broad in the widest part. The green ground colour is very dark, but everywhere broken up by irregular yellow lines, spots, and blotches. The mid-rib has a slight tint of red, with a yellow central band, and the margins are similarly tinted. 5*s*. and 7*s*. 6*d*.

**CROTON** CHELSONI, 3*s*. 6*d*.
CHRYSOPHYLLUS, 5*s*.
CONCINNUS, 2*s*. 6*d*.

**CROTON** CONQUEST, 5*s*.
COUNTESS, 5*s*. and 7*s*. 6*d*.
CYRUS, 5*s*.

## CROTON CRŒSUS.

One of the series of Crotons or Codiæums with golden variegation. The leaves are bright green, with a yellow costa, and freely blotched with bright yellow in irregular patches or freckled markings, occupying half or sometimes more than half the leaf surface. 7*s*. 6*d*.

**CROTON** DELIGHT, *vide* page 7.
DIANA, 3*s*. 6*d*.
DISRAELI, 2*s*. 6*d*.
DORMANIANUS, 3*s*. 6*d*.
DUKE OF BUCCLEUCH, 2*s*. 6*d*.
EARL OF DERBY, 2*s*. 6*d*.

**CROTON** EBURNEUS, 3*s*. 6*d*. and 5*s*.
ECLIPSE, 7*s*. 6*d*.
ELEGANTISSIMUS, *vide* page 23.
EMBLEM, 5*s*.
ENSIGN, 3*s*. 6*d*.
EVANSIANUS, 2*s*. 6*d*. and 3*s*. 6*d*.

## CROTON EMINENS.

A dense-habited free-growing hybrid variety. The leaves are closely set, broadly lance-shaped, tapered at the apex to an acute point; they are of a bright glossy green, with an ivory-coloured mid-rib, and a portion of the veins of the same colour. The contrast is very striking. 7*s*.6*d*. and 10*s*.6*d*.

## CROTON EXCURRENS.

A peculiar variety, which is characterised by its oblong-stalked leaves having the mid-rib or costa excurrent in the form of a small horn near the apex of the leaf. The colours are green and yellow, very regularly disposed. A distinct and attractive plant. 10*s*. 6*d*.

**CROTON** FALCATUS, *vide* C. variabilis
FASCIATUS, *vide* C. Hendersoni

**CROTON** GLORIOSUS (Princess of Wales), 3*s*. 6*d*.
GRACILIS, 10*s*. 6*d*.

## CROTON FORMOSUS.

A handsome hybrid variety of moderate growth. The leaf-stalks are crimson, the leaf-blade bright green, while the centre and principal veins are yellow, the surface being here and there sprinkled with yellow spots. These yellow portions take on at a later period a glowing crimson hue, the mid-rib and margin especially being of a bright magenta-crimson. This beautiful variety has been frequently shown in Mr. W. B.'s winning collections of new plants. 5*s*. and 7*s*. 6*d*.

**CROTON** HANBURYANUS, 3*s*. 6*d*. and 5*s*.
HASTIFERUS, 2*s*. 6*d*. and 3*s*. 6*d*.
HARWOODIANUS, *vide* C. triumphans

**CROTON** HAWKERII, 3*s* 6*d*.
HECTOR, 2*s*. 6*d*. and 3*s*. 6*d*.
HENDERSONI (FASCIATUS), 2*s*. 6*d*. & 3*s*. 6*d*.

## CROTON HEROICUS.

An attractive hybrid with bright green leaves freely marked with deep yellow, the central bar and the veins, and in many cases the half, or even the whole of the leaf-surface being yellow, and this in some leaves flushed or lined with a tint of rosy crimson. 7*s*. 6*d*.

**CROTON** ILLUSTRIS, *vide* page 24.
IMPERATOR, *vide* C. Challenger

**CROTON** IMPERIALIS, 3*s*. 6*d*. and 5*s*.
INTERRUPTUS AUREUS, 3*s*. 6*d*.



CROTON ELEGANTISSIMUS.

## CROTON ELEGANTISSIMUS.

One of the most charming and elegant varieties yet offered. The leaves are narrow, and of considerable length. The variegation is of a rich, bright golden colour, which contrasts strongly with the bright red tint of the petioles, producing a very pretty effect. This variety was one of the new plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Brussels. *5s.* and *7s. 6d.*



## CROTON ILLUSTRIS.

A singularly grotesque-looking variety. The leaves are mostly three-lobed on purplish petioles, the lobes being twisted or curved, so as to acquire a sort of forked appearance. The colour is green, richly maculated with golden yellow; the central bar yellow, and the variegation irregularly distributed, so that sometimes the points are almost wholly golden. *5s.* & *7s. 6d.*

CROTON NESTOR.

## CROTON NESTOR.

A richly variegated form with large lanceolate leaves freely marked with a most distinctive bright golden yellow and whitish variegation; the costa or midrib is of a bright magenta crimson and is in striking contrast to the colouring on the other parts of the leaf, the ground colour of which is bright green, interspersed with occasional blotches of bright yellow. This magnificent and attractive variety has been imported from the Antipodes. 15*s*.

## CROTON INSIGNIS.

A fine form with long narrow foliage. The leaves are deep green, with the mid-rib and veins beautifully picked out with golden-yellow, the margins and mid-rib rosy-crimson. 5*s*. and 7*s*. 6*d*.

**CROTON** JAMESII, 2*s*. 6*d*. and 3*s*. 6*d*.
JUBILEE, 2*s*. 6*d*. and 3*s*. 6*d*.
JUNIUS, *vide page* 7.
JUNON, 2*s*. 6*d*. and 3*s*. 6*d*.
KINGIANUS, 3*s*. 6*d*. and 5*s*.
LACTEUS, 3*s*. 6*d*.
LANCIFOLIUS, 3*s*. 6*d*. and 5*s*.
MACAFEEANUS, 3*s*. 6*d*.
MACARTHURI, 2*s*. 6*d*. and 3*s*. 6*d*.
MAGNIFICENT, *vide page* 8.
MAJESTICUS, 2*s*. 6*d*. and 3*s*. 6*d*.
**CROTON** MASSANGEANUS, 3*s*. 6*d*. and 5*s*.
MONARCH, *vide page* 8.
MOOREANUS, 2*s*. 6*d*.
MORTII, 3*s*. 6*d*.
MUTABILIS, *vide* C. princeps
NEPTUNE, 3*s*. 6*d*. and 5*s*.
NESTOR, *vide* page 25.
NIMROD, 5*s*. and 7*s*. 6*d*.
NOBILIS, 2*s*. 6*d*.
OBERON, 3*s*. 6*d*.
ORESTES, 3*s*. 6*d*.

## CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy-pink, and the mid-rib of a deeper rosy-crimson. 7*s*. 6*d*. and 10*s*. 6*d*.

**CROTON** PICTURATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
PRINCE OF WALES, 3*s*. 6*d*.
PRINCEPS (MUTABILIS), 3*s*. 6*d*. and 5*s*.
PRINCESS OF WALES, *vide* C. gloriosus
QUEEN VICTORIA, 2*s*. 6*d*. and 3*s*. 6*d*.
**CROTON** REX, 2*s*. 6*d*. and 3*s*. 6*d*.
RECURVATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
ROSEO-PICTUS, 3*s*. 6*d*. and 5*s*.
RUBESCENS, 7*s*. 6*d*. and 10*s*. 6*d*.
SCHOMBURGKIANUS, 5*s*.

## CROTON RUBERRIMUS.

A very fine bright red variety. The leaves are narrow and elegantly drooping; in the young state they are green at the edge, with creamy yellow on each side the red costa, the green parts spotted with cream; then the creamy parts become suffused with red, and the costa changes to a deep crimson; the yellow finally being replaced by deep rosy-crimson. 10*s*. 6*d*.

## CROTON SCEPTRE.

One of the ribbon-leaved forms of Croton. The colouring consists of a crimson costa, on each side of which comes the dark bottle-green ground colour, and added to this are irregular spots, and a few patches of fiery orange with some spots of yellow. A pretty and distinct variety. 10*s*. 6*d*.

**CROTON** SOVEREIGN, 3*s*. 6*d*.
SPECIOSUS, 3*s*. 6*d*. and 5*s*.
**CROTON** SPIRALIS, 2*s*. 6*d*.
SPLENDIDUS, 5*s*.

## CROTON SUNSHINE.

An attractive variety with dark bronzy leaves from nine to ten inches long, and about two inches broad. In the young state the leaves are very freely blotched with yellow, gradually changing as growth advances into rosy-crimson, which in turn, as the leaf arrives at maturity, becomes of a blood-red colour. The contrast of the variegation in its various stages with the dark olive bronzy-green of the remaining portions of the leaves, renders this variety very ornamental and attractive. It has been imported from the South Sea Islands. 1 guinea.

**CROTON** SUPERBIENS, 3*s*. 6*d*.
TORQUATUS, 2*s*. 6*d*.
TORTILIS, 2*s*. 6*d*.
TRIUMPHANS (HARWOODIANUS), 5*s*. and 7*s*. 6*d*.
TRICOLOR, 7*s*. 6*d*.
**CROTON** UNDULATUS, 2*s*. 6*d*.
UNIVITTATUS, 3*s*. 6*d*.
VARIABILIS (FALCATUS), 2*s*. 6*d*.
VARIEGATUS, 2*s*. 6*d*.
VEITCHIANUS, 2*s*. 6*d*

## CROTON VITTATUS.

A very handsome Croton of bold and striking habit. The colour of the leaf-blade is a clear full green, with a broad band of creamy yellow, which runs out laterally along the bases of the distant primary veins. The mid-rib in the older and more matured leaves takes on the same bright ruby-red as the petioles, which adds much to the brilliancy of the marking. 5*s*. and 7*s*. 6*d*.

**CROTON** VICTORY, *vide page* 8.
VOLUTUS, 2*s*. 6*d*. and 3*s*. 6*d*.
WARRENII, 3*s*. 6*d*. and 5*s*.
WEISMANNI, 2*s*. 6*d*. and 3*s*. 6*d*.
WILLIAMSII, 3*s*. 6*d*. and 5*s*.
**CRYPTANTHUS** (TILLANDSIA) ACAULIS ZEBRINA, 5*s*.
(TILLANDSIA) BEUCKERII, 10*s*. 6*d*.
(——) BIVITTATA, 5*s*. and 7*s*. 6*d*.
**CUPANIA** FILICIFOLIA, *vide* Jacaranda Clausseniana.

## CUPANIA GRANDIDENS.

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinnately lobate. It is a handsome ornamental decorative plant. 10*s.* 6*d.*

**CURCULIGO** RECURVATA, 3*s.* 6*d.*
RECURVATA STRIATA, 7*s.* 6*d.*
—— VARIEGATA, 5*s.* and 7*s.* 6*d.*
**CURCUMA** CORDATA, 5*s.*
LUTEO-VIRIDIS, 7*s.* 6*d.*
PETIOLATA, 3*s.* 6*d.*
ROSCOEANA, 5*s.*
RUBRICAULIS, 5*s.*
ZEDOARIA, 7*s.* 6*d.*
**CURMERIA** PICTURATA, 3*s.* 6*d.*
WALLISII, 5*s.*
**CYANOPHYLLUM** BOWMANNI, 5*s.*
MAGNIFICUM, 3*s.* 6*d.* and 5*s.*
**CYANOTIS** (TRADESCANTIA) MULTICOLOR, 2*s.* 6*d.*
(TRADESCANTIA) ZANONIA, 3*s.* 6*d.*
(——) ZEBRINA, 2*s.* 6*d.*
**CYANOTIS** (TRADESCANTIA) ZEBRINA ARGENTEA, 2*s.* 6*d.*
**CYCADS**, *vide* Index.
**CYMBIDIUM**, *vide* Orchids
**CYPERUS** ALTERNIFOLIUS, 1*s.* 6*d.* and 2*s.* 6*d.*
ALTERNIFOLIUS VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
LAXUS, 1*s.* 6*d.*
—— VARIEGATUS, 3*s.* 6*d.* and 5*s.*
**CYPHOMANDRA** ARGENTEA, 7*s.* 6*d.*
**CYPRIPEDIUM**, *vide* Orchids
**CYRTANTHERA** CHRYSOSTEPHANA, 3*s.* 6*d.*
POHLIANA, 3*s.* 6*d.*
**CYRTOCERAS** REFLEXUM, 3*s.* 6*d.* and 5*s.*
**CYRTODEIRA** CHONTALENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
FULGIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
METALLICA, 2*s.* 6*d.* and 3*s.* 6*d.*

## CYRTOSPERMA JOHNSTONI.

A most remarkable Arad, introduced from the Solomon Islands. The leaf-stalks are furnished with irregular whorls of stiff spines, the stem is darkly mottled, and has flesh-coloured bands just above the spines; the leaf-blade is semi-erect, arrow-shaped, prettily variegated and strikingly veined with bright rosy red. This plant is altogether unique and very attractive. 7*s.* 6*d.* and 10*s.* 6*d.*

**DALECHAMPIA** ROEZLIANA ALBA, 2*s.* 6*d.* & 3*s.* 6*d.* | **DALECHAMPIA** ROEZLIANA ROSEA, 2*s.*6*d.* & 3*s.*6*d.*

## DAVIDSONIA PRURIENS.

A noble-looking and desirable ornamental plant, with alternate leaves, nearly two feet long. There are five or six pairs of pinnæ, the terminal one about nine inches long. In the young state the leaves are of a bright red colour, from which they pass to a deepish green. It produces a succulent edible fruit, and is one of the most interesting plants in Queensland. 15*s.*, 1 and 1½ guinea.

**DICHORISANDRA** AUBLETII, 7*s.* 6*d.*
MUSAICA, 10*s.* 6*d.*
UNDATA, 3*s.* 6*d.* and 5*s.*
**DICHOTRICHUM** TERNATEUM, 7*s.* 6*d.*
**DIEFFENBACHIA** AMAZONICA, 2*s.* 6*d.*, 3*s.* 6*d.*& 5*s.*
AMŒNA, 2*s.* 6*d.* and 3*s.* 6*d.*
BARAQUINIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
BOWMANNII, 2*s.* 6*d.* and 3*s.* 6*d.*
BAUSEI, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDERI, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
CHELSONI, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
COSTATA, 5*s.*
EBURNEA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
**DIEFFENBACHIA** FLAVO-VIRENS, 2*s.* 6*d.* and [3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
ILLUSTRIS, 5*s.*
INSIGNIS, 7*s.* 6*d.*
LANCEOLA, 5*s.*
LEOPOLDII, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
LUCINDA, 3*s.* 6*d.*
MACULOSA, 3*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.*
MAJESTICA, 10*s.* 6*d.*
MEMORIA CORSI, 7*s.* 6*d.* and 10*s.* 6*d.*
NEBULOSA, 3*s.* 6*d.*
NOBILIS, 2*s.* 6*d.* and 3*s.* 6*d.*

## DIEFFENBACHIA PRINCEPS.

A bold and handsome plant, of ornamental character. The leaves are dark green, with a few scattered yellowish spots, and a silvery grey marking running through the centre, that in the upper half of the leaf being most distinctly developed. 7*s.* 6*d.*

**DIEFFENBACHIA** PICTA, 2*s.* 6*d.* and 3*s.* 6*d.*
REGINA, *vide* page 28.
REX, *vide* page 29.
SHUTTLEWORTHII, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SPLENDENS, 2*s.* 6*d.* and 3*s.* 6*d.*
TRIUMPHANS, *vide* page 28.
VELUTINA, 2*s.* 6*d.* and 3*s.* 6*d.*
WEIRII, 2*s.* 6*d.* and 3*s.* 6*d.*
**DIONÆA** MUSCIPULA, *vide* page 56.
**DIOSCOREA** ANŒCTOCHILUS, 5*s.* and 7*s.* 6*d.*
ARGYREIA, 5*s.* and 7*s.* 6*d.*
BULBIFERA, 5*s.*
CHRYSOPHYLLA, 5*s.*
DISCOLOR VARIEGATA, 3*s.* 6*d.*
ILLUSTRATA, 3*s.* 6*d.*
MELANOLEUCA, 7*s.* 6*d.*
METALLICA, 5*s.*

## DIOSCOREA SPECIOSA.

A free growing climber, with decorative foliage. It has slender angular stems, which bear cordate-sagittate dark green seven-nerved leaves, marked with an irregular band of silvery grey between the ribs; the under surface of the leaves is of a purplish colour. 5*s.*

DIEFFENBACHIA REGINA.

## DIEFFENBACHIA REGINA.

A very distinct and striking variety from South America. It has oblong elliptic leaves, which are rounded at the base, shortly acuminate and almost wholly covered with greenish-white, mottled with blotches of pale green, and having a narrow margin, and a few streaky markings of a deeper shade. The greater portion of the upper surface of the leaf-blade being of this pallid hue, with the few but distinct dark markings, the plant is very effective and well entitled to be regarded as the Queen of the Dieffenbachias. This beautiful plant has frequently been shown in Mr. W. B.'s winning collections of New Plants. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

## DIEFFENBACHIA TRIUMPHANS.

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are subspreading, ovate-lanceolate, attenuately acuminate, dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. This has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7*s*. 6*d*.

DIEFFENBACHIA REX.

## DIEFFENBACHIA REX.

If *D. regina* may be considered as the Queen, we have in this the King of the genus—a very handsomely marked plant of free and vigorous habit. The leaves are of a very deep green colour, thickly covered with oblique-elongate angular white blotches, which take the same direction as the venation, and are here and there slightly veined and suffused with green. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

## DIPLADENIA BREARLEYANA.

This splendid variety is one of the best exhibition plants extant. It is an evergreen stove climber with dark green leaves, serving as a fine contrast for the superbly-coloured flowers, which are of the largest size, opening pink and changing to the richest crimson colour. They have this remarkable peculiarity, that the colour increases in intensity with the age of the flowers. The plant is of free growth, and of the most floriferous character. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

**DIPLADENIA** AMABILIS, 3*s.* 6*d.*
AMŒNA, 3*s.* 6*d.*
BOLIVIENSIS, 3*s.* 6*d.*
DIADEMA, 15*s.*
ELIOTTI, 5*s.*
HYBRIDA, 3*s.* 6*d.*
INSIONIS, 5*s.*
MAGNIFICA (ACUMINATA), 3*s.* 6*d.* and 5*s.*
PROFUSA, 5*s.*
REGINA, 10*s.* 6*d.*
SPLENDENS, 5*s.* and 7*s.* 6*d.*
**DIPTERIX** ODORATA (**TONQUIN BEAN**), 42*s.*
**DISSOTIS** PLUMOSA, 5*s.*
**DORSTENIA** BARTERI, 7*s.* 6*d.*
CAULESCENS, 7*s.* 6*d.*
THOMSONI, 7*s.* 6*d.*
**DRACÆNA** ALBO-MARGINATA, 3*s.* 6*d.*
AMABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
AMBOINENSIS, 1 guinea
**DRACÆNA** ARGENTEO-STRIATA, *vide page* 8.
AURANTIACA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
BAPTISTII, 2*s.* 6*d.* and 3*s.* 6*d.*
BAUSEI, 3*s.* 6*d.* and 5*s.*
BELLA, 5*s.*
BERKELEYI, 3*s.* 6*d.* and 5*s.*
CANTRELLII, 7*s.* 6*d.*
CAUSTONI, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
CLAUDIA, 10*s.* 6*d.*
CONGESTA (RUBRA), 2*s.* 6*d.* and 3*s.* 6*d.*
COOPERI, 2*s.* 6*d.* and 3*s.* 6*d.*
CRISTULA, 3*s.* 6*d.*
EBURNEA, 1 guinea
ELIZABETHÆ, 5*s.*
ERNESTII, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
EXCELLENS, 15*s.*
FERREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— VARIEGATA, 3*s.* 6*d.*
FRAGRANS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

## DRACÆNA FRAGRANS VARIEGATA.

An effective decorative plant of bold habit, with elegantly recurved leaves of a rich deep green colour, ornamented throughout their entire length with a broad central striped variegation of yellow and pale yellowish green. 10*s.* 6*d.*, 15*s.* and 1 guinea.

**DRACÆNA** FRASERI, 2*s.* 6*d.* and 3*s.* 6*d.*
FREDERICI, 3*s.* 6*d.* and 5*s.*
GLADSTONEI, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
GOLDIEANA, *vide* page 31.
GRACILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
**DRACÆNA** GUILFOYLEI, 2*s.* 6*d.* and 3*s.* 6*d.*
IONEA, 2*s.* 6*d.* and 3*s.* 6*d.*
KNAUSII, 10*s.* 6*d.*
LEONARDII, 7*s.* 6*d.*
MADONNA, 10*s.* 6*d.*

## DRACÆNA LINDENI.

In habit this most distinct and striking Dracæna is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation render the plant of the highest value for decoration. 10*s.* 6*d.*, 15*s.* and 1 guinea.

**DRACÆNA** MAJESTICA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
MASSANGEANA, *vide* fragrans variegata
MASTERSII, 7*s.* 6*d.*
MRS. BAUSE, 3*s.* 6*d.* and 5*s.*
MRS. C. J. FREAKE, 2*s.* 6*d.* and 3*s.* 6*d.*
MRS. WILLS, 2*s.* 6*d.* and 3*s.* 6*d.*
PHRYNIOIDES, 10*s.* 6*d.*
PLUTUS, 10*s.* 6*d.*
PRINCEPS, 10*s.* 6*d.* and 15*s.*
RECURVA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
REGINA, 2*s.* 6*d.* and 3*s.* 6*d.*
RENARDIÆ, 5*s.*
ROSSII, 3*s.* 6*d.*
RUBRA, *vide* D. congesta
SALMONEA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
**DRACÆNA** SHEPHERDII, 2*s.* 6*d.* and 3*s.* 6*d.*
SPLENDENS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
STRICTA, 2*s.* 6*d.* and 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.* and 5*s.*
SURCULOSA MACULATA, 7*s.* 6*d.*
SYDNEYI, 5*s.*
TERMINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ALBA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
THOMSONII, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
WILLSII, 3*s.* 6*d.* and 5*s.*
WILSONI, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*See also* page 56.
**DRACONTIUM** ASPERUM, 5*s.*
CARDERI, 7*s.* 6*d.*
SCALPTURATUM, 7*s.* 6*d.*

## DRYMONIA MARMORATA.

An erect-growing Gesneraceous plant, with large ovate, bullate, dark green leaves, the convex portions between the veins of a glistening grey; the margin is crenate, the under surface purplish. The flowers, which grow in the leaf-axils, are creamy-white and fimbriated. 7*s.* 6*d.*

**DRYMONIA** TURIALVÆ, 5*s.*
**DYCKIA** BREVIFOLIA, 7*s.* 6*d.*
**EBERMAIERA** (CHAMERANTHEMUM) NITIDA, 5*s.*
**ECHITES**, *vide* Dipladenia
PICTA, 3*s.* 6*d.* and 5*s.*
RUBRO-VENOSA, 3*s.* 6*d.*



DRACÆNA GOLDIEANA.

## DRACÆNA GOLDIEANA.

One of the most magnificent ornamental-foliaged plants ever introduced, and altogether unique in character and aspect. It is a native of Western Tropical Africa. The plant is of erect habit, the leaves being marbled and irregularly banded with dark green and silver-grey in alternate straight or furcate transverse bands, the colours being about equally distributed. The back of the unfolded leaves is a pale reddish-purple or wine colour, and the stem where visible at the upper joints is of similar hue. It is, without doubt, one of the most superb of ornamental stove plants, and indispensable in all first-class collections. This beautiful species has been frequently shown in Mr. W. B.'s winning collections of New Plants. *7s. 6d.* and *10s. 6d.*

## EUCHARIS MASTERSII.

This new and beautiful Eucharis has been imported from the United States of Colombia. Its deliciously fragrant flowers are of the most snowy whiteness, the free portion of the staminal cup or corona, forming a narrow but united collar-like rim to the perianth tube. This species will be found a desirable acquisition, it being very free flowering and the blooms admirably adapted for cutting. It has been awarded a First Class Certificate by the Floral Committee of the Royal Horticultural Society. 2*s*. 6*d*. each; 24*s*. per dozen.

**EUCHARIS AMAZONICA**, 1*s*. 6*d*. and 2*s*. 6*d*.; 15*s*. and 24*s*. per dozen.

**EUCHARIS CANDIDA**, 1*s*. 6*d*. and 2*s*. 6*d*.; 15*s*. and 24*s*. per dozen.

## ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. *5s.* and *7s. 6d.*

**ELÆODENDRON** ORIENTALE (ARALIA CHABRIERII) *5s.*
**ELETTARIA** DIEPENHORSTII, *5s.*
**ENCEPHALARTOS**, *vide* Index
**ENCHOLIRION** CORALLINUM, *7s. 6d.*
JONGHEI, *vide* Tillandsia Jonghei
**EPIPHYLLUMS**, of sorts; useful for winter and early spring blooming, and very showy and attractive. *30s.* and *42s.* per dozen.
**EPIPREMNUM** MIRABILE "TONGA PLANT" *3s. 6d.* and *5s.*
**EPISCIA** TESSELLATA, *vide* Centrosolenia bullata
**ERANTHEMUM** ANDERSONI (elegans). *2s. 6d.* and *3s. 6d.*
ATROPURPUREUM, *3s. 6d.*
EBORACENSE, *3s. 6d.*
LAXIFLORUM, *2s. 6d.*
MOOREI, *3s. 6d.*

## ERANTHEMUM MACROPHYLLUM.

A very desirable winter flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube, the lower petal or lip extends horizontally and is of a deep bright blue colour, forming a pleasing contrast to the celestial blue of the upper petals. It is very free flowering and of good habit. *7s. 6d.*

**ERANTHEMUM** NIORESCENS, *3s. 6d.*
PULCHELLUM, *2s. 6d.* and *3s. 6d.*
RETICULATUM (SCHOMBURGKII), *3s. 6d.*
**ERANTHEMUM** TRICOLOR, *3s. 6d.*
TUBERCULATUM, *3s. 6d.*
VERSICOLOR, *3s. 6d.*

## ERANTHEMUM VELUTINUM.

A distinct stove species introduced from Brazil. Its leaves are of a rich deep velvety olive-green, traversed by sunken veins so that the surface forms a series of ridges and furrows which serve to show off with advantage the velvety texture of the surface. The inflorescence forms spikes of blossom eight inches in length, the flowers being of a deep rosy pink colour. *10s. 6d.*

**ERYTHRINA** MARMORATA, *5s.*
PARCELLII, *10s. 6d.*
**ERYTHRINA** VESPERTILIO, *10s. 6d.*
**ERYTHROTIS** BEDDOMEI, *3s. 6d.* and *5s.*

## ERYTHROXYLON COCA.

This extremely interesting plant is of great officinal importance in South America, where its leaves are largely employed as a masticatory, under the name of Coca. When taken internally it acts as a powerful stimulant of the nervous system; and, when under its influence, persons are able to perform long and rapid journeys without exhaustion. "Four times a day, whatever the nature of his occupation—whether employed in the mines, the fields, as a muleteer, or domestic servant, the Indian resigns himself to the pleasures of Coca chewing." *10s. 6d.*

**EUADENIA EMINENS**, 1 guinea
**EUCHARIS** AMAZONICA, *1s. 6d.* and *2s. 6d.*; *15s.* and *24s.* per dozen.
**EUCHARIS** MASTERSII. For description and illustration, *vide* page 32.
SANDERII, *3s. 6d.*

## EUCHARIS CANDIDA.

The blossoms of this lovely and desirable species are exceedingly chaste and beautiful, of waxy whiteness, and with the segments elegantly recurved. They are about two inches long, the projecting corona being tinted with yellow. *1s. 6d.* and *2s. 6d.* each; *15s.* and *24s.* per dozen.

**EUCODONIA**, *vide* Index.
**EUGENIA** PIMENTA (ALLSPICE), *5s.*
*vide* also page 70.
**EUPHORBIA** JACQUINIÆFLORA, *2s. 6d.* and *3s. 6d.*
**EUPHORBIA** SPLENDENS, *3s. 6d.*
**EURYCLES** AUSTRALASICA, *vide* page 34.
CUNNINGHAMII, *3s. 6d.*
**EXOSTEMMA** CHONTALENSIS, *10s. 6d.*

## FARADAYA PAPUANA.

A climbing shrubby plant from Java, furnished with opposite lanceolate leaves, attached by long thickened petioles, and coarsely bullate on the upper surface. The flowers are white, salver-shaped, with a limb of four sub-equal segments, and are produced in corymbose panicles. *10s. 6d.*

**FERNS**, *vide* Index.
**FICUS** BARBATA, *2s. 6d.* and *3s. 6d.*
(ARTOCARPUS) CANNONI, *3s. 6d.*
DEALBATA, *7s. 6d.* and *10s. 6d.*
**FICUS** EBURNEA, *5s.*
ELASTICA, *3s. 6d.*
—— VARIEGATA, *10s. 6d.* and *15s.*
EXSCULPTA, *3s. 6d.* and *5s.*

## EURYCLES AUSTRALASICA.

A beautiful bulbous plant introduced from Australia. It is free-flowering, and produces large heads of elegant and charming white flowers, especially useful for all purposes for which cut flowers are required. 3*s.* 6*d.* each; 36*s.* per dozen.

**FICUS** INDICA, 3*s.* 6*d.*
(ARTOCARPUS) LACINIATA METALLICA, 3*s.* 6*d.*
MOOREI, 5*s.*
PARCELLI, 3*s.* 6*d.*
RADICANS, 3*s.* 6*d.*
SYCOMORUS, 7*s.* 6*d.* and 10*s.* 6*d.*
**FILICIUM** DECIPIENS, 5*s.* and 7*s.* 6*d.*
**FITTONIA** ARGYRONEURA, 2*s.* 6*d.*
OIGANTEA, 2*s.* 6*d.*
PEARCEI, 2*s.* 6*d.*
**GALACTODENDRON** UTILE (Milk Tree), 10*s.* 6*d.*
**GARCINIA** LIVINGSTONI, 10*s.* 6*d.* and 15*s.*
INDICA, 1 guinea.
MANGOSTANA, 2 and 3 guineas.
**GARDENIA** CITRIODORA, 3*s.* 6*d.*
FLORIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
FORTUNIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
GLOBOSA, 5*s.*
RADICANS, 2*s.* 6*d.* and 3*s.* 6*d.*
THUNBERGII, 5*s.*
**GEISSOMERIA** MARMORATA, 3*s.* 6*d.*
**GESNERA** DONKELAARI, 5*s.*
DOUGLASII, 3*s.* 6*d.* and 5*s.*
DUVALII, 3*s.* 6*d.*

**FRANCISCEA** ACUMINATA, 3*s.* 6*d.*
CALYCINA, 3*s.* 6*d.* and 5*s.*
CONFERTIFLORA (LAURIFOLIA), 3*s.* 6*d.*
EXIMIA, 3*s.* 6*d.*
HOPEANA (UNIFLORA), 3*s.* 6*d.*
LATIFOLIA, 3*s.* 6*d.*
LINDENI, 3*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.* and 5*s.*
ROSEA PERFECTA, 3*s.* 6*d.* and 5*s.*
VIOLACEA GRANDIFLORA, 3*s.* 6*d.* and 5*s.*
**GESNERA** LEOPOLDII, 3*s.* 6*d.*
MACRANTHA, 2*s.* 6*d.*
MARCHII, 5*s.*
*vide* Index
**GLONERA** JASMINIFLORA, 3*s.* 6*d.*
**GLORIOSA** PLANTII, 2*s.* 6*d.* and 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.*
**GLOXINIA**, *vide* Index
**GODWINIA** GIOAS, 10*s.* 6*d.*
**GOMPHIA** DECORA, 5*s.* and 7*s.* 6*d.*
**GOODYERA**, *vide* Orchids
**GRAPTOPHYLLUM** NORTONII, 2*s.* 6*d.*
PICTUM, 3*s.* 6*d.*
**GREVILLEA**, *vide* page 58.

## GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5*s.* and 7*s.* 6*d.*

**GRIFFINIA** BLUMENAVIA, 5*s.* and 7*s.* 6*d.*
DRYADES, 10*s.* 6*d.*
**GONOLOBUS** CUNDURANGO, *vide* page 58.
**GUZMANNIA** PICTA, (NIDULARIUM FULGENS), 7*s.* 6*d.* and 10*s.* 6*d.*
**GYNURA** AURANTIACA, 1*s.* 6*d.*

## HÆMANTHUS ABYSSINICUS.

A striking African species of great beauty. It produces on stout erect scapes large heads of rich salmon-coloured blossoms, each flower, of which there are from fifty to one hundred in each head, being of large size; its beauty is also greatly enhanced by the golden yellow anthers. The leaves are ovate lanceolate, wavy and of a deep green colour. 5*s.*

**HÆMANTHUS** COCCINEUS, 2*s.* 6*d.*
INSIGNIS, 1 guinea.
KALBREYERI, 5*s.*
KATHERINÆ, 5*s.* and 7*s.* 6*d.*
—— SUPERBUS, 1 guinea.
NATALENSIS, 7*s.* 6*d.*
PUNICEUS, *vide* page 58.
*vide* also page 58.
**HEVEA** BRASILIENSIS (PARA RUBBER)
**HEDYCHIUM** ACUMINATUM, 5*s.*
GARDNERIANUM, *vide* page 58.
**HELICONIA** AUREO-STRIATA, 5*s.* and 7*s.* 6*d.*
BREVISPATHA, 10*s.* 6*d.*

**HEMIGRAPHIS** COLORATA, 3*s.* 6*d.*
**HIBISCUS** ROSA SINENSIS ALBO-VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSA SINENSIS BRILLIANTISSIMUS, 5*s.*
—— —— CARMINATUS PERFECTUS, 3*s.* 6*d.*
—— —— COLLERI, 3*s.* 6*d.*
—— —— COOPERI, 2*s.* 6*d.*
—— —— CRUENTUS, 3*s.* 6*d.*
—— —— DENNISONI, 3*s.* 6*d.*
—— —— FULGIDUS, *vide* page 36.
—— —— LAMBERTII, 3*s.* 6*d.*
—— —— MINIATUS SEMI-PLENUS, *vide* page 37.
—— —— PUNICEUS, 3*s.* 6*d.*

## HIBISCUS ROSA SINENSIS KERMESINUS.

A grand flowering stove plant, with the foliage and general habit of other varieties of this extremely ornamental species. The flowers are large and showy, full double, the petals broad, rounded, and undulated, the three or four outer series reflexed, the central ones erect, the innermost consisting of the transformed column developed into numerous petaliferous lobes bearing stamens on their margins. The colour is a fine rich carmine crimson. The plant has been imported from the South Sea Islands. 5*s.*

## HIBISCUS ROSA SINENSIS MAGNIFICUS.

A remarkably handsome and attractive variety producing magnificent flowers, which are of an exceedingly bright rosy-magenta colour, shaded with crimson; the base of each petal is marked with a blotch of rich chocolate, which forms a large dark centre to the flower. 5*s.*

## HIBISCUS ROSA SINENSIS FULGIDUS.

This magnificent variety, which was obtained from the South Sea Islands, is remarkable alike for the size, colour and marking of its brilliant flowers. The leaves are broadly ovate, with coarsely serrated margins. The flowers are of very large size (five inches in diameter), composed of fine broad, rounded and beautifully undulated petals, of an intense carmine scarlet, paler and somewhat rosy-tinted towards the base, where on each petal is an oblong blotch of deep crimson, forming a blunt-rayed star in the centre of the flower. It is one of the finest varieties yet introduced. *3s. 6d.*

## HIBISCUS ROSA SINENSIS VIVICANS.

A fine free-flowering stove plant of vigorous habit, with ovate stalked leaves, and remarkably large flowers, four and a half to five inches in diameter, full double, the centre being completely filled up with broad convolute petals, having tufts of stamens intermixed. The colour is a brilliant crimson scarlet. It is a very showy variety, and was imported from the South Sea Islands. *5s.*

## HIBISCUS ROSA SINENSIS MINIATUS SEMI-PLENUS.

This remarkably showy stove plant has firm, almost leathery, ovate leaves, which are coarsely toothed, and brilliant flowers of a vermilion scarlet colour, darker towards the base of the petals. The flowers are semi-double, the petals very much waved and recurved, forming an irregular undulated mass four inches across, from which the partially petaloid staminal column projects two inches. The brilliant and attractive flowers are remarkable for the absence of formality, the shape being wild, and abounding in fantastic curves, but nevertheless they are remarkably handsome. It has been imported from the South Sea Islands. 3*s.* 6*d.*

## HIBISCUS ROSA SINENSIS ZEBRINUS.

A very distinct and handsome variety with double flowers, which are beautifully flaked and striped. The individual blossoms are about three and a half inches in breadth, and two and a half inches in depth; the five outer petals scarlet edged with creamy-yellow in the lower part. The staminal column is entirely petaloid, with a few large petal-like bodies, forming numerous irregular tufts at the apex, of a creamy-yellow colour, variously and irregularly striped and flaked with scarlet. 3*s.* 6*d.*

**HIBISCUS** Rosa sinensis vivicans, *vide* page 36.
Rosa sinensis zebrinus, *vide page* 37.
schizopetalus, 2*s*. 6*d*. and 3*s*. 6*d*.
see also page 58.
**HIPPEASTRUM**, *vide* **AMARYLLIS**

**HOFFMANNIA** (Hioginsia) Ghiesbreghtii, 2*s*.6*d*.
Ghiesbreghtii variegata, 5*s*.
Ortoiesii, 3*s*. 6*d*.
refulgens robusta, 3*s*. 6*d*.
**HOMALOMENA** peltatum, 10*s*. 6*d*.

## HOYA CUMINGIANA.

A very pretty stove climber, native of the Eastern Archipelago. It has terete branches with leathery leaves; the flowers grow in stalked umbels, and are of a tawny yellow colour with the segments recurved, while the lobes of the staminal crown have each a purple-crimson spot. 10*s*. 6*d*.

## HOYA GLOBULOSA.

A distinct and handsome species, producing profusely large trusses of flowers of a bright straw colour, the coronal protuberances white, the interstices pink, forming a pleasing contrast. 3*s*. 6*d*. & 5*s*.

**HOYA** bella. 3*s*. 6*d*.
campanulata, 3*s*. 6*d*. and 5*s*.
carnosa, 2*s*. 6*d*. and 3*s*. 6*d*.
—— picta aurea, 3*s*. 6*d*.
—— variegata, 3*s*. 6*d*. and 5*s*.
imperialis, 3*s*. 6*d*. and 5*s*.
**HOYA** Paxtoni, 2*s*. 6*d*. & 3*s*. 6*d*.
Teysmanniana, 7*s*. 6*d*.
**HYDROCOTYLE** nitidula, 3*s*. 6*d*.
**HYMENOCALLIS** macrostephana, 10*s*.6*d*., 15*s*. and 1 guinea
*vide* Pancratium

## HYMENOSPORUM FLAVUM.

A handsome evergreen plant from Eastern Australia. It is of branching habit, and is furnished with glabrous leaves which are broadly obovate-lanceolate. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 7*s*. 6*d*.

**IMANTOPHYLLUM**, *vide* page 59.
**IMPATIENS** cuspidata, 7*s*. 6*d*.
flaccida (platypetala), 2*s*. 6*d*.
——(——) alba, 1*s*. 6*d*.
Hawkerii, *vide* page 39.
Sultani, 1*s*. 6*d*.
**INDIGOFERA** decora, *vide* page 59.

**IPOMŒA** Horsfallie, 5*s*. and 7*s*. 6*d*.
insignis, 3*s*. 6*d*. and 5*s*.
Learii, 2*s*. 6*d*. and 3*s*. 6*d*.
Thomsoniana, 5*s*.
**ISOLOMA** hirsuta, 3*s*. 6*d*.
mollis, 3*s*. 6*d*.

## IXORA AURORA.

Fine trusses of large attractive flowers, orange-buff on opening, changing afterwards to bright salmon. 10*s*. 6*d*.

## IXORA BELLA.

An exceedingly pretty and effective variety, producing fine trusses of flowers of a salmon-pink colour, shading off to light salmon. 10*s*. 6*d*.

## IXORA CONSPICUA.

This handsome stove plant bears in the freest manner, fine trusses of flowers, buff-yellow on opening, afterwards changing to bright orange. The blooms are large and of good substance, the lobes being round and well formed. A very desirable variety and fine exhibition plant. 21*s*.

## IXORA DECORA.

Yellow flaked with rosy crimson: remarkably attractive; a magnificent variety producing noble trusses of very large fine flowers. 10*s*. 6*d*.

**IXORA** amabilis, 3*s*. 6*d*.
amœna, 5*s*.
Ambrosia, 7*s*. 6*d*.
**IXORA** Aurelia, 3*s*. 6*d*.
coccinea superba, 3*s*. 6*d*.
Duffii, *vide* I. macrothyrsus

## IXORA EMINENS.

A splendid variety of exceptional merit, giving trusses of fine, large, well-formed flowers, clear buff on opening, changing afterwards to light salmon pink. 10*s*. 6*d*.

**IXORA** eximia, 7*s*. 6*d*.
**IXORA** formosa, 5*s*.

## IXORA GEMMA.

A fine addition to this showy and effective genus. It has round and well-formed pips of a rich orange yellow colour, produced in large and compact trusses. This variety will be found of the greatest value for exhibition purposes. 10*s*. 6*d*.

## IMPATIENS HAWKERII.

A most lovely flowering plant introduced from the South Sea Islands, where it was discovered by Lieutenant Hawker. The sharply serrate leaves are elliptic acuminate. The magnificent flowers are very large, flatly expanded, and of the most brilliant rich deep carmine colour, relieved by a lustrous bluish tinge round the small white eye, the spur being red and about two inches long. The handsome flowers of this superb new Impatiens are produced in the greatest profusion from March until October, the plant is of free growth and of good habit, and cannot fail to become one of the most useful of decorative plants. *3s. 6d.* and *5s.*

## IXORA ILLUSTRIS.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10*s*. 6*d*.

## IXORA INSIGNIS.

A fine variety of close dwarf habit; deep rosy crimson flowers shaded with orange, borne in a compact truss. 15*s*.

**IXORA** LAVERNA, 3*s*. 6*d*.
LOBBII, 7*s*. 6*d*.
LUCINDA, 5*s*.
**IXORA** MACROTHYRSUS (DUFFII), 3*s*. 6*d*.
MINERVA 5*s*.
MIRANDA, 7*s*. 6*d*.

## IXORA ORNATA.

A remarkably free-blooming variety, producing good trusses of bright orange-salmon flowers in the greatest profusion. 7*s*. 6*d*.

**IXORA** MODIOLA, 5*s*.
ODORATA, 5*s*.
PILGRIMII, 3*s*. 6*d*.
PRINCE OF ORANGE, 3*s*. 6*d*.
PRINCEPS, 3*s*. 6*d*.
**IXORA** REGINA, 3*s*. 6*d*.
SANGUINEA, 3*s*. 6*d*.
VERONA, 3*s*. 6*d*.
WESTII, 3*s*. 6*d*.
WILLIAMSII, 3*s*. 6*d*.

## IXORA SPECIOSA.

A beautiful addition to these handsome and showy stove plants. The colour of the flowers on opening is buff, afterwards changing to bright orange-salmon, the individual pips are large and borne in good compact trusses, added to which it is extremely free flowering. 15*s*.

## IXORA VENUSTA.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7*s*. 6*d*.

**JACARANDA** CLAUSSENIANA (CUPANIA FILICIFOLIA), 10*s*. 6*d*. and 15*s*.
ELEOANTISSIMA, 10*s*. 6*d*.
MIMOSÆFOLIA, 5*s*.
**JASMINUM** DUCHESSE D'ORLEANS, 3*s*. 6*d*.
GRACILLIMUM, 3*s*. 6*d*.
HIRSUTUM (MULTIFLORUM), 2*s*. 6*d*. & 3*s*. 6*d*.
**JASMINUM** LIGUSTRIFOLIUM, 3*s*. 6*d*.
SAMBAC, 2*s*. 6*d*. and 3*s*. 6*d*.
—— FLORE PLENO, 3*s*. 6*d*.
*See also* page 59.
**JATROPHA** MULTIFIDA, 5*s*.
**JONESIA** ASOCA, 10*s*. 6*d*. and 15*s*.
**JUSTICIA** PURPUREA, 2*s*. 6*d*.

## KÆMPFERIA GILBERTII.

A fleshy-rooted perennial, with attractively variegated foliage, introduced from the East Indies. From the succulent roots are annually produced a tuft of oblong-lanceolate deep green leaves, which are slightly undulated at the margin, and bordered by a broad and very conspicuous band of white. The purple and white flowers are peculiar in form as often occurs in the Zingiberaceous order. 3*s*. 6*d*.

**KÆMPFERIA** BENSONIÆ, 7*s*. 6*d*.
BERKELEYI, 7*s*. 6*d*.
MOULMEINENSIS, 7*s*. 6*d*.
ROSCOEANA, 5*s*.
ROTUNDA, 5*s*.
UNDULATA, 5*s*.
**KYLLINGIA** MONOCEPHALA, 3*s*. 6*d*.
**LAMPROCOCCUS** (*ÆCHMEA*) DISCOLOR, 5*s*.
(——) FULGENS, 3*s*. 6*d*. and 5*s*.
(——) MINIATA, 5*s*.
(——) WEILBACHII, 7*s*. 6*d*.
**LANDOLPHIA** KIRKII, 1 guinea
WATSONIANA, 1 guinea
**LAPORTEA** SCHOMBURGKII VERSICOLOR, 10*s*. 6*d*.
**LASIANDRA**, *vide* page 59.
**LAURUS** CINNAMOMUM, 5*s*. and 7*s*. 6*d*.
**LEDENBERGIA** ROSEO-ÆNEA, 3*s*. 6*d*.
**LIBONIA**, *vide* page 59.
**LIETZIA** BRASILIENSIS, 3*s*. 6*d*.
**LUCULIA**, *vide* Greenhouse Plants
**MACROZAMIA**, *vide* Index
**MAGNOLIA** PUMILA, 5*s*. and 7*s*. 6*d*.
**MANETTIA** BICOLOR, 2*s*. 6*d*. and 3*s*. 6*d*.
CORDATA, 2*s*. 6*d*. and 3*s*. 6*d*.
MICANS, 2*s*. 6*d*. and 3*s*. 6*d*.
**MANGIFERA** INDICA, 1 guinea
**MARANTA** AMABILIS, 5*s*.
AROENTEA, 10*s*. 6*d*.
ARUNDINACEA *(The Arrowroot Plant)*, 7*s*. 6*d*.
BARAQUINII, 3*s*. 6*d*.
BELLA, 7*s*. 6*d*.
BICOLOR, 5*s*.
CONSPICUA, 7*s*. 6*d*.
GOVEANA, 5*s*.
ICONIFERA, 7*s*. 6*d*.
ILLUSTRIS, 3*s*. 6*d*.
KERCHOVEANA, 3*s*. 6*d*. and 5*s*.
LEOPARDINA, 3*s*. 6*d*.
LINDENI, 3*s*. 6*d*.
LUBBERSII, 2*s*. 6*d*.
MAKOYANA, 3*s*. 6*d*.
MASSANOEANA, 3*s*. 6*d*.
MUSAICA, 10*s*. 6*d*.
NITENS, 7*s*. 6*d*.



## NEPHTHYTIS PICTURATA.

A very distinct and ornamental stove Aroid from the Congo, remarkable for the handsome variegated character of its foliage. The plant is stemless, with terete green petioles growing about a foot high, and broadly ovate-hastate leaves, which are abruptly pointed at the apex; the colour is bright green with a silvery-white variegation between the nerves. This variegation is peculiar and quite unique in character, forming a pattern resembling in outline the tips of fern fronds laid between the nerves, with their points all directed towards the base of the leaf. 21*s*.

**MARANTA** NITIDA, 10*s.* 6*d.*
ORNATA, 3*s.* 6*d.*
PORPHYROCAULIS, 5*s.*
PRASINA, 7*s.* 6*d.*
PRINCEPS, 3*s.* 6*d.* and 5*s.*
RADIATA, 5*s.*
REGALIS, 3*s.* 6*d.*
ROSEO-PICTA, 3*s.* 6*d.*
SEEMANNI, 7*s.* 6*d.*
SMARAGDINA, 7*s.* 6*d.*
**MARANTA** SPECIOSA, 10*s.* 6*d.*
SPLENDIDA, 3*s.* 6*d.*
TUBISPATHA, 3*s.* 6*d.*
VEITCHII, 3*s.* 6*d.*
VITTATA, 3*s.* 6*d.*
WALLISII, 3*s.* 6*d.* and 5*s.*
WARSCEWICZII, 3*s.* 6*d.*
WIOTII, 5*s.*
ZEBRINA, 3*s.* 6*d.*
**MARCGRAVIA** DUBIA, 3*s.* 6*d.*
PARADOXA, 3*s.* 6*d.*

## MARCGRAVIA INDICA.

This plant belongs to a very peculiar group of climbing plants, which cling like Ivy to the surface to which they become affixed. The present is a free-growing species, that will make a neat and very interesting wall climber, on account of the peculiarities of its growth and foliation. The stems are flattened, the leaves being two-ranked, oblong-ovate and of a deep green colour. 10*s.* 6*d.*

**MASCARENHASIA** CURNOWIANA, 5*s.*
**MEDINILLA** AMABILIS, 3*s.* 6*d.*
CURTISII, 3*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.*
**MELASTOMA** MALABATHRICA, 5*s.*
**MESUA** FERREA, 10*s.* 6*d.*
**METHONICA**, *vide* Gloriosa
**MEYENIA** ERECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
**MICANIA** PULVERULENTA, 3*s.* 6*d.*
**MONOLOPHUS** SECUNDA, 10*s.* 6*d.*
**MONSTERA** DELICIOSA (Philodendron pertusum), 5*s.* and 7*s.* 6*d.*
**MUSA** CAVENDISHII, 10*s.* 6*d.* and 15*s.*
COCCINEA, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
SUPERBA, 7*s.* 6*d.* and 10*s.* 6*d.*
URANOSCOPAS, 1 guinea
VITTATA, 1, 1½ and 2 guineas
ZEBRINA, 10*s.* 6*d.* and 15*s.*
**MUSSÆNDA** ERYTHROPHYLLA, *vide* page 8.
FRONDOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
THEIFERA, 5*s.*
**NÆGELIA**, *vide* GESNERA
**NAPOLEONA** IMPERIALIS, 5*s.* and 7*s.* 6*d.*

## NEPENTHES.



CARNIVOROUS PLANTS.

**NEPENTHES** AMPULLARIA VITTATA, 10*s.* 6*d.*
AMPULLARIA VITTATA MAJOR, 1 guinea
CHELSONI, 1 guinea
COURTII, 1 guinea
DISTILLATORIA, 10*s.* 6*d.*
DOMINII, 10*s.* 6*d.*
GRACILIS MAJOR, 5*s.*
HENRYANA, 15*s.* and 1 guinea
HOOKERI (Sir Joseph Hooker's Pitcher Plant), 1 guinea
HOOKERÆ (Lady Hooker's Pitcher Plant), 1 and 1½ guinea
HYBRIDA, 10*s.* 6*d.*
—— MACULATA, 10*s.* 6*d.*
INTERMEDIA, 10*s.* 6*d.*
KENNEDYANA, 10*s.* 6*d.*
LAWRENCEANA, 10*s.* 6*d.* and 15*s.*
MASTERSIANA 1½ and 2 guineas
MORGANÆ, 10*s.* 6*d.* and 15*s.*
OUTRAMIANA, 10*s.* 6*d.*
PHYLLAMPHORA, 3*s.* 6*d.* and 5*s.*
RAFFLESIANA, 15*s.*
—— INSIGNIS, *vide* page 43
—— NIVEA, 2 guineas
RATCLIFFIANA, 10*s.* 6*d.* and 15*s.*
SEDENI, 5*s.*
STEWARTII, 10*s.* 6*d.*
SUPERBA, 10*s.* 6*d.*
ZEYLANICA RUBRA, 10*s.* 6*d.*

## NEPENTHES RAFFLESIANA INSIGNIS.

A very distinct and magnificent variety of robust growth, producing extremely handsome and gigantic pitchers, about nine inches in length by four in breadth, heavily mottled in a most effective manner with purplish brown on a green ground. The deeply-ribbed rim surrounding the mouth of the pitcher is prolonged at the upper end into a stalk terminated by a large ovate oblong spreading lid, the under side of which is mottled with purplish brown. It has been described and illustrated in the *Gardeners' Chronicle*, September 30th, 1882. 3 and 4 guineas.

## NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. It was discovered by one of my collectors in Liberia. 7*s.* 6*d.*

**NEPHTHYTIS** PICTURATA, *vide* page 41.
**NIDULARIUM** FULGENS, *vide* Guzmannia picta
INNOCENTII, 5*s.* and 7*s.* 6*d.*
SPECTABILE, 7*s.* 6*d.* and 10*s.* 6*d.*
STRIATUM, *vide* page 8.
**OCHROSIA** ELLIPTICA, 5*s.*
**ONCIDIUM**, *vide* ORCHIDS
**OPHIOPOGON**, *vide* page 60.
**OPLISMENUS** IMBECILLIS VARIEGATUS (PANICUM VARIEGATUM), 1*s.* 6*d.*
INTERMEDIUS (PANICUM INTERMEDIUM), 2*s.* 6*d.* and 3*s.* 6*d.*
**ORCHIDS**, *vide* Index
**OUVIRANDRA** FENESTRALIS, 1 guinea
**OXALIS** BUPLEURIFOLIA, 5*s.*
SENSITIVA, 3*s.* 6*d.* and 5*s.*

## PALICOUREA JUGOSA.

An ornamental Brazilian stove plant, with opposite elliptic oblong leaves, which are of a dark satiny green, with a striking pink midrib and veins. The veins are depressed, so that the leaf-surface presents a series of ridges and furrows, which serve to show off to advantage the satiny tints of their colour. The under surface is of a wine-purple colour. 10*s.* 6*d.*

**PALISOTA** BARTERI, 5*s.*
**PALMS**, of sorts, *vide* Index

## PANAX DIFFISSUM.

An interesting compact-growing stove plant, a native of the South Sea Islands. It has pale bright green leaves, which are triangular, bipinnate, and crispate, the primary divisions with spiny-toothed, bluntish secondary divisions, the teeth turned upwards, which gives to the surface of the leaf its crispy appearance. 5*s.* and 7*s.* 6*d.*

## PANAX DISSECTUM.

An evergreen plant of branching habit; the leaves are numerous, drooping, and bipinnate, having the obovate cuneate leaflets very greatly varied in size and outline, all of them being furnished with long marginal teeth. This plant from its plumose character and elegant habit, is exceedingly pretty for table decoration and other ornamental purposes. 7*s.* 6*d.*

## PANAX DUMOSUM.

A remarkably neat and pleasing dwarf stove plant, with short-jointed stems, thickly clothed with deeply divided cheerful green leaves. The petioles are olive-green, mottled with brighter green, and terminating in a roundish-ovate pinnately divided blade of numerous variously-shaped lobes, the pinnæ furnished at the margins with incurved spiny teeth. Extremely ornamental. 5*s.* and 7*s.* 6*d.*

**PANAX** CRISPATUM, *vide* page 9.
FISSUM. 5*s.* and 7*s.* 6*d.*
FRUTICOSUM, 7*s.* 6*d.*
LEPIDUM, *vide* page 9.
NITIDUM, *vide* page 9.
ORNATUM, *vide* page 9.
PLUMATUM, 5*s.*
VICTORIÆ, 3*s.* 6*d.* and 5*s.*
**PANCRATIUM** CANDIDUM, 3*s.* 6*d.*
CARIBBÆUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FRAGRANS, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
GUIANENSIS, *vide* page 45.
HARRISIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MEXICANUM, 1*s.* 6*d.* and 2*s.* 6*d.*
ROTATUM, 3*s.* 6*d.*
SPECIOSUM, 5*s.* and 7*s.* 6*d.*
*vide* Hymenocallis
**PANDANOPHYLLUM** HUMILE, 1½ guinea
**PANDANUS** JAVANICUS VARIEGATUS, 3*s.* 6*d.* & 5*s.*
LABYRINTHICUS, 3*s.* 6*d.* and 5*s.*
LAIS, 3*s.* 6*d.* and 5*s.*
UTILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
VANDERMEERSCHII, 7*s.* 6*d.*
VEITCHII, 3*s.* 6*d.* and 5*s.*
**PANICUM** VARIEGATUM, *vide* Oplismenus
INTERMEDIUM, *vide* Oplismenus
**PARITIUM** ELATUM (CUBA BAST), 7*s.* 6*d.*
**PARMENTIERA** CEREIFERA, 1 guinea.
**PASSIFLORA** ALATA, 3*s.* 6*d.*
AMABILIS, 3*s.* 6*d.*
BIJOU, 3*s.* 6*d.*
BUONAPARTEA, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
EDULIS, 3*s.* 6*d.*
FULGENS, *vide* Tacsonia Buchanani

## PASSIFLORA HAHNII.

This is a very distinct and beautiful variety of Passion-flower. It is a native of Mexico, and is a free-growing temperate stove climber. The flowers are about three inches across, of a creamy white, with a yellowish corona, and are produced in great profusion. It has received a First Class Certificate from the Royal Horticultural Society. 5*s.*

**PASSIFLORA** KERMESINA, 3*s.* 6*d.*
LAURIFOLIA, 5*s.*
**PASSIFLORA** LOUDONI, 3*s.* 6*d.*
MADONNA, 3*s.* 6*d.*

## PANCRATIUM GUIANENSIS.

A very distinct species introduced from British Guiana, producing its elegant flowers in handsome clusters on erect scapes. The blossoms are pure white, the narrow segments being drooping and most prettily curled and twisted, presenting an aspect of the most charming description. The corona is trumpet shaped, the filaments which proceed from it being bright green, and furnished with bright yellow anthers. 10*s.* 6*d.*

## PASSIFLORA MACROCARPA.

A free-growing climber, introduced from the Rio Negro. The blossoms are very large, white and purple, but it is chiefly remarkable for its immense fruits, which often weigh as much as eight pounds each or more, and are of excellent quality. 3*s.* 6*d.* and 5*s.*

## PASSIFLORA QUADRANGULARIS VARIEGATA.

The bold character and beautiful flowers of *Passiflora quadrangularis* are too well known to need description. The present variety differs from it in having the foliage variegated. The leaves are very freely covered with yellow blotches and spots, producing a colouration which is at once handsome and conspicuous. 3*s.* 6*d.* and 5*s.*

**PASSIFLORA** PRINCEPS (RACEMOSA), 3*s.* 6*d.*
QUADRANGULARIS, 2*s.* 6*d.* and 3*s.* 6*d.*
SHEPPARDII, 3*s.* 6*d.*
**PASSIFLORA** TRIFASCIATA, 3*s.* 6*d.*
VITIFOLIA, *vide* Tacsonia Buchanani
See also page 60.

## PASSIFLORA VIOLACEA.

A beautiful and very floriferous new species, producing in great abundance pendent flowers of a bluish violet colour, the filaments of the corona being white, the anthers golden yellow. The flowers are fragrant. 7*s.* 6*d.*

**PAULLINIA** HOOIBRENKII, 10*s.* 6*d.*
OCEANICA, 10*s.* 6*d.*
SORBILIS, Guarana Toa Plant, 10*s.* 6*d.*
THALICTRIFOLIA, 3*s.* 6*d.*
—— ARGENTEA, 5*s.*
**PAVETTA** BORBONICA, 10*s.* 6*d.*
NATALENSIS, *vide* page 9.
**PAVONIA** MAKOYANA, 3*s.* 6*d.*
MULTIFLORA (WIOTII), 3*s.* 6*d.*
**PELLIONIA** DAVEAUANA, 2*s.* 6*d.*
**PELLIONIA** PULCHRA, 2*s.* 6*d.*
**PENTAS** CARNEA, 1*s.* 6*d.* and 2*s.* 6*d.*
KERMESINA, 1*s.* 6*d.* and 2*s.* 6*d.*
**PEPEROMIA** ARGYREIA, 3*s.* 6*d.*
EBURNEA, 3*s.* 6*d.*
**PETRÆA** VOLUBILIS, 3*s.* 6*d.*
**PHILODENDRON** CARDERII, 7*s.* 6*d.*
CRINIPES, 5*s.*
DISCOLOR, 5*s.*
OLORIOSUM, 5*s.* and 7*s.* 6*d.*

## PHILODENDRON NOBILE.

A distinct species from South America. It has obovate lanceolate leaves of a firm leathery texture. The large and attractive inflorescence is axillary, the lower portion of the handsome spathe being of a deep rosy crimson colour, both inside and out; the upper part, white internally, outside prettily marked with deep-rose stellate spots, the larger ones being surrounded by numerous smaller dots of the same colour. 1 guinea.

**PHILODENDRON** IMPERIALE (MAMEI), 5*s.* & 7*s.*6*d.*
LINDENIANUM, 3*s.* 6*d.* and 5*s.*
MELANOCHRYSUM, 5*s.*
PERTUSUM, *vide* Monstera deliciosa
RADIATUM, 7*s.* 6*d.*
**PHYLLAGATHIS** ROTUNDIFOLIA, 5*s.* and 7*s.* 6*d.*
**PHYLLANTHUS** ATROPURPUREUS, 3*s.* 6*d.*
ELEGANS, 5*s.*
NIVOSUS, 3*s.* 6*d.*
**PHYLLANTHUS** ROSEO-PICTUS, 3*s.* 6*d.*
SEEMANNIANUS, 7*s.* 6*d.*
**PHYLLARTHRON** COMORENSE. 7*s.* 6*d.*
**PHYLLOTÆNIUM** LINDENI, 3*s.* 6*d.* and 5*s.*
**PILEA** MUSCOSA, 1*s.* 6*d.* and 2*s.* 6*d.*
**PIPER** ARGENTEUM, 10*s.* 6*d.*
ORNATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
**PIPERS,** of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
**PISTIA** STRATIOTES, 2*s.* 6*d.* and 3*s.* 6*d.*

## PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. 10*s.* 6*d.*

**PITCAIRNIA** CORALLINA, 5*s.* and 7*s.* 6*d.*
PLATYPHYLLA, 7*s.* 6*d.*
TABULÆFORMIS, 3*s.* 6*d.* and 5*s.*
**PLEROMA** MARMORATA, 10*s.* 6*d.*
See also page 61.
**PLUMBAGO** COCCINEA SUPERBA, 2*s.* 6*d.* & 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
See also page 61.
**POGOSTEMON** PATCHOULI, 3*s.* 6*d.*
**POINCIANA** REGIA, 7*s.* 6*d.*
**POINSETTIA** PULCHERRIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
PULCHERRIMA ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— PLENISSIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEO-CARMINATA, 2*s.* 6*d.*
**POLYGALA,** *vide* page 61.
**PORTLANDIA** GRANDIFLORA, 7*s.* 6*d.*
**POSOQUERIA** MULTIFLORA, 3*s.* 6*d.* and 5*s.*
**POTHOS** ARGYREIA, 2*s.* 6*d.* and 3*s.* 6*d.*

## POTHOS FLEXUOSUS.

An interesting Araceous plant, which has been introduced from India. It has flattened rooting stems, the leaves being alternately directed to the right and to the left, the larger ones six inches long; the lamina oblong, with an acuminate deflexed apex, pale green, with a few alternate elongated ribs. From the peculiar character of the leaves, which lie flat upon the surface it climbs over, it is well adapted for covering walls, or for other ornamental purposes. 10*s*. 6*d*.

## POTHOS ARGENTEUS.

An attractive variegated Araceous plant of climbing habit, imported from Borneo. The leaves are ovate-acuminate, unequal-sided and of firm texture, nearly the whole of the upper surface being of a shining silvery grey colour, the effect being greatly enhanced by an irregular band of deep green extending nearly the whole length of the mid-rib, the leaves being also margined in an irregular manner with the same colour. It is one of the showiest species of the genus and free in growth, the plant being well adapted for covering walls in stoves, to which it clings by means of its adventitious roots. 10*s.* 6*d.*

**POTHOS** AUREUS, 3*s.* 6*d.* and 5*s.*
CELATOCAULIS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
**POTHOS** FLEXUOSUS, *vide* page 47.
MACROPHYLLUS, 3*s.* 6*d.*

## POTHOS NITENS.

A distinct looking stove plant, with climbing terete stems which hold fast to any surface with which they come in contact by means of their adventitious roots. The leaves are ovate acute, slightly and unequally cordate at the base, of a dark shining bronzy-purplish green. This will prove an effective and attractive species for covering the walls and trellises in our stoves. It has been imported from the Eastern Archipelago. 7*s.* 6*d.*

**PSIDIUM** CATTLEYANUM (The Guava), 3*s.* 6*d.*& 5*s.*
**PUYA** MAIDIFOLIA, 5*s.*
SULPHUREA, 7*s.* 6*d.*
UNDULATA, 7*s.* 6*d.*
**RAVENALA** MADAGASCARIENSIS "The Traveller's Tree," 15*s.* and 1 guinea
**REIDIA** GLAUCESCENS, 3*s.* 6*d.* and 5*s.*
**RHOPALA**, of sorts, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**ROGIERA** CORDATA (AMŒNA), 3*s.* 6*d.*
GRATISSIMA, *vide* page 61.
THYRSIFLORA, 5*s.*
**RONDELETIA** BREVIFOLIA, 3*s.* 6*d.*
BRILLIANTISSIMA, 3*s.* 6*d.*
SPECIOSA MAJOR, 3*s.* 6*d.*
**SACCHARUM** OFFICINARUM "Sugar Cane," 5*s.*
**SAMYDA** NOBILIS, 1 guinea
**SANCHEZIA** NOBILIS GLAUCOPHYLLA, 5*s.*
NOBILIS VARIEGATA, 3*s.* 6*d.*
**SANSEVIERA** ZEYLANICA, 3*s.* 6*d.*
**RONNBERGIA** COLOMBIENSIS, 1 guinea
MORRENIANA, 1 guinea
**ROSCOEA** PURPUREA, 10*s.* 6*d.*
**RUBUS** FLEXUOSUS, 5*s.*
**RUDGEA** MACROPHYLLA, 10*s.* 6*d.* and 15*s.*
**RUELLIA** ACUTANGULA, 5*s.*
PORTELLÆ, 5*s.*
ROSEA, 3*s.* 6*d.*
SOLITARIA, 5*s.*
**RUSSELIA** JUNCEA, 3*s.* 6*d.*
**SAXO-FRIDERICIA** SUBCORDATA, 3 guineas
**SCHISMATOGLOTTIS** CRISPATA, 5*s.*
DECORA, 5*s.*
LATIFOLIA, 5*s.*
LAVALLEI, 5*s.*
LONGISPATHA, 5*s.*
SIAMENSIS, 10*s.* 6*d.*
VARIEGATA, 3*s.* 6*d.*
**SCHISTOCASIA** PORTEI, *vide* Alocasia Portei

## SCINDAPSUS ARGYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 10*s.* 6*d.*

**SCIADOCALYX** LUCIANA, 3*s.* 6*d.*
**SCINDAPSUS**, *vide* POTHOS
**SCUTELLARIA** MOCINIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
**SERICOGRAPHIS** GHIESBREGHTIANA, 2*s.* 6*d.*
**SINNINGIA** PUNCTATA, 3*s.* 6*d.*
PURPUREA NIGRA, 3*s.* 6*d.*
**SIPHOCAMPYLUS** HUMBOLDTIANUS (FULGENS), 5*s.*
**SMILAX** AURICULATA, *vide* page 64.

## SMILAX DISCOLOR.

A bold growing semi-scandent species, introduced from South America. The leaves are of a rich green colour irregularly blotched in a young state with patches of purplish-brown varying much in size and form; they are five-nerved, the three central ones being very strongly marked, and the two exterior ones less distinctly developed. It is a bright cheerful clean-looking plant, desirable on account of the ornamental character of its blotched foliage. 7*s.* 6*d.*

**SMILAX** LONGIFOLIA VARIEGATA, 5*s.*
SHUTTLEWORTHII, 7*s.* 6*d.*
**SOLANDRA** GRANDIFLORA, 3*s.* 6*d.*
**SONERILA** HENDERSONI, 3*s.* 6*d.* and 5*s.*
HENDERSONI ARGENTEA, 3*s.* 6*d.* and 5*s.*
—— MARMORATA, 3*s.* 6*d.* and 5*s.*
—— PICTURATA, 5*s.*
—— SPECIOSA, 5*s.*
MARGARITACEA ALBA, 3*s.* 6*d.* and 5*s.*
—— SUPERBA, 3*s.* 6*d.* and 5*s.*
**SPATHIPHYLLUM** PICTUM, 5*s.*
**SPATHODEA** CAMPANULATA, 7*s.* 6*d.*
**SPHÆROGYNE** LATIFOLIA, 5*s.*
**SPHÆROSTEMA** MARMORATUM, 3*s.* 6*d.* and 5*s.*
**STADMANNIA** AMABILIS, 10*s.* 6*d.*
**STENOSPERMATIUM** WALLISII, 5*s.*
**STEPHANOPHYSUM** LONGIFOLIUM, 5*s.*
**STEPHANOTIS** FLORIBUNDA, 3*s.* 6*d.*
FLORIBUNDA, "Elvaston" variety, 3*s.* 6*d.* & 5*s.*
**STEUDNERA** COLOCASIÆFOLIA, 5*s.*
DISCOLOR, 10*s.* 6*d.*
**STIGMAPHYLLUM** CILIATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
**STRELITZIA** AUGUSTA, 15*s.*
NICOLAI, 2 guineas
REGINÆ, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**STREPTOCARPUS** POLYANTHUS, 2*s.* 6*d.*
REXII, 2*s.* 6*d.* and 3*s.* 6*d.*

**SYNGONIUM** ALBO-LINEATUM, 3*s.* 6*d.*
WENDLANDII, 3*s.* 6*d.*
**TABERNÆMONTANA** CAMASSA, 3*s.* 6*d.*
CORONARIA FLORE PLENO, 3*s.* 6*d.*
WALLICHIANA, 10*s.* 6*d.*
**TACCARUM** WARMINGIANUM, 1 guinea
**TACSONIA** BUCHANANI (VITIFOLIA), 3*s.* 6*d.* & 5*s.*
**TAPEINOTIS** CAROLINÆ, 3*s.* 6*d.*
CAROLINÆ MAJOR, 5*s.*
**TERMINALIA** ELEGANS, 5*s.* & 7*s.* 6*d.*
**TETRANEMA** MEXICANA, 1*s.* 6*d.*
**THEOBROMA** CACAO (Cocoa), 10*s.* 6*d.*

## TECOMA AMBOINENSIS.

This handsome free-flowering stove climber has been introduced from the Island of Amboina. Its leaves are impari-pinnate with the leaflets generally in pairs, acuminate. The flowers are produced in racemes from the axils of the leaves, the orange-red corolla tube being from three to four inches long. 15*s.*

**THROPHRASTA** IMPERIALIS, *vide* Chrysophyllum imperiale
**THUNBERGIA** FRAGRANS, 2*s.* 6*d.*
GRANDIFLORA, 3*s.* 6*d.*
HARRISII (LAURIFOLIA), 2*s.* 6*d.*
**THYRSACANTHUS** RUTILANS, 2*s.* 6*d.* and 3*s.* 6*d.*
**TILLANDSIA** ACAULIS ZEBRINA, *vide* Cryptanthus
BIVITTATA, *vide* Cryptanthus
(CARAGUATA) CARDINALIS, 2 guineas
JONGHEI, 10*s.* 6*d.*

## TILLANDSIA HIEROGLYPHICA.

A beautiful Bromeliaceous plant, with very attractive foliage. The leaves are recurved, and at first sight have the appearance of being hieroglyphical inscriptious. The markings are of a pale green colour, traversed transversely by distinct irregular bands of deeper green, repeated on the under surface of a deep chocolate-purple colour. 5*s.* and 7*s.* 6*d.*

## TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flatteued spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 10*s.* 6*d.*, 15*s.* & 1 guinea.

**TILLANDSIA** (CARAGUATA) MUSAICA, 15*s.* & 1 guinea
(CARAGUATA) SANGUINEA
TESSELATA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
(CARAGUATA) ZAHNII, 3*s.* 6*d.* and 5*s.*
**TORENIA** ASIATICA, 1*s.* 6*d.* and 2*s.* 6*d.*
PULCHERRIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
**URCEOLINA** AUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
**UROSKINNERA** SPECTABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
**UTRICULARIA** MONTANA, 7*s.* 6*d.* and 10*s.* 6*d.*
**VANILLA** AROMATICA, 5*s.* and 7*s.* 6*d.*
PLANIFOLIA, 7*s.* 6*d.* and 10*s.* 6*d.*
**VINCA** ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
ALBA OCULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
**VITIS** CHONTALENSIS, 5*s.*
**TOXICOPHLÆA** (ACOCANTHERA) SPECTABILIS, 3*s.* 6*d.*
THUNBERGII, 5*s.*
**TRADESCANTIA**, *vide* Cyanotis
**TREVESIA** EMINENS, 10*s.* 6*d.*
**TYDÆA**, *vide* Index
**VRIESIA** BRACHYSTACHYA, 5*s.*
FALKENBERGII, 1 guinea.
FENESTRALIS, 5*s.*
SPLENDENS (SPECIOSA), 3*s.* 6*d.* and 5*s.*
**WORMIA** BURBIDGEI, 3*s.* 6*d.* and 5*s.*
**XYLOPHYLLA** ANGUSTIFOLIA, 5*s.*
INTERMEDIA, 5*s.*
**ZAMIA**, *vide* Index
**ZINGIBER** OFFICINALE, 2*s.* 6*d.*
ZERUMBET, 3*s.* 6*d.*

# STOVE CLIMBERS, WALL AND PILLAR PLANTS.

**ANTIGONONS**, of sorts
**ARISTOLOCHIA** ELEGANS
—— RIDICULA
—— of sorts
**BIGNONIAS**, of sorts
**BOUGAINVILLEA** REFULGENS
—— of sorts
**CAMPSIDIUM** FILICIFOLIUM
**CISSUS** DISCOLOR
**CLERODENDRONS**, of sorts
**COMBRETUMS**, of sorts
**DIOSCOREA** ILLUSTRATA
—— of sorts
**DIPLADENIA** AMABILIS
—— BOLIVIENSIS
**DIPLADENIA** BREARLEYANA
—— of sorts
**ECHITES**, of sorts
**FICUS**, of sorts
**GLORIOSA** PLANTII
—— SUPERBA
**HIBISCUS**, of sorts
**HOYA** CUMINGIANA
—— GLOBULOSA
—— of sorts
**IPOMÆA** HORSFALLIÆ
—— THOMSONIANA
—— of sorts
**JASMINUMS**, of sorts
**PASSIFLORA** HAHNII
—— PRINCEPS
—— QUADRANGULARIS VARIEGATA
—— of sorts
**POTHOS** FLEXUOSUS
—— of sorts
**SMILAX** DISCOLOR
—— of sorts
**SPATHODEA** CAMPANULATA
**STEPHANOTIS** FLORIBUNDA
**THUNBERGIAS**, of sorts
**TECOMA** AMBOINENSIS
**TACSONIA** BUCHANANI
**VANILLA** AROMATICA

# GREENHOUSE CLIMBERS, WALL AND PILLAR PLANTS.

**ACACIA** DEALBATA
—— of sorts
**ASPARAGUS** PLUMOSUS NANUS
**BIGNONIA** CHERERE
—— of sorts
**BOMAREA** CARDERII
**CISSUS** ANTARCTICA
—— of sorts
**COBEA** SCANDENS VARIEGATA
**CLEMATIS** INDIVISA
**CLIANTHUS**, of sorts
**FICUS**, of sorts
**HABROTHAMNUS**, of sorts
**HARDENBERGIAS**, of sorts
**JASMINUMS**, of sorts
**KENNEDYAS**, of sorts
**LAPAGERIA** ALBA
—— ROSEA
**MANDEVILLEA** SUAVEOLENS
**PASSIFLORAS**, of sorts
**PLUMBAGO** CAPENSIS
—— —— ALBA
**SENECIO** MACROGLOSSUS (The Cape Ivy)
**SOLLYA** LINEARIS
**SOLANUM** JASMINOIDES
**TACSONIA** EXONIENSIS
—— JAMESONI
—— VAN VOLXEMI
—— of sorts
**TECOMA** ROSEA
**TRACHELOSPERMUM** (RHYNCOSPERMUM), of sorts

# NEW, RARE, AND DESIRABLE GREENHOUSE PLANTS.

**ABELIA** FLORIBUNDA, 2*s.* 6*d.*
**ABUTILONS**, *vide* page 68
**ACACIA** ARMATA, 1*s.* 6*d.*
DEALBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 3*s.* 6*d.*
LONGIFOLIA MAGNIFICA, 3*s.* 6*d.*
LOPHANTHA, *vide* ALBIZZIA
ORNITHOPHORA, 3*s.* 6*d.*
**ACACIA** PLATYPTERA, 3*s.* 6*d.*
PUBESCENS, 3*s.* 6*d.* and 5*s.*
RICEANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPHÆROCEPHALA, *vide* page 11.
TENUIFOLIA, 5*s.*
VERTICILLATA, 2*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
**ACANTHOPANAX** QUINQUEFOLIUS VARIEGATUS, 5*s.*
**ACROPHYLLUM** VENOSUM, 5*s.* and 7*s.* 6*d.*

## ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite leaves on dark purple petioles, the leaves being of an ovate form. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5*s.*

**ADENANDRA** FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
**AGAPANTHUS** UMBELLATUS, 1*s.* 6*d.*
**AGAPANTHUS** UMBELLATUS ALBUS, *vide* A. umbellatus candidus

## AGAPANTHUS UMBELLATUS CANDIDUS.

A variety with pure white flowers, extremely useful for bouquets, and very suitable for most decorative purposes: it makes an excellent companion to the blue kinds. 3*s.* 6*d.*

**AGAPANTHUS** UMBELLATUS MAXIMUS, 3*s.* 6*d.*
UMBELLATUS FOLIIS VARIEGATIS, 2*s.* 6*d.* & 3*s.* 6*d.*
—— MINOR, 3*s.* 6*d.*
**AGAVE** AMERICANA LONGIFOLIA VARIEGATA, 5*s.*
AMERICANA MEDIO-PICTA, 10*s.* 6*d.*
—— VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
BULBOSA, *vide* Foureroya
CELSIANA, 3*s.* 6*d.* and 5*s.*
FILIFERA, 15*s.* and 1 guinea
SEEMANNI, 1 guinea
SHAWII, 3*s.* 6*d.* and 5*s.*
**AGNOSTUS**, *vide* Stenocarpus
**ALBIZZIA** (ACACIA) LOPHANTHA, 1*s.* 6*d.*
**ALLAMANDA**, *vide* page 11
**ALOE** FEROX, 3*s.* 6*d.* and 5*s.*
**ALOYSIA** CITRIODORA (LEMON-SCENTED VERBENA), 1*s.*
**AMARYLLIS**, *vide* pages 11 and 13
**AMORPHOPHALLUS** (PROTEINOPHALLUS) RIVIERI, 2*s.* 6*d.* and 3*s.* 6*d.*
**ANOPTERUS** GLANDULOSA, 5*s.* and 7*s.* 6*d.*
**ANTHERICUM** VARIEGATUM, *vide* Phalangium argenteo-lineare
**AOTUS** GRACILLIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
**APHELEXIS** HUMILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
MACRANTHA PURPUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— NOSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
RUPESTRIS GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
**ARALIA** JAPONICA (SIEBOLDII), *vide* Fatsia japonica
PAPYRIFERA, 3*s.* 6*d.*
**ARAUCARIA** BIDWILLII, 5*s.* and 7*s.* 6*d.*
BRASILIENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
COOKII, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
CUNNINGHAMII, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*



**ASPARAGUS PLUMOSUS NANUS**

An exceedingly graceful evergreen plant, very useful for all kinds of decorations, and from its exquisite beauty, particularly well adapted for furnishing cut sprays for intermixing with flowers; it is also charmingly elegant when grown in pots as a table plant. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

## ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Specimens 1, 1½ and 2 guineas and upwards.

**ARAUCARIA** EXCELSA ALBO-SPICA, 5*s.* and 7*s.* 6*d.*
GOLDIEANA
**ARDUINA** GRANDIFLORA, 7*s.* 6*d.*
**ARUNDO** DONAX VARIEGATA, 3*s.* 6*d.* and 5*s.*
**ASPARAGUS** DECUMBENS, 3*s.* 6*d.* and 5*s.*
FALCATUS, 7*s.* 6*d.*

## ASPARAGUS PLUMOSUS.

An elegant evergreen climber, from South Africa, with slender smooth stems, and numerous spreading branches; the hermaphrodite white flowers are produced from the tip of the branchlets. It is an exceedingly handsome ornamental plant for the greenhouse or conservatory, and its pretty feathery growths are extremely useful for cutting for decoration. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

**ASPARAGUS** PLUMOSUS NANUS, *vide* page 51
**ASPARAGUS** TENUISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*

## ASPARAGUS VIRGATUS.

This remarkably elegant feathery-looking plant of fruticose habit has been recently introduced from the Cape of Good Hope. The stems bear at the upper end a corymbose head of erect branches, of which the lowest is the youngest or most recently developed. 3*s.* 6*d.* and 5*s.*

**AZALEA** BALSAMINÆFLORA, *vide* page 53 for Illustration, description and price.

## AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 30*s.*, 42*s.* and 60*s.* per dozen.
New varieties, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* each.

## NEW HYBRID AZALEAS.

The following new Hybrid Azaleas have been raised between *A. amœna* and some of the Indian varieties. Combined with the well-known proliferousness and early blooming habit of *A. amœna*, they have fine well-shaped attractive flowers, which borne in such profusion are most effective for every description of decorative work, being especially useful for early forcing where cut flowers are required, as with little trouble they may be had in bloom in November.

**ILLUMINATOR**, a well-formed bright rosy magenta-pink flower, the upper portion of the throat faintly speckled crimson, the base of throat vermilion, giving it a very bright and attractive appearance. This charming variety has been awarded a First-class Certificate by the Floral Committee of the Royal Horticultural Society. 5*s.*

**MAGNET**, this variety produces a profusion of soft rosy-pink flowers, the centre bright pink, which extends through the centre of each petal to the tips, the upper petals speckled at the base with bright rose. 5*s.*

**ORACLE**, large well-formed flowers of a beautiful bright rosy-pink colour shaded with magenta; the flowers of this beautiful variety are rendered additionally attractive by their lustrous satiny appearance. 5*s.*

**STARLIGHT**, a medium-sized semi-double flower of a beautiful soft rosy-pink colour, faintly shaded with pale magenta. 5*s.*

**SYBIL**, a pretty bright rosy-magenta flower of medium size, and semi-double; very floriferous and of excellent habit. 5*s.*

**VICTORY**, soft magenta-pink flowers, the upper divisions of the flowers faintly marked and speckled with carmine; very attractive. 5*s.*

The collection of six varieties. 21*s.*

**BAMBUSA**, *vide* page 69
**BARKLAYA** SYRINGÆFLORA, 7*s.* 6*d.*
**BEGONIA**, *vide* Index
**BERBERIDOPSIS** CORALLINA, 3*s.* 6*d.*
**BIGNONIA** CHERERE, 3*s.* 6*d.* and 5*s.*
EXCELSA, 7*s.* 6*d.* and 10*s.* 6*d.*
GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
JASMINOIDES, 2*s.* 6*d.*
—— ALBA MAGNA, 2*s.* 6*d.* to 5*s.*
**BIGNONIA** JASMINOIDES SPLENDIDA, 2*s.* 6*d.* to 5*s.*
SPECIOSA, 3*s.* 6*d.*
VENUSTA, 3*s.* 6*d.* and 5*s.*
*vide* also page 18
**BLANDFORDIA** AUREA, 10*s.* 6*d.*
FLAMMEA, 10*s.* 6*d.*
NOBILIS, 5*s.* and 7*s.* 6*d.*
PRINCEPS, *vide* page 54

## BLANDFORDIA CUNNINGHAMII.

The late Dr. Lindley, in describing the previously known species of this genus, thus refers to *Blandfordia Cunninghamii*:—"None of them are to be compared for beauty with the plant of which the late Allan Cunningham gave me a specimen, the flowers of which are fully twice as large as *B. marginata (grandiflora)*." The flowers are of a deep rich red tint, except at the end of the petals, where they are yellow. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

AZALEA BALSAMINÆFLORA.

## AZALEA BALSAMINÆFLORA.

*Syn.*:—A. ROSÆFLORA, A. ROLLISONII.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

## BLANDFORDIA PRINCEPS.

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are 2½ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, tab. 6209. 2 and 3 guineas.

## BOMAREA KALBREYERI.

A new and beautiful species, introduced from South America. The flowers which are borne in terminal umbels, are of an orange-yellow colour, the exterior sepals being bright red. 1 guinea.

**BOMAREA** CARDERI, 10*s.* 6*d.* and 15*s.*
WILLIAMSÆ, 10*s.* 6*d.* and 15*s.*
**BORONIA** DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
MEGASTIOMA, 3*s.* 6*d.* and 5*s.*
**BORONIA** SERRULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
**BOUVARDIAS**, *vide* Index
**BOWIEA** VOLUBILIS, 3*s.* 6*d.*
**BRACHYSEMA** ACUMINATUM, 2*s.* 6*d.* and 3*s.* 6*d.*

## BRACHYCHITON ACERIFOLIUM.

A tree of highly ornamental appearance. From the exceeding brilliancy of its rich red flowers it is called the Flame Tree. It might also be called the New South Wales "Lace Bark Tree," the bast furnished by this tree being of the most beautiful lace-like texture, and is considered superior to Cuba Bast; the fibre is suitable for the manufacture of ropes, cordage, mats, &c. 7*s.* 6*d.*

**BRUGMANSIA** ARBOREA, 3*s.* 6*d.*
KNIGHTII (flore pleno), 3*s.* 6*d.*
SANGUINEA, 3*s.* 6*d.* and 5*s.*
SUAVEOLENS, 5*s.* 6*d.*
**BUPHANE** (BRUNSVIGIA) TOXICARIA, 5*s.*
**CALLA** ÆTHIOPICA, *vide* Richardia africana
**CALLICARPA** PURPUREA, 3*s.* 6*d.*
**CALODENDRON** CAPENSE (The Cape Chestnut), 5*s.*
**CAMPANULA** VIDALII, 2*s.* 6*d.*

## CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL, at 2, 3, 4 and 6 guineas per dozen. New varieties, 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* each.

**CAMPHORA** OFFICINALIS, 5*s.*
**CANARINA** CAMPANULATA, 1*s.* 6*d.*
**CANTUA** CORYMBIFLORA, 3*s.* 6*d.*
**CANTUA** DEPENDENS, 3*s.* 6*d.*
**CARNATIONS**, Tree, of sorts, 30*s.* and 42*s.* per dozen.

## CASTANOSPERMUM AUSTRALE.

This interesting plant, a native of Australia, is known as the Moreton Bay Chestnut. 5*s.*

**CEPHALOTUS** FOLLICULARIS, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea.
**CEREUS** C. M. HOVEY, 5*s.*
GRANDIFLORUS (night-blooming), 3*s.* 6*d.* & 5*s.*
SPECIOSISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*
**CESTRUM** AURANTIACUM, 2*s.* 6*d.* and 3*s.* 6*d.*
**CHLIDANTHUS** FRAGRANS, 1*s.*
**CHOROZEMA** CORDATUM SPLENDENS, 2*s.* 6*d.* & 3*s.* 6*d.*
HENCHMANNI, 3*s.* 6*d.* and 5*s.*
**CHOROZEMA** LAWRENCEANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
VARIUM CHANDLERI, 2*s.* 6*d.* and 3*s.* 6*d.*
**CHRYSANTHEMUM** FRUTESCENS, *vide* Index
**CISSUS** (VITIS) ANTARCTICA, 2*s.* 6*d.* and 3*s.* 6*d.*
(——) CAPENSIS, 3*s.* 6*d.*
RHOMBEA, 3*s.* 6*d.*
**CITRUS** JAPONICA, 5*s.*
**CLEMATIS** INDIVISA, 3*s.* 6*d.* and 5*s.*
of sorts, *vide* page 69.

## CLEYERA JAPONICA TRICOLOR.

A handsome variegated plant from Japan. The leaves are leathery in texture, obovate in form, of a dark green colour, with longitudinal and oblique bands of greyish green, the margin creamy white, tinged with bright rose colour, which is very conspicuous in the younger foliage. The five-petalled flowers are yellowish white. 10*s.* 6*d.*

**CLERODENDRON**, *vide* page 20.
**CLIANTHUS** PUNICEUS, 3*s.* 6*d.*
PUNICEUS MAGNIFICUS, 3*s.* 6*d.*
**CLIVIA** NOBILIS, 5*s.* and 7*s.* 6*d.*
**COBÆA** SCANDENS VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
**COLEUS**, *vide* Index
**COPROSMA** BAUERIANA PICTURATA, 3*s.* 6*d.*
BAUERIANA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
**CORREAS**, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

## CRINUM AUSTRALE.

This bears the name of Botany Bay Lily, and is an ornamental bulbous plant, requiring greenhouse temperature. The flowers are very fragrant, and from ten to fifteen in an umbel, each consisting of a long slender tube, and a spreading or recurved limb of six white segments. 5*s.*

**CRINUM**, MOOREI, 7*s.* 6*d.*
POWELLII, *vide* page 70.
RIPARIUM, 3*s.* 6*d.*
**CRINUM**, *vide* also pages 20, 21 and 22.
**CROWEA** STRICTA, 3*s.* 6*d.* and 5*s.*
**CYCADS**, *vide* Index

## CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 3, 4 and 5 guineas each.

## CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty. 18*s*., 30*s*. and 42*s*. per dozen.

**CYCLAMEN** PERSICUM ALBUM, 2*s*. 6*d*. and 3*s*. 6*d*.
PERSICUM RUBRUM, 2*s*. 6*d*. and 3*s*. 6*d*.
—— GRANDIFLORUM, 3*s*. 6*d*. and 5*s*.
—— of various choice sorts, 3*s*. 6*d*. and 5*s*.
**CYRTANTHUS** MACKENII, 2*s*. 6*d*.
OBLIQUUS, 5*s*.
**CYTISUS** FILIPES, 3*s*. 6*d*. and 5*s*.
RACEMOSUS, 1*s*. and 1*s*. 6*d*.
—— EVERESTIANUS, 3*s*. 6*d*.
**DAHLIA** IMPERIALIS, 3*s*. 6*d*.
IMPERIALIS ROSEA, 3*s*. 6*d*.
of sorts, *vide* Bedding Plants

## DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5*s*.

**DAPHNE** INDICA ALBA, 3*s*. 6*d*. and 5*s*.
INDICA RUBRA, 3*s*. 6*d*. and 5*s*.
**DARLINGTONIA** CALIFORNICA, 10*s*. 6*d*. and 15*s*.
**DARWINIA**. *vide* Genetyllis
**DASYLIRION** LONGIFOLIUM, 5*s*.
**DESFONTAINEA** SPINOSA, 2*s*. 6*d*. and 3*s*. 6*d*.

## DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, a foot to a foot and a half in length, and about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 5*s*.

## DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle Islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5*s*. and 7*s*. 6*d*.

## DIONÆA MUSCIPULA

(THE FLY-TRAP PLANT, OR VENUS' FLY-TRAP.)

One of the most wonderful illustrations of vegetable structure and design known among plants, the formation of its leaf organs being singularly adapted for entrapping insects. 2*s*. 6*d*. and 3*s*. 6*d*.

**DORYANTHES** EXCELSA, 10*s*. 6*d*.
**DORYANTHES** PALMERI, 3*s*. 6*d*. and 5*s*.

## DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3*s*. 6*d*. to 10*s*. 6*d*.; fine plants, 15*s*., 1, 1½ & 2 guineas.

## DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10*s*. 6*d*., 15*s*. and 1 guinea.

**DRACÆNA** AUSTRALIS VEITCHII, 7*s*. 6*d*., 10*s*. 6*d*., 15*s*. and 1 guinea.
ARBOREA, 2*s*. 6*d*.
MADAGASCARIENSIS, 5*s*. and 7*s*. 6*d*.
**DRACOPHYLLUM** GRACILE, 3*s*. 6*d*. and 5*s*.
**DROSERA** CAPENSIS, 7*s*. 6*d*.
DICHOTOMA, 5*s*.
SPATHULATA, 5*s*.
**ECHEVERIA**, of sorts, *vide* Index
**ELÆOCARPUS** RETICULATUS (DENTATUS), 5*s*. and 7*s*. 6*d*.
**ENCEPHALARTOS**, of sorts, *vide* Index.
**EOMICON** CHIONANTHA, *vide* page 8.
**EPACRIS** ONOSMÆFLORA FLORE-PLENO NIVALIS, *vide* page 57.
of sorts, 18*s*., 30*s*. and 42*s*. per dozen.
**EPIPHYLLUM**, *vide* page 33.
**ERICAS**, of sorts, 18*s*., 30*s*. and 42*s*. per doz.
**ERIOSTEMON** BUXIFOLIUS, 3*s*. 6*d*. and 5*s*.
INTERMEDIUS, 3*s*. 6*d*. and 5*s*.
NERIIFOLIUS, 3*s*. 6*d*.
PULCHELLUS, 3*s*. 6*d*. and 5*s*.
SCABER, 3*s*. 6*d*. and 5*s*.
**ERYNGIUM** EBRACTEATUM, 10*s*. 6*d*.
**ERYTHRINA**, of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.
COMPACTA, 5*s*.

## EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. 7*s.* 6*d.* and 10*s.* 6*d.*

## EUCALYPTUS CITRIODORA.

The pleasant fragrance of the foliage of this plant renders it a desirable acquisition. The strong lemon-scent, which is emitted when the leaves are gently rubbed, is equally powerful and agreeable with that of the lemon-scented Verbena (*Aloysia citriodora*). The plant is of slender habit, with oblong leaves, clothed with glandular hairs, which give off the powerful and grateful odour above referred to. It is a native of Australia. 3*s*. 6*d*.

## EUCALYPTUS FICIFOLIA.

This beautiful new crimson-flowered Eucalyptus is not a large-growing species like most others of the family, but is of quick growth, and plants of it are soon covered with its magnificent trusses of crimson-coloured flowers; its leaves yield an essential oil which has proved a valuable febrifuge. 5*s*.

**EUCALYPTUS** AMYGDALINA (Peppermint Gum), 3*s*. 6*d*.
COCCIFERA, 3*s*. 6*d*.
CORDATA, 3*s*. 6*d*.
CORIACEA, 3*s*. 6*d*.
GLOBULUS (Blue Gum), 3*s*. 6*d*.
HETEROPHYLLA, 5*s*.
MARGINATA, 3*s*. 6*d*.
OBLIQUA, 5*s*.
URNIGERA, 3*s*. 6*d*.
**FATSIA** (ARALIA) JAPONICA, 2*s*. 6*d*. and 3*s*. 6*d*.
(ARALIA) JAPONICA VARIEGATA, 3*s*. 6*d*. & 5*s*.
**FERNS**, *vide* Index
**FICUS** AUSTRALIS, 3*s*. 6*d*.
ELASTICA, *vide* page 35.
—— VARIEGATA, *vide* page 33.
MACROPHYLLA, 5*s*.
MINIMA, 1*s*. 6*d*. and 2*s*. 6*d*.
**GASTRONEMA** SANGUINEUM FLAMMEUM, 5*s*.
**GENETYLLIS** (HEDAROMA) FUCHSIOIDES, 5*s*. and 7*s*. 6*d*.
TULIPIFERA, 5*s*. and 7*s*. 6*d*.
**HABROTHAMNUS** AUBLETII, 2*s*. 6*d*. and 3*s*. 6*d*.
AURANTIACUS, 2*s*. 6*d*. and 3*s*. 6*d*.
**EUGENIA** UONI, 1*s*. 6*d*. and 2*s*. 6*d*.
*Vide* also page 33
**EUPATORIUM** BERLANDIERI (ORACILE ODORATUM), 1*s*. 6*d*.
RIPARIUM, 2*s*. 6*d*. and 3*s*. 6*d*.
**EURYA** LATIFOLIA VARIEGATA, 2*s*. 6*d*. and 3*s*. 6*d*.
**EURYCLES**, *vide* pages 33 and 34.
**EUTAXIA** FLORIBUNDA, 3*s*. 6*d*.
**FICUS** RHODODENDRIFOLIA, 3*s*. 6*d*.
STIPULATA (REPENS), 1*s*. 6*d*. and 2*s*. 6*d*.
**FOURCROYA** (AGAVE) BEDDINGHAUSEI, 5*s*.
BULBOSA, 5*s*.
**FREESIA** HYBRIDA, LEICHTLINII, REFRACTA ALBA, PURPUREA — These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.
**FUCHSIAS**, *vide* Index
**GONOLOBUS** CUNDURANGO, 10*s*. 6*d*.
**GREVILLEA** PREISSII, 7*s*. 6*d*.
ROBUSTA, 2*s*. 6*d*. and 3*s*. 6*d*.
**GREYIA** SUTHERLANDI, 3*s*. 6*d*. and 5*s*.
**HABROTHAMNUS** ELEGANS, 2*s*. 6*d*. and 3*s*. 6*d*.
of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.

## HABROTHAMNUS NEWELII.

A very ornamental plant of free growth, with neat smooth foliage, freely producing dense terminal clusters of fine large flowers of a bright crimson colour. It will be found extremely useful and effective as a conservatory climber. 2*s*. 6*d*. and 3*s*. 6*d*.

**HÆMANTHUS** ABYSSINICUS, *vide* page 35.
ALBIFLOS, 2*s*. 6*d*. and 3*s*. 6*d*.
PUNICEUS, 2*s*. 6*d*. and 3*s*. 6*d*.
TIGRINUS, 2*s*. 6*d*.
*Vide* also page 35.
**HARDENBERGIA** MONOPHYLLA, 2*s*. 6*d*.
MONOPHYLLA VARIEGATA, 3*s*. 6*d*.
**HEDAROMA**, *vide* Genetyllis.
**HEDYCHIUM** GARDNERIANUM, 2*s*. 6*d*. & 3*s*. 6*d*.
**HELIOTROPIUM** INCANUM, *vide* Index.

## HIBISCUS CHRYSANTHUS.

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish subtrilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovato petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. 5*s*.

## HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose coloured, with an involucel of about eight linear segments. It has been imported from Natal. 5*s*.

**HYDRANGEA** HORTENSIS FOL. MARGINATA, 3*s*. 6*d*.
HORTENSIS CYANOCLADA, 1*s*. 6*d*. and 2*s*. 6*d*.
—— THOMAS HOGG, 1*s*. 6*d*. and 2*s*. 6*d*.
JAPONICA 1*s*. 6*d*.
—— ELEGANTISSIMA, 1*s*. 6*d*.
—— FOLIIS TRICOLORIBUS, 3*s*. 6*d*. and 5*s*.
—— MACROCEPHALA, 2*s*. 6*d*.
**HYDRANGEA** JAPONICA ROSALBA, 2*s*. 6*d*. & 3*s*. 6*d*.
JAPONICA SPECIOSA, 3*s*. 6*d*. and 5*s*.
MADAME VON SIEBOLD, 3*s*. 6*d*. and 5*s*.
OTAKSA, 1*s*. 6*d*. and 2*s*. 6*d*.
STELLATA PROLIFERA, 3*s*. 6*d*.
VOLUBILIS (SCANDENS), *vide* page 72
**IMANTOPHYLLUM** CYRTANTHIFLORUM, 5*s*. & 7*s*. 6*d*.

## IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*; fine plants, 1 and 1½ guinea.

**IMANTOPHYLLUM** MINIATUM GRANDIFLORUM, 1 and 1½ guinea
MINIATUM HYBRIDUM, 15*s.*
—— IMPERIALE, 3 guineas
—— INSIGNIS, 2 guineas
—— MADAME VAN HOUTTE, 1½ guinea
—— MARIE REIMERS, 2 and 3 guineas
—— MARIE VAN HOUTTE, 1½ guinea
—— PRINCEPS, 2 guineas
—— SPECIOSUM, 1½ guinea
—— SUPERBUM, 10*s.* 6*d.*, 15*s.* and 1 guinea

**INDIGOFERA** DECORA, 5*s.*
**IRIS** ROBINSONIANA, 1*s.* 6*d.*
**ISMENE** UNDULATA, 1*s.*
**JASMINUM** ANGULARE, 5*s.*
GRANDIFLORUM, 3*s.* 6*d.*
GRATISSIMUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PITEAU, 3*s.* 6*d.*
**JUSSIÆA** MACROCARPA CILIATA, 5*s.*
**JUNCUS** ZEBRINUS, *vide* Scirpus, page 74
**KENNEDYA** MARRYATTÆ, 2*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*

## KNIPHOFIA QUARTINIANA.

A handsome greenhouse or half-hardy perennial, introduced from Abyssinia. It has an erect simple spike of densely crowded flowers forming a pyramidate raceme terminating the flower scape. The flowers are pendulous and orange-coloured; the leaves are very much recurved. 5*s.*

**LACHENALIA** NELSONI, 2*s.* 6*d.*
of sorts, 1*s.* to 2*s.* 6*d.*

**LAGERSTRŒMIA** INDICA, 3*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*

## LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat-growing plant of free habit. 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

## LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*; fine specimens, 1, 2 and 3 guineas and upwards.

## LAPAGERIA RUBRA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

**LASIANDRA** MACRANTHA, 3*s.* 6*d.*
MACRANTHA FLORIBUNDA, 5*s.* and 7*s.* 6*d.*
**LAURUS** CAMPHORA, 5*s.*
**LAVATERA** ARBOREA VARIEGATA, 1*s.* and 1*s.* 6*d.*
**LEUCOPOGON** CUNNINGHAMII, 3*s.* 6*d.*

**LEPTOSPERMUM** SCOPARIUM (New Zealand Tea Plant), 3*s.* 6*d.*
**LESCHENAULTIA** BILOBA SPLENDENS (MAJOR), 3*s.* 6*d.* and 5*s.*
FORMOSA, 2*s.* 6*d.* and 3*s.* 6*d.*

## LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. It is a very ornamental plant for the summer flower borders. 5*s.*

**LIBONIA** FLORIBUNDA, 1*s.* 6*d.* and 2*s.* 6*d.*
PENRHOSIENSIS, 1*s.* 6*d.* and 2*s.* 6*d.*

**LILIUM**, of sorts, *vide* pages 71 to 73
**LINUM** TRIGYNUM, *vide* REINWARDTIA

## LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa*; it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive 3*s.* 6*d.*

**LOMATIA** FERRUGINEA, 5*s.* and 7*s.* 6*d.*

**LUCULIA** GRATISSIMA, 5*s.* and 7*s.* 6*d.*

## MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, tab. 5797. 3*s*. 6*d*. & 5*s*.

**MACADAMIA** TERNIFOLIA, 5*s*. and 7*s*. 6*d*.
**MACROPIPER** EXCELSUM, 5*s*.
**MACROZAMIA**, *vide* Index
**MAGNOLIA** CAMPBELLII, *vide* page 73
FUSCATA, 3*s*. 6*d*. and 5*s*.
**MANDEVILLA** SUAVEOLENS, 2*s*. 6*d*. and 3*s*. 6*d*.

## MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7*s*. 6*d*. and 10*s*. 6*d*.

**MARSILEA** MACROPUS, "NARDOO," 10*s*. 6*d*.
**METROSIDEROS** FLORIBUNDA, 2*s*. 6*d*.
ROBUSTA, 3*s*. 6*d*. and 5*s*.
**MITRARIA** COCCINEA, 2*s*. 6*d*. and 3*s*. 6*d*.
**MONOCHÆTUM** SERICEUM MULTIFLORUM, 2*s*. 6*d*. and 3*s*. 6*d*.
**MUSA** CAVENDISHII, *vide* page 42
SUPERBA, *vide* page 42

## MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves attain a length of eight to ten feet, and are of a beautiful dark green, the mid-rib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

**MYRSIPHYLLUM** ASPARAGOIDES, 2*s*. 6*d*. & 3*s*. 6*d*.
**MYRTUS**, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.
**NERINE** CORUSCA, 2*s*. 6*d*.
CORUSCA MAJOR, 3*s*. 6*d*.
FLEXUOSA, 3*s*. 6*d*.
FOTHERGILLII MAJOR, 5*s*.
ROSEA, 2*s*. 6*d*.
SARNIENSIS (GUERNSEY LILY), 9*d*.
VENUSTA, 2*s*. 6*d*.
**PALMS**, of sorts, *vide* Index
**PANCRATIUM** COLLINUM, 2*s*. 6*d*. and 3*s*. 6*d*.
**PARDANTHUS** CHINENSIS, 1*s*. each; 9*s*. per doz.
**PASSIFLORA** CÆRULEA, *vide* page 73
CÆRULEA (Eynsford Gem), 5*s*.
—— GRANDIFLORA, 3*s*. 6*d*.
—— RACEMOSA, 2*s*. 6*d*.
CAMPBELLII, 3*s*. 6*d*.
CLOWESII, 3*s*. 6*d*.
COLVILLII, 2*s*. 6*d*.
EDULIS, 3*s*. 6*d*.
IMPERATRICE EUGENIE, 3*s*. 6*d*.
LOUDONI, 3*s*. 6*d*.
MUNROI, 3*s*. 6*d*.
**NERIUM** MADONI GRANDIFLORUM, 2*s*. 6*d*.
of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.
**OLEA** FRAGRANS, 3*s*. 6*d*. and 5*s*.
**OPHIOPOGON** JABURAN AUREO-VARIEGATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
SPICATUS ARGENTEO-MARGINATUS, 2*s*. 6*d*. and 3*s*. 6*d*.
**ORCHIDS**, of sorts, *vide* Index
**PASSIFLORA**, of sorts, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
See also page 45
**PELARGONIUM**, *vide* Index
**PHÆDRANASSA** CHLORACEA, 1*s*. 6*d*. and 2*s*. 6*d*.
**PHALANGIUM** ARGENTEO-LINEARE (ANTHERICUM VARIEGATUM), 2*s*. 6*d*. and 3*s*. 6*d*.
LINEARE ELEGANS, 5*s*.
**PHILESIA** BUXIFOLIA, 7*s*. 6*d*. and 10*s*. 6*d*.
**PHORMIUM** ATROPURPUREUM, 7*s*. 6*d*. & 10*s*. 6*d*.
COLENSOI VARIEGATUM, 7*s*.6*d*., 10*s*. 6*d*., 15*s*. and 1 guinea
TENAX, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
—— NIGRO-PICTUM, 10*s*. 6*d*. and 15*s*.
—— VARIEGATUM, 1, 1½ and 2 guineas
—— VEITCHII VARIEGATUM, 5*s*. and 7*s*. 6*d*.

## PHORMIUM TENAX NIGRO-LIMBATUM.

A striking form of New Zealand Flax, having erect broadish leaves of a glaucous green colour, the margin having a well-defined bar of blackish-purple. The points of the leaves are split, both sides of each of the divided portions having the blackish-purple margin. 10*s*. 6*d*.

**PIMELEA** DECUSSATA, 2*s*. 6*d*. and 3*s*. 6*d*.
HENDERSONI, 3*s*. 6*d*. and 5*s*.
NIEPPEROIANA, 3*s*. 6*d*. and 5*s*.
SPECTABILIS, 3*s*. 6*d*. and 5*s*.
**PINCINECTITIA** TUBERCULATA, 1 guinea
**PINGUICULA** CAUDATA, 3*s*. 6*d*. and 5*s*.
CAUDATA RUBRA, 7*s*. 6*d*.
**PITTOSPORUM** RALPHSII, 5*s*.

## PITTOSPORUM CRASSIFOLIUM.

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding pedunculed umbels; it is a native of New Zealand 5*s*.

## PITTOSPORUM EUGENIOIDES VARIEGATUM.

A slender evergreen plant, with pretty variegated foliage. It is of neat branching habit, with blackish-purple stems and branches, which are furnished with elliptic-oblong leaves of a pale green colour, bordered with white. Introduced from New Zealand. 7*s*. 6*d*. and 10*s*. 6*d*.

**PLECTRANTHUS** FŒTINUS, 5*s*.
**PLEROMA** ELEGANS, 3*s*. 6*d*.
SARMENTOSA, 2*s*. 6*d*. and 3*s*. 6*d*.
**PLUMBAGO** CAPENSIS, 2*s*. 6*d*. and 3*s*. 6*d*.
**PLUMBAGO** CAPENSIS ALBO, 3*s*. 6*d*.
Also *vide* page 46
**POLYGALA** CORDIFOLIA, 3*s*. 6*d*.
DALMAISIANA, 3*s*. 6*d*.

## POLYGONATUM OPPOSITIFOLIUM.

This species of Solomon's Seal is a fine herbaceous perennial from the Khasya Hills. Its white flowers are produced in axillary umbels; they are nodding, tubulose, and nearly an inch long; it is of graceful growth, and a very desirable half-hardy plant, flowering in the winter months. 5*s*.

## PRIMULA FLORIBUNDA.

A pretty greenhouse species, introduced from the lower ranges of the Himalayas. It produces continuously an abundance of yellow flowers, which are borne in superposed whorls, on erect stems. The leaves are ovate or elliptic, and crenately toothed. 2*s*. 6*d*.

**PRIMULA** SINENSIS ALBA PLENA, 1*s*. 6*d*. and 2*s*. 6*d*.
SINENSIS FLORE-PLENO, of sorts, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
—— —— KING OF PURPLES, 5*s*.
—— —— MAGNIFICA, 5*s*.
—— —— MISS EVA FISH, 7*s*. 6*d*.
—— —— PRINCESS OF WALES, 5*s*.
VERTICILLATA SIMENSIS, 1*s*. 6*d*.
**REINECKIA** CARNEA, 1*s*. 6*d*.
CARNEA VARIEGATA, 1*s*. 6*d*. & 2*s*. 6*d*.
**REINWARDTIA** TETRAGYNE (LINUM TRIGYNUM), 2*s*. 6*d*.
**RHODEA** JAPONICA, 3*s*. 6*d*. and 5*s*.
JAPONICA ARGENTEA, 15*s*.
**RHODODENDRONS**, *vide* pages 65, 67 and 74
**RHODOLEIA** CHAMPIONI, 7*s*. 6*d*.
**PROTEINOPHALLUS** RIVIERI, *vide* Amorphophallus
**PUNICA** GRANATUM (POMEGRANATE), 3*s*. 6*d*. & 5*s*.
GRANATUM ALBA PLENA, 3*s*. 6*d*. and 5*s*.
—— RUBRA PLENA, 3*s*. 6*d*. and 5*s*.
—— LEGRELLII (Double Buff), 3*s*. 6*d*. & 5*s*.
**RHYNCHOSPERMUM** JASMINOIDES, *vide* Trachelospermum
**RICHARDIA** AFRICANA *(Calla æthiopica)*, 1*s*. and 1*s*. 6*d*.
ALBO-MACULATA, 3*s*. 6*d*.
**ROGEIRA** GRATISSIMA, 3*s*. 6*d*. and 5*s*.
**RUBUS** ROSÆFOLIUS CORONARIUS, 1*s*. 6*d*. and 2*s*. 6*d*.
**SALVIAS**, *vide* Bedding Plants

## SARRACENIA ATKINSONIANA.

A distinct hybrid raised between *S. flava maxima* and *S. purpurea*, and partaking most of the characters of the former parent. The pitchers are long, narrow and erect, green, with slight red ribs and reticulations. The lid is broad, cordate, green, and marked with red ribs and veins. 10*s*. 6*d*.

**SARRACENIA** ATROSANGUINEA, 1 guinea.
CRISPATA, 5*s*. and 7*s*. 6*d*.
CHELSONI, 7*s*. 6*d*.
**SARRACENIA** DRUMMONDII, *vide* page 62.
EXCELLENS, 10*s*. 6*d*.
EXORNATA, 10*s*. 6*d*.

## SARRACENIA EXCULTA.

An erect-growing hybrid from *S. atropurpurea* crossed by *S. Drummondii*. The pitchers are erect and have rather a narrow wing. The upper end, as well as the roundish incurved undulated lid, is strongly blotched with white and reticulated with crimson veins. 10*s*. 6*d*.

## SARRACENIA ILLUSTRATA.

This very striking hybrid was raised from *S. flava picta* crossed with *S. Stevensii*. It is a handsome erect-growing sort, with the habit of *S. flava*, and having long funnel-shaped pitchers strongly marked with crimson ribs united by veins of a similar colour. The lid is distinctly marked by strong red curved veins, the throat being prettily veined. 10*s*. 6*d*.

**SARRACENIA** FLAVA, 5*s*.
FLAVA PICTA, 10*s*. 6*d*.
**SARRACENIA** MOOREANA, 7*s*. 6*d*.
MADDISONIANA, 10*s*. 6*d*.

## SARRACENIA MITCHELLIANA.

An elegant hybrid between *S. Drummondii rubra* and *S. purpurea*. It is graceful in its aspect, the pitchers traversed by a profuse network of fine red veins, the whole changing later on to reddish-crimson. The lid is undulated, with a bold reticulation of deep crimson-red. For Illustration, *vide* page 63. 10*s*. 6*d*.

**SARRACENIA** PSITTACINA,
PURPUREA, 3*s*. 6*d*. and 5*s*.
**SARRACENIA** RUBRA, 5*s*. and 7*s*. 6*d*.
RUBRA-ACUMINATA, 10*s*. 6*d*.



## SARRACENIA DRUMMONDII.

A very beautiful plant, belonging to the family of the Side-saddle flowers, and inhabiting the marshes of Florida. The leaves or pitchers grow from 1½ to 2½ feet high, the upper expanded end being variegated with white, red and green, the hood or lid being similarly marked. The flowers are handsome and attractive, of a rich crimson purple colour. 10*s.* 6*d.*, 15*s.* and 1 guinea.

**SARRACENIA SWANIANA.**

**SARRACENIA MITCHELLIANA.**

For descriptions and prices, *vide* pages 61 and 64.

## SARRACENIA SWANIANA.

A very handsome hybrid between *S. variolaris* and *S. purpurea*. Awarded a First Class Certificate by the Royal Horticultural Society. It partakes most of the aspect of *S. purpurea*, but is more erect. The pitchers are slightly incurved and greenish purple, the lid and the inside of the tube being reticulated with crimson veins. For Illustration *vide* page 63. 10*s.* 6*d.*

**SARRACENIA** STEVENSII, 7*s.* 6*d.*

**SARRACENIA** VARIOLARIS, 3*s.* 6*d.*

## SARRACENIA TOLLIANA.

A very handsome hybrid raised between *S. Drummondii alba* and *S. flava*. It is remarkable for its long, slender, funnel-shaped pitchers and very broad wing. The funnel is either wholly deep purple-red with darker ribs and veins, or greenish with dark purple ribs and veins. The lid is broad and reticulated with reddish purple. 10*s.* 6*d.*

## SARRACENIA WILSONIANA.

A very distinct and striking plant, a hybrid between *S. purpurea* and *S. flava*, so distinct and pleasing as to have won a First Class Certificate from the Royal Horticultural Society. The pitchers are erect, with deep purple-crimson ribs, more or less united by cross-veins. The wing and lid are veined and closely reticulated with deep purple-crimson. 10*s.* 6*d.*

**SCHIZOPHRAGMA** HYDRANGEOIDES, *vide* Hydrangea volubilis, page 70

**SENECIO** MACROGLOSSUS (The Cape Ivy), 3*s.* 6*d.*
SPECIOSUS 3*s.* 6*d.*

## SMILAX AURICULATA.

An elegant evergreen climber of a half-hardy character, well suited for covering walls and pillars in conservatories and corridors, being a native of the Southern States of America. It is furnished with glossy green leaves, widened at the base so as to become subhastate. 5*s.*

**SOLANUM** JASMINOIDES, 2*s.* 6*d.*
**SOLLYA** LINEARIS, 3*s.* 6*d.* and 5*s.*
**SPARMANNIA** AFRICANA, 2*s.* 6*d.*
AFRICANA FLORE-PLENO, 3*s.* 6*d.* and 5*s.*
**SPIGELIA** SPLENDENS, 2*s.* 6*d.* and 3*s.* 6*d.*
**STATICE** HOLFORDII, 3*s.* 6*d.* and 5*s.*
MACROPHYLLA, 5*s.*
**STATICE** PROFUSA (RATTRAYANA), 3*s.* 6*d.* and 5*s.*
**STENOCARPUS** CUNNINGHAMII, 5*s.* to 10*s.* 6*d.*
**STRELITZIA** REGINÆ, *vide* page 48
**STREPTOSOLEN** (BROWALLIA) JAMESONI, 1*s.* 6*d.*
**TACSONIA** BUCHANANI, *vide* page 49
ERIANTHA, 3*s.* 6*d.*
EXONIENSIS, 3*s.* 6*d.*

## TACSONIA JAMESONI.

A new species from Ecuador, producing beautiful flowers of a bright rich rose colour. 7*s.* 6*d.*

**TACSONIA** MANICATA, 3*s.* 6*d.*
MOLLISSIMA, 3*s.* 6*d.*
**TACSONIA** PINNATISTIPULA, 3*s.* 6*d.*
VAN VOLXEMI, 2*s.* 6*d.* and 3*s.* 6*d.*

## TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

**TECOMA**, *vide* Bignonia
**THEA** ASSAMICA, 3*s.* 6*d.*
**THEAS** of sorts, 3*s.* 6*d.* and 5*s.*
**THIBAUDIA** ACUMINATA, 3*s.* 6*d.*
**THUNBERGIA**, *vide* page 49
**TRACHELOSPERMUM** (RHYNCHOSPERMUM) JASMINOIDES, 3*s.* 6*d.* and 5*s.*
(RHYNCHOSPERMUM) JASMINOIDES ALBO-VARIEGATUM, 3*s.* 6*d.* and 5*s.*
(——) JASMINOIDES LUTEO-VARIEGATUM, 3*s.* 6*d.* and 5*s.*
**TREMANDRA** ERICÆFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
**TREMANDRA** HIRSUTA, 2*s.* 6*d.* and 3*s.* 6*d.*
VERTICILLATA, 2*s.* 6*d.* and 3*s.* 6*d.*
**TROPÆOLUM** AZUREUM GRANDIFLORUM, 2*s.* 6*d.* and 3*s.* 6*d.*
BRACHYCERAS, 3*s.* 6*d.*
TRICOLOR GRANDIFLORUM (JARRATTII), 2*s.* 6*d.* and 3*s.* 6*d.*
TUBEROSUM, *vide* page 77
of sorts, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*
**TUBEROSES** BEST DOUBLE
AFRICAN
AMERICAN
THE PEARL
} These can be supplied in dormant bulbs by the dozen or hundred, at the proper season.

## TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5*s.* and 7*s.* 6*d.*

**VALLOTA** PURPUREA, 2*s.* 6*d.*
PURPUREA MAJOR, 3*s.* 6*d.* and 5*s.*
**VITIS** HETEROPHYLLA HUMULIFOLIA, 2*s.* 6*d.*
HETEROPHYLLA VARIEGATA, 2*s.* 6*d.* & 3*s.* 6*d.*
**WITSENIA** CORYMBOSA, 3*s.* 6*d.*
**XYLOMELUM** PYRIFORME, 10*s.* 6*d.*
**YUCCA** ALOIFOLIA VARIEGATA, 5*s.* and 7*s.* 6*d.*
FILAMENTOSA VARIEGATA, 7*s.* 6*d.*
QUADRICOLOR, 1½ and 2 guineas
**ZAMIA**, *vide* Index.
**ZEPHYRANTHES** CARINATA, 12*s.* per dozen.
TUBISPATHA, 9*s.* per dozen.

## VERONICAS.

**ANNETTE**, pale bluish-purple, with distinct white eye. 1*s.* 6*d.*

**BLUE GEM**, a variety of neat habit, producing spikes of beautiful blue flowers. 1*s.* 6*d.*

**CAROLINE**, light lilac-blue, with small white eye; exceedingly free-flowering. 1*s.* 6*d.*

**DISPLAY**, rosy-crimson, with small white eye; free, and of good habit. 1*s.* 6*d.*

**EVA**, a compact growing variety, producing fine spikes of pretty pink flowers. 1*s.* 6*d.*

**FLEUR D'AUTOMNE**, long spikes of rosy-violet flowers, dark rose centres. 1*s.* 6*d.*

**IMPERIALE**, brilliant amaranth-red, changing to carmine-magenta. 1*s.* 6*d.*

**JARDIN FLEURI**, long spikes of dark carmine red flowers. 1*s.* 6*d.*

**LA FEE AUX ROSES**, very long spike of bright rose flowers, very floriferous. 1*s.* 6*d.*

**MADAME MOULINS**, lavender violet, large carmine centre, shaded with amaranth, a remarkable variety. 1*s.* 6*d.*

**M. J. MOULINS**, immense spikes of pure rose flowers, edged with white; dark carmine rose centre. 1*s.* 6*d.*

**THÉOPHILE ROQUES**, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. 1*s.* 6*d.*

**REINE DES BLEUES**, immense spike of very bright blue flowers, very free. 1*s.* 6*d.*

**RUBENS**, flowers large and fine, of a beautiful magenta colour. 1*s.* 6*d.*

**VESTA**, exceedingly floriferous; beautiful light blue, with attractive white centre. 1*s.* 6*d.*

## GREENHOUSE RHODODENDRONS.

**ÆRUGINOSUM**, 3*s.* 6*d.* and 5*s.*

**ALBESCENS**, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. The plants are very free in growth, short jointed and of compact habit, the foliage being neat and glabrous; the under-surface of the leaves is of a silvery white. 7*s.* 6*d.*

**ANDERSONI**, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3*s.* 6*d.* and 5*s.*

**ARGENTEUM**, *vide* grande.

**ASSAMICUM**, a free-growing evergreen species, with narrow lanceolate densely-set leaves. The flowers are about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. This distinct, free-flowering and handsome Rhododendron, as its name indicates, has been imported from Assam. 5*s.*

**BARBATUM**, bright scarlet flowers, distinct and effective. 5*s.*

**BLANDFORDIÆFLORUM**. 3*s.* 6*d.* and 5*s.*

**CALOPHYLLUM**, a handsome species, producing large funnel-shaped pure white flowers. 3*s.* 6*d.*

**CILIATUM**, blush white; very free flowering. 2*s.* 6*d.* and 3*s.* 6*d.*

**CINNABARINUM**. 3*s.* 6*d.* and 5*s.*

**CINNAMOMEUM**, the under surface of the leaves of this variety is covered with a very thick woolly tomentum of an intense cinnamon colour. 5*s.*

**COUNTESS OF DERBY**, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7*s.* 6*d.*

**COUNTESS OF HADDINGTON**, large blush-white flowers; exceedingly beautiful. 3*s.* 6*d.* and 5*s.*

**COUNTESS OF SEFTON**, large cup-shaped flowers, with fringed edges; pure white, slightly shaded with rosy-purple; the trusses are large, often equalling in size and fulness those of a hardy Rhododendron. 5*s.* and 7*s.* 6*d.*

**DALHOUSIANUM**. 5*s.*

**DAVIESII**, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

**DIANA**, *vide* page 9.

**DUCHESS OF CONNAUGHT**, bright vermilion-red flowers of great substance; compact truss. 10*s.* 6*d.*

**DUCHESS OF EDINBURGH**, large scarlet flowers, very beautiful. 10*s.* 6*d.* and 15*s.*

**DUCHESS OF SUTHERLAND**, a robust growing variety, producing pure white sweet-scented flowers, with a beautifully fringed margin. 5*s.*

**DUCHESS OF TECK**, buff-yellow, shaded with scarlet, very fine. 7*s.* 6*d.* and 10*s.* 6*d.*

**EDGWORTHII**, a handsome free-flowering species, with large pure white spreading cup-shaped fragrant flowers. 3*s.* 6*d.*

**EMBLEM**, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.*

**FAIR ROSAMOND**, *vide* page 9.

**FALCONERI**, magnificently ornamental; this species has the largest leaves in the genus. 5*s.* & 7*s.* 6*d.*

**FRAGRANTISSIMUM**, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 5*s.*

## GREENHOUSE RHODODENDRONS—continued.

**FULGENS**, rich fiery crimson; extremely showy and effective; compact habit. 3*s*. 6*d*. and 5*s*.

**GRANDE (ARGENTEUM)**, immense heads of large ivory white flowers deeply stained with crimson at the base. 7*s* 6*d*.

**GRAVEOLENS**, a very dwarf and exceptionally free flowering hybrid, raised between *R. Sesterianum* and *R. assamicum*. Its flowers are intermediate in size between those of the parents, pure white and most deliciously fragrant. From the free blooming qualities of this hybrid—even very small plants producing a truss of flower—and the good habit of the plant, it is a useful and desirable addition to the greenhouse Rhododendrons. 7*s*. 6*d*.

**HIMALAICUM**, this variety produces fine large handsome trusses of bright carmine flowers. 3*s*. 6*d*.

**HODGSONI**, a splendid species, producing superb bouquets of rose-coloured flowers. 10*s*. 6*d*.

**JAMESONI**, this variety produces large terminal trusses of handsome bright red flowers. 3*s*. 6*d*. and 5*s*.

**JASMINIFLORUM**, an elegant free-blooming species, with fragrant white flowers, borne successionally in clusters. 3*s*. 6*d*. and 5*s*.

**JAVANICUM**, a beautifully golden-yellow flowering species. 10*s*. 6*d*.

**JENKINSII**, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5*s*.

**LADY ALICE FITZWILLIAM**, clusters of white blooms, each flower three and a half to four inches across. 3*s*. 6*d*. and 5*s*.

**LADY SKELMERSDALE**, pure white trumpet-shaped fragrant flowers; very handsome 5*s*.

**MRS. JAMES SHAWE**, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5*s*.

**MULTIFLORUM**, bears a profusion of beautiful white flowers; of dwarf habit, 2*s*. 6*d*. and 3*s*. 6*d*.

**NILAGIRICUM**, a splendid species from the Neilgherry Hills and Nepal, producing immense terminal trusses of fine large showy flowers, of a beautiful blush colour, blended with deep rich rose and shaded with soft rose; light throat. 3*s*. 6*d*. and 5*s*.

**NUTTALLII**, a magnificent species; flowers pure white, the largest of the genus. 7*s*. 6*d*.

**OCHRACEUM**, the under surface of the foliage of this variety is ochre-coloured. 5*s*.

**PINK BEAUTY**, *vide* page 67.

**PRINCE LEOPOLD**, a beautiful flower; fawn and rose with rose centre. 10*s*. 6*d*. and 15*s*.

**PRINCE OF WALES**, a fine variety producing reddish orange flowers. 7*s*. 6*d*. and 10*s*. 6*d*.

**PRINCESS ALEXANDRA**, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasminiflorum*, but larger and longer tubed, pure white, with pink stamens. 3*s*. 6*d*. and 5*s*.

**PRINCESS ALICE**, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3*s*. 6*d*. and 5*s*.

**PRINCESS HELENA**, this pretty hybrid form, with *R. Princess Alexandra*, was obtained from a cross with *R. jasminiflorum*, but is readily distinguished from it by its much longer tubed flowers, of a delicately tinted soft pink colour, streaked with dark shades. 5*s*. and 7*s*. 6*d*.

**PRINCESS ROYAL**, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose coloured, funnel-shaped flower tubes. 3*s*. 6*d*. and 5*s*.

**RETUSUM**, this distinct species produces clusters of tubular orange-coloured flowers. 5*s*. and 7*s*. 6*d*.

**ROSALIND**, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

**ROSY GEM**, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube blush-white. This will be found a most desirable acquisition for the greenhouse. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

**SESTERIANUM**, fine large fragrant white flowers. 3*s*. 6*d*. and 5*s*.

**SUAVE**, pure white flowers, very fragrant, 3*s*. 6*d*. and 5*s*.

**TAYLORI**, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 3*s*. 6*d*. and 5*s*.

**THIBAUDIENSE**, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the Correas and Thibaudias, and having the same alabaster-like translucent lustre, hence its name. 3*s*. 6*d*. and 5*s*.

**VEITCHIANUM**, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5*s*. and 7*s*. 6*d*.

**VIRGINALE**, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5*s*.

**WIGHTII**, a fine species of neat habit, producing clusters of large and elegant bell-shaped flowers of a golden-yellow colour, the expanding lobes being marked with blotches of reddish-crimson surmounted by pink dots. 7*s*. 6*d*.

**ZEYLANICUM**, 7*s*. 6*d*.

RHODODENDRON, PINK BEAUTY.

## RHODODENDRON PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

## ABUTILONS.

**ALBERT DÉLAUX**, very dwarf variety, large rosy-mauve flowers, with dark rose nervations; suitable for growing in pots. 2*s.* 6*d.*

**AMARANTINA**, fine large well-formed flowers, of a brilliant purple-amaranth colour; very floriferous. 2*s.* 6*d.*

**ARMAND CAUVY**, large, well-made, clear golden-yellow flowers, veined with violet; dwarf, and very free flowering. 3*s.* 6*d.*

**AURELIA**, bright golden-yellow. 1*s.* 6*d.*

**BLANDII**, deep yellow, veined dark crimson, and reticulated light crimson. 1*s.* 6*d.*

**BOULE DE NEIGE**, white. 1*s.*

**BOULE D'OR**, golden-yellow. 1*s.* 6*d.*

**BRILLIANT**, fine well-shaped flowers, of a bright red colour; has been awarded a First Class Certificate. 1*s.* 6*d.*

**CLOCHETTE FLEURIE**, dark violet-amaranth, with purple centre and veins. 1*s.* 6*d.*

**CONQUETE**, a beautiful and very dwarf growing variety, whitish-rose, throat dark carmine, with bright rose nervations. 1*s.* 6*d.*

**COURONNE D'OR**, downy leaves, large bell-shaped flowers of a beautiful deep sulphur-yellow colour. 1*s.* 6*d.*

**DARWINII SUPERBUM**, 1*s.*

**DESBOISI**, bright rose colour. 1*s.* 6*d.*

**EDOUARD LAYEILLON**, deep rich golden-yellow, flushed with rose. 1*s.* 6*d.*

**EMPEROR**, very fine large dark crimson flowers. Received First Class Certificate from the Royal Botanic Society 1*s.* 6*d.*

**EVELINE**, blush, shaded with pink, and beautifully veined with deep rose. 1*s.* 6*d.*

**FUTURE FAME**, deep rose shaded crimson. 1*s.* 6*d.*

**G. DÉLAUX**, rich reddish-carmine, shaded with violet. 1*s.* 6*d.*

**HIBISCUS**, canary-yellow flowers, the exterior shaded with dark rosy-violet; dwarf and distinct. 3*s.* 6*d.*

**KING OF CRIMSONS**, deep rich crimson flowers of great substance, extra fine. 1*s.* 6*d.*

**KING OF ROSES**, flowers rich deep rose, of great substance. 1*s.* 6*d.*

**LA CANDEUR**, a large well-formed pure white flower of globular shape. 1*s.* 6*d.*

**LA LORRAINE**, bright red. 1*s.* 6*d.*

**LE GRELOT**, delicate rose colour. 1*s.* 6*d.*

**LOUISE DÉLAUX**, an extremely dwarf and very floriferous variety, with beautiful white flowers of good shape. 1*s.* 6*d.*

**LUSTROUS**, freely produces fine-shaped bright red flowers. 1*s.*

**L. VAN HOUTTE**, handsome flowers of a rich mauve-purple colour. 1*s.* 6*d.*

**LYDIA**, light yellow, flushed crimson, and reticulated with bright crimson. 1*s.* 6*d.*

**MDLLE. ANNA DÉLAUX**, rose, marked with white, and veined dark rose. 1*s.* 6*d.*

**MARSHAL**, reddish-cinnamon, shaded with orange, and veined with crimson. 1*s.* 6*d.*

**MEGAPOTAMICUM VARIEGATUM**. 1*s.* 6*d.*

**MISS TERRY**, deep yellow, with rose veins, very distinct. 1*s.* 6*d.*

**MODIOLA**, bright rosy-crimson, veined with dark crimson; a very large and finely formed flower. 1*s.* 6*d.*

**MR. IRVING**, deep scarlet flowers, very effectively shaded with crimson, a very attractive colour. 1*s.* 6*d.*

**M. B. MODESTE**, rich bright crimson-red, veined with dark crimson, very attractive. 1*s.* 6*d.*

**M. ED. PYNAERT VAN GEERT**, amaranth-purple, veined with very dark brownish-carmine, pure white throat. 1*s.* 6*d.*

**M. J. B. LEVIS**, dwarf variety, produces a multitude of dark chamois flowers, veined with violet cerise; small foliage. 3*s.* 6*d.*

**M. LOUIS MARIGNAC**, rose; reverse of petals of a silvery hue. 1*s.* 6*d.*

**M. MOULINS**, cream colour, distinctly veined with violet-rose; throat reddish-chocolate; dwarf and free. 1*s.*

**M. PETIT**, rich reddish-crimson colour, shaded with crimson-violet, and veined with dark crimson. 1*s.* 6*d.*

**M. VIVIAND-MOREL**, a very large fine flower of a violet-colour, shaded with amaranth, and darkly veined. 1*s.* 6*d.*

**PHYLLIS**, a variety producing large well-shaped round flowers, of a very pale lemon-yellow colour. 1*s.* 6*d.*

**PROGNE**, a large well-formed flower of a rich magenta-rose colour. 1*s.* 6*d.*

**PURPUREUM**, very fine purple-coloured flowers, shaded with magenta. 1*s.*

**RICHESSE**, beautiful bright rose flowers, marked with silvery-white, and veined with dark rose 1*s.* 6*d.*

**ROSEUM ALBUM**, silver-white, shaded with rose; flowers of perfect shape, very dwarf, and most floriferous. 3*s.* 6*d.*

**ROSEUM COMPACTUM**, deep rose, very dwarf and compact. 1*s.* 6*d.*

**ROYAL SCARLET**, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1*s.* 6*d.*

**SCARLET GEM**, very distinct, produces brilliant red flowers. 1*s.*

**SELLOWIANUM VARIEGATUM**, 1*s.* 6*d.*

**SERAPH**, pure white. 1*s.* 6*d.*

**SILVER BELL**, French white, with deep red veins, very distinct and pretty. 1*s.* 6*d.*

**STRIATUM SPLENDIDUM**, bright orange, striped with rich crimson. 1*s.*

**THE PREMIER**, very large rosy-purple flowers of intense brightness. 1*s.* 6*d.*

**THOMSONI PLENUM**, fine double deep rich orange flowers, shaded, and streaked with crimson. This handsome variety has also ornamental foliage. 1*s.*

**TROPHY**, yellow, veined with carmine. 1*s.* 6*d.*

**VILLE SOLEIL**, a very floriferous dwarf variety; dark carmine-cerise flowers, shaded and darkly veined with rich orange-brown. 5*s.*

**VEXILLARIUM GRANDIFLORUM**, produces a profusion of dark cerise flowers with crimson throat, very distinct. 3*s.* 6*d.*

**VIVID COMPACTUM**, large bright scarlet flowers, compact habit. 1*s.* 6*d.*

**ZARA**, clear lemon-yellow. 1*s.* 6*d.*

# NEW, RARE AND DESIRABLE HARDY PLANTS.

**ACER** PLATANOIDES PURPUREA, remarkable for its large dark purple leaves and vigorous growth, making one of the largest trees with purple leaves. 2*s.* 6*d.*

**ACER** PLATANOIDES LEOPOLDII, 1*s.* 6*d.*
**ACIPHYLLA** SQUARROSA, 3*s.* 6*d.* and 5*s.*
**ACORUS** JAPONICUS SIEBOLDII STRIATUS, 1*s.* 6*d.*

## ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9*s.* and 12*s.* per dozen.

**AKEBIA** QUINATA, 1*s.* 6*d.*
**ALSTRŒMERIA** CHILENSIS, 1*s.*
**ALTHÆA** FRUTEX, *vide* Hibiscus syriacus
**AMARYLLIS** BELLADONNA, 9*d.* and 1*s.* each; 6*s.* and 9*s.* per dozen
**AMPELOPSIS** SEMPERVIRENS, 5*s.*
TRICUSPIDATA, *(Vitis japonica)*, 1*s.* 6*d.* & 2*s.* 6*d.*
**AMYGDALUS** PERSICA FOLIIS PURPUREIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PERSICA, other sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
**ANDROMEDA** JAPONICA, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
**ARALIA** MAXIMOWICZII, new and distinct, 3*s.* 6*d.*
**ARISÆMA** CORNUTUM *(Sauromatum guttatum)*, 3*s.* 6*d.*
**ARUNDO** CONSPICUA, 1*s.* 6*d.* and 2*s.* 6*d.*
**ASCLEPIAS** TUBEROSA, 1*s.*
**ASPIDISTRA** LURIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
LURIDA VARIEGATA, 3*s.* 6*d.*
**ASTILBE** BARBATA *(Hoteia japonica, Spiræa barbata)*, 1*s.*
**AUCUBA** JAPONICA FŒMINA, various sorts, 3*s.* 6*d.* and 5*s.*
JAPONICA LUTEO-PICTA, 7*s.* 6*d.*
—— MASCULA, various sorts, 3*s.* 6*d.* & 5*s.*
**AZALEA** LINEARIFOLIA, 5*s.*

## AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*

**AZALEAS**, hardy varieties, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen
**AZARA** MICROPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
**BAMBUSA** FORTUNEI AUREA, 2*s.* 6*d.*
FORTUNEI VARIEGATA, 2*s.* 6*d.*
MAXIMOWICZII, 3*s.* 6*d.* and 5*s.*
METAKE, 2*s.* 6*d.* and 3*s.* 6*d.*
NIORA, 3*s.* 6*d.*
NANA, 2*s.* 6*d.* and 3*s.* 6*d.*
SIMONII, 3*s.* 6*d.*
TRICOLOR, 7*s.* 6*d.*
**BERBERIS** AMURENSIS, 5*s.*
**BERBERIS** HETEROPODA, 5*s.*
STENOPHYLLA, 1*s.* 6*d.* and 2*s.* 6*d.*
THUNBERGII, 5*s.*
of sorts, 3*s.* 6*d.* and 5*s.*
**BIGNONIA** GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
RADICANS MAJOR, 1*s.* 6*d.* and 2*s.* 6*d.*
**BOCCONIA** JAPONICA, 3*s.* 6*d.*
**CALOCHORTUS**, of sorts, 12*s.* per dozen
**CALYCANTHUS** PRÆCOX, *vide* Chimonanthus fragrans
**CAMPANULA** TURBINATA, 1*s.*

## CARPENTARIA CALIFORNICA.

A new Californian shrub, producing large terminal bunches of white flowers, which have a similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 5*s.*

**CEANOTHUS**, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
**CHIMONANTHUS** FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
**CHOISYA** TERNATA, 2*s.* 6*d.*
**CHRYSANTHEMUMS**, *vide* Index.
**CINNAMOMUM** SERICEUM, 5*s.*
*vide* page 20

## CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18*s.* and 30*s.* per dozen. New varieties 42*s.* per dozen.

**CLEMATIS** COCCINEA, 3*s.* 6*d.*
**CLEMATIS** JACKMANNI ALBA, 1*s.* 6*d.*

## CLEMATIS PANICULATA.

A hardy climbing plant, furnished with pinnately decompound leaves. The flowers are white, in axillary panicles, numerous, sweet-scented, and resembling those of *C. Flammula*. It is a native of Japan, where it is found in the neighbourhood of Nagasaki. 3*s.* 6*d.*

**CORNUS** BRACHYPODA, 1*s.* 6*d.*
MASCULA AUREO-ELEGANTISSIMA, 2*s.* 6*d.*
**CORYLOPSIS** SPICATA, 2*s.* 6*d.*

## COTONEASTER FONTANESII.

A compact growing hardy shrub, with terete brown pubescent stems and branches, bearing dark green alternate leaves, orbicular in outline. The flowers, which are white, grow in small corymbose glomerules, and are succeeded by large round coral-red berries. It is an effective shrub from the abundant clusters of brilliant red berries which it produces. 5*s.*

**CRATÆGUS** Carrièri, large white flowers, turning to rose, fruit as large as a cherry. 5*s*.
Lælandii, 1*s*.
orientalis sanguinea, 2*s*. 6*d*.
**CRINUM** capense album, 1*s*. 6*d*.
**CRINUM** capense roseum, 1*s*.
Moorei, *vide* page 55
Powellii, 7*s*. 6*d*.
**CROCOSMA** aurea, 1*s*.
**CYCLAMEN** europæum, 6*s*. per dozen.
**CYDONIA** japonica, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.

**CYPRIPEDIUM** acaule, 3*s*. 6*d*. and 5*s*.
spectabile, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]
**DELPHINIUMS**, of sorts, 1*s*. 6*d*. and 2*s*. 6*d*.
**DESMODIUM** penduliflorum, 1*s*. 6*d*. and 2*s*. 6*d*.
**DEUTZIA** crenata candidissima plena, 2*s*. 6*d*.
crenata roseo-plena, 1*s*. 6*d*.
Pride of Rochester, a handsome flowering new double variety, *vide* illustration. 1*s*. 6*d*. each; 12*s*. per dozen.
**DIELYTRA** spectabilis, 1*s*. and 1*s*. 6*d*.
**DIMORPHANTHUS** mandchuricus, 1*s*. 6*d*.
**EREMURUS** robustus, 5*s*.
**ERYTHRINA**, *vide* pages 33 and 56
**ESCALLONIA** macrantha, 2*s*. 6*d*.
**EUCRYPHIA** pinnatifolia, 10*s*. 6*d*.
**EUGENIA** Uoni, 1*s*. 6*d*. and 2*s*. 6*d*.
**EULALIA** japonica albo-lineata, 2*s*. 6*d*. and 3*s*. 6*d*.
japonica zebrina, 2*s*. 6*d*. and 3*s*. 6*d*.
**FRAXINUS** mandchuricus, 3*s*. 6*d*.
potamophila, 3*s*. 6*d*.
**FREESIA** hybrida
Leichtlinii
refracta
—— alba
} *vide* page 58
**GEUM** strictum, 1*s*. 6*d*.
**GUNNERA** scabra, 3*s*. 6*d*.
**HEDERA** amurensis, 2*s*. 6*d*.
atropurpurea, 1*s*. 6*d*.
Helix aurantiaca, this is the scarlet berried Ivy, 2*s*. 6*d* and 3*s*. 6*d*.

DEUTZIA, PRIDE OF ROCHESTER.

**HEDERA** Helix hibernica variegata, 2*s*. 6*d*.
madeiriensis variegata, 1*s*. 6*d*.
**HEMEROCALLIS**, of sorts, 9*d*. and 1*s*.

## HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 9*s*. and 12*s*. per dozen.

**HIBISCUS** syriacus (Althæa frutex), 1*s*.
syriacus albo-plenus, 1*s*. 6*d*.
—— Amarantiie, 1*s*. 6*d*.
—— amplissima, 1*s*. 6*d*.
—— anemonœflora, 1*s*. 6*d*.
—— Ardens, 1*s*. 6*d*.
—— bicolor hybridus, 1*s*. 6*d*.
—— Boule de Feu, 1*s*. 6*d*.
—— carneus plenus, 1*s*. 6*d*.
—— Comte de Flandres, 1*s*. 6*d*.
—— Comte de Hainault, 1*s*. 6*d*.
—— cælestis, 1*s*. 6*d*.
—— De la Reine, 1*s*. 6*d*.
—— De la Veuve, 1*s*. 6*d*.
—— Duc de Brabant, 1*s*. 6*d*.
—— Duchess de Brabant, 1*s*. 6*d*.
—— eleoantissimus, 1*s*. 6*d*.
—— fastuosus, 1*s*. 6*d*.
—— orandiflorus superbus, 1*s*. 6*d*.
—— Lady Stanley, 1*s*. 6*d*.
—— Leopoldii, 1*s*. 6*d*.
—— monstrosus, 1*s*. 6*d*.
—— pæoniæflorus, 1*s* 6*d*.
—— pulcherrimus plenus, 1*s*. 6*d*.

**HIBISCUS** syriacus puniceus plenus, 1*s*. 6*d*.
Syriacus purpureus varieoatus, 1*s*. 6*d*.
—— ranunculæfloeus plenus, 1*s*. 6*d*.
—— ruber purpureus flore plenissima, 1*s*. 6*d*.
—— speciosus, 1*s*. 6*d*.
—— violaceus atropurpureus flore-plenissimo, 1*s*. 6*d*.
—— —— semi-plenus, 1*s*. 6*d*.
See also pages 35 to 38, and 58
**HOTEIA** japonica, *vide* Astilbe barbata
**HYACINTHUS** candicans, 3*s*. per dozen.
**HYDRANGEA** paniculata orandiflora, 1*s*. and 1*s*. 6*d*.
pekinensis, 3*s*. 6*d*.
volubilis (scandens), 1*s*. 6*d*.
See also page 58
**HYPERICUM** patulum, 1*s*. 6*d*.
**IDESIA** polycarpa (Polycarpa Maximowiczii) 2*s*. 6*d*.
**IRIS** cristata, 1*s*. 6*d*.
hexagona, 1*s*. 6*d*.
iberica, 1*s*. and 1*s*. 6*d*.

## IRIS GERMANICA.

The handsome hybrids of this beautiful section, are of the greatest use for the adornment of beds and borders, the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 6*s*., 9*s*. and 12*s*. per dozen; choice mixed varieties, 3*s*. and 4*s*. per dozen.

## IRIS KÆMPFERI.

A magnificent collection of this handsome and attractive plant has been imported from Japan. Scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris; they can therefore be most highly recommended. 2*s*. 6*d*. and 3*s*. 6*d*.; choice varieties, 5*s*. and 7*s*. 6*d*.

**IRIS** PUMILA, 1*s*.
ROBINSONIANA, *vide* page 59
SIBIRICA, 1*s*.
SUSIANA, 1*s*.
TECTORUM, 3*s*. 6*d*.
**JUNCUS** LÆTEVIRENS, 3*s*. 6*d*.
ZEBRINUS, *vide* Scirpus Tabernæmontani
**KOLREUTERIA** PANICULATA, 1*s*. 6*d*.
**LARDIZABALA** BITERNATA, 3*s*. 6*d*.
**LAVATERA** ARBOREA VARIEGATA, *vide* page 60.
**LIATRIS** PYCNOSTACHYA (Kansas Gay Feather), 1*s*. 6*d*. each; 12*s*. per dozen.
**LIBERTIA** FORMOSA, 6*d*.
IXIOIDES, 6*d*.

# LILIUMS.

LILIUM AURATUM.

**AURANTIACUM**, *vide* croceum.
**AURATUM**, 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
Dormant bulbs at the proper season, 9*d*., 1*s*. and 1*s*. 6*d*. each.
—— **CANDIDUM**, 10*s*. 6*d*.
**AURATUM PLATYPHYLLUM**, a handsome new variety giving gigantic flowers with large and very broad segments, much greater in substance than the ordinary variety, 5*s*.
—— —— **OCHROLEUCUM**, 21*s*.
—— —— **PICTURATUM**, 21*s*.
—— —— **VIRGINALE**, 7*s*. 6*d*.
—— **RUBRO-VITTATUM**, 31*s*. 6*d*. and 42*s*.
—— —— **VIRGINALE**, 31*s*. 6*d*. and 42*s*.
**BATEMANÆ**, 1*s*. 6*d*. and 2*s*. 6*d*.
**BLOOMERIANUM**, 2*s*. 6*d*. and 3*s*. 6*d*.
**BROWNII**, very handsome large flowers, trumpet-shaped, internally white, externally purplish brown. 3*s*. 6*d*. & 5*s*.
**BULBIFERUM**, 1*s*
**BYZANTINUM**, *vide* chalcedonicum.
**CALIFORNICUM**, 2*s*. 6*d*.
**CALLOSUM**, 2*s*. 6*d*. and 3*s*. 6*d*.
**CANADENSE**, 1*s*. 6*d*. and 2*s*. 6*d*.
—— **RUBRUM**, 2*s*. 6*d*.
**CANDIDUM**, 4*d*. and 6*d*.
—— **FLORE-PLENO**, 9*d*.
**CHALCEDONICUM** (BYZANTINUM), an effective and showy Lily, with brilliant scarlet flowers. 1*s*. and 1*s*. 6*d*.
**COLUMBIANUM**, 1*s*. 6*d*. and 2*s*. 6*d*.
**CONCOLOR**, 2*s*. 6*d*.
—— **CORIDION**, 2*s*. 6*d*.
**CORDIFOLIUM**, a rare Japanese Lily. 5*s*. & 7*s*. 6*d*
**CROCEUM** (AURANTIACUM) 6*d*.
**DALMATICUM**, *vide* Martagon dalmaticum
**DAVURICUM**, the true species from Siberia. 2*s*. 6*d*.
—— **ERECTUM**, 4*d*.
—— **FULGIDUM** (SAPPHO), 6*d*.
—— **GRANDIFLORUM**, 6*d*.
—— **IMMACULATUM**, 6*d*.
—— **INCOMPARABILE**, 4*d*.
**ELEGANS (THUNBERGIANUM)**, 1*s*. 6*d*.
—— (——) **ALICE WILSON**, 5*s*.
—— (——) **ALUTACEUM**, 6*d*.
—— (——) **ATROSANGUINEUM (FULGENS)**, 9*d*
—— (——) **BICOLOR**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— (——) **FORMOSUM**, 1*s*. 6*d*.
—— (——) **HÆMATOCHROUM**, 7*s*. 6*d*.
—— (——) **LATERITIUM** (BILIGULATUM), 1*s*.
—— (——) **MACULATUM**, 1*s*.

LILIUMS—continued.

LILIUM LONGIFLORUM FLORIBUNDUM.

**ELEGANS (THUNBERGIANUM) PICTUM**, 6*d*.
—— (——) **PRINCE OF ORANGE** (CITRINUM), 9*d*.
—— (——) **SCINTILLANS**, 7*s*. 6*d*.
—— (——) **STAMINOSUM**, 1*s*. 6*d*.
**EXCELSUM**, *vide* testaceum
**EXIMIUM**, *vide* longiflorum eximium
**GIGANTEUM**, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
**HANSONI**, bright golden-yellow, spotted with crimson, 5*s*.
**HUMBOLDTII**, a splendid species from Humboldt county, California; quite hardy, and produces fine spikes, of from 6 to 20 large golden-yellow flowers, spotted with purple. 2*s*. 6*d*. and 3*s*. 6*d*.
**KAMSCHATICUM** (SARANA) The Black Lily, 3*s*. 6*d*.
**KRAMERI**, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 2*s*. 6*d*. & 3*s*. 6*d*.
**LANCIFOLIUM**, *vide* speciosum
**LEICHTLINI**, very rare, 3*s*. 6*d*. and 5*s*.
**LONGIFLORUM FLORIBUNDUM**. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion, *vide* illustration. 1*s*. 6*d*. & 2*s*. 6*d*. Extra size, 3*s*. 6*d*. and 5*s*.
**LONGIFLORUM**, 6*d*.
—— Gigantic bulbs, 9*d*.
—— **EXIMIUM**, 1*s*. and 1*s*. 6*d*.
**LONGIFLORUM FOL. ALBO-MARGINATIS**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— —— **ROSEO-MARGINATIS**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— **HARRISII**, 1*s*. 6*d*.
—— **WILSONI**, one of the handsomest white Lilies known. 1*s*. 6*d*. and 2*s*. 6*d*.
**MARTAGON** (Turk's Cap Lily). 6*d*.
—— **ALBUM**, 3*s*. 6*d*. and 5*s*.
—— **AURANTIACUM**, *vide* pyrenaicum
—— **COCCINEUM**, *vide* chalcedonicum
—— **DALMATICUM**, a very distinct and attractive Lily, producing beautiful flowers of a rich blackish-purple colour. 2*s*. 6*d*. & 3*s*. 6*d*.
—— —— **CATTANIÆ**, purple, 2*s*. 6*d*. and 3*s*. 6*d*.
**MONADELPHUM SZOVITZIANUM**, rich citron colour, spotted with black; anthers of a rich chocolate-brown; flowers most deliciously fragrant; one of the best of the Lilies; when established, the flower stems grow from 3 to 4 feet high and produce as many as twenty of its attractive blossoms. 1*s*. 6*d*. and 2*s*. 6*d*.
**NEILGHERRENSE**, 5*s*. and 7*s*. 6*d*.
**PARDALINUM**, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden-orange colour, attractively spotted with maroon-purple. 1*s*. 6*d*. and 2*s*. 6*d*.
—— **BOURGÆI**, 3*s*. 6*d*.
**PARRYI**, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated, 3*s*. 6*d*. and 5*s*.
**PHILADELPHICUM**, 1*s*. and 1*s*. 6*d*.
**POMPONIUM**, an elegant species with bright scarlet flowers. 1*s*. and 1*s*. 6*d*.
extra strong English grown bulbs, 3*s*. 6*d*.
**PUBERULUM**, 2*s*. 6*d*.
**PULCHELLUM**, a pretty neat growing Lily, with brilliant vermilion flowers, spotted with black, 2*s*. 6*d*. and 3*s*. 6*d*.
**PURPUREUM** (RUBESCENS), 3*s*. 6*d*. and 5*s*.
**PYRENAICUM**, 9*d*. and 1*s*.
**ROSEUM**, *vide* Thompsonianum.
**RUBESCENS**, *vide* purpureum.
**SPECIOSUM (LANCIFOLIUM) ALBUM**, 1*s*. and 1*s*. 6*d*.
—— (——) **ALBUM CORYMBIFLORUM**, 1*s*.
—— (——) **CRUENTUM**, 2*s*. 6*d*.
—— (——) **KRÆTZERI**, exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) —— **SUPERBUM**, 5*s*.
—— (——) **MELPOMENE**, 5*s*.
—— (——) **PUNCTATUM**, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) **PURPURATUM**, 2*s*. 6*d*. & 3*s*. 6*d*.
—— (——) **ROSEUM**, 6*d*., 9*d*. and 1*s*.
—— (——) **RUBRUM**, 6*d*., 9*d*. and 1*s*.
—— (——) —— **CORYMBIFLORUM**, 1*s*. 6*d*.
—— (——) —— **MAGNIFICUM**, 5*s*.
—— (——) —— **SUPERBUM**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— (——) **SCHRYMAKERSI**, 1*s*. 6*d*.
**SUPERBUM**, 1*s*. and 1*s*. 6*d*.
—— **PYRAMIDALE**, 2*s*. 6*d*.

**SZOVITZIANUM**, *vide* monadelphum Szovitzianum
**TENUIFOLIUM**, bright scarlet, of neat growth; a charming Lily, 1*s.* 6*d.* and 2*s.* 6*d.*
**TESTACEUM** (EXCELSUM), nankeen coloured flowers, 2*s.* 6*d.*
**THOMPSONIANUM** (ROSEUM) 1*s.* 6*d.*
**THUNBERGIANUM**, *vide* elegans.
**TIGRINUM**, 4*d.* and 6*d.*
—— **FLORE-PLENO**, 6*d.*, 9*d.* and 1*s.*
—— **FORTUNEI**, 6*d.* and 9*d.*
**TIGRINUM LEOPOLDII (SPLENDENS)**, bright orange-scarlet; large dark spots; exceedingly attractive; this and the double-flowered variety are the most handsome of the *tigrinum* section, 1*s.*
**VENUSTUM**, 1*s.* 6*d.*
**WALLACEI**, 1*s.* 6*d.*
**WASHINGTONIANUM**, this noble Lily inhabits the Western slope of the Californian Sierra Nevada; the flowers are white, slightly flushed with lilac, and sweet-scented, 2*s.* 6*d.* and 3*s.* 6*d.*

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

---

**LIMONIA** TRIFOLIATA, 3*s.* 6*d.*
**MAGNOLIA** CAMPBELLII, 10*s.* 6*d.* and 15*s.*
CONSPICUA, 3*s.* 6*d.*
LENNEI, 5*s.*
PURPUREA, 2*s.* 6*d.*
SOULANGEANA, 3*s.* 6*d*
STELLATA (HALLEANA) 5*s.* and 7*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.* to 10*s.* 6*d.*
**MALUS** FLORIBUNDUS, 1*s.* 6*d.*
HALLEANUS, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers, 2*s.* 6*d.*
**MAXIMOWICZIA** CHINENSIS, 1*s.* 6*d.*
**MILLA** BIFLORA, 5*s.* per dozen.
**MONTBRETIA** CROCOSMÆFLORA, 1*s.* 6*d.*
CROCOSMÆFLORA AUREA, fine spikes of large golden-yellow flowers. 2*s.* 6*d.*
—— BOUQUET PARFAIT, spikes of very large flowers, centre dark orange-yellow, the upper part bright vermilion, 3*s.* 6*d.*
—— ETOILE DE FEU, large spikes of flowers, dark red on the exterior, the interior bright vermilion, centre clear yellow, 3*s.* 6*d.*
—— GERBE D'OR, a dwarf and proliferous variety, producing magnificent golden-yellow flowers, 3*s.* 6*d.*
—— PHARE, a most effective variety with very rich coloring; the interior of the flower is brilliant red, the centre yellow, the exterior very bright reddish-crimson, 5*s.*
**MONTBRETIA** CROCOSMÆFLORA PYRAMIDALIS, spikes of erect flowers of an apricot-salmon colour. 2*s.* 6*d.*
CROCOSMÆFLORA SOLFATARE, fine erect spikes of large orange-yellow flowers, a very distinct and attractive variety. 5*s.*
POTTSII, 1*s.* 6*d.*
—— GRANDIFLORA, very large flowers in erect spikes, exterior reddish-scarlet, interior orange-yellow, very effective. 5*s.*
**NEVIUSIA** ALABAMENSIS, 3*s.* 6*d.*
**NYMPHÆA** ALBA, 3*s.* 6*d.* and 5*s.*
**OPUNTIA** RAFINESQUIANA, 2*s.* 6*d.*
**PÆONIA** ARBOREA (Tree Pæony), choice sorts, 5*s.* each, 42*s.* per dozen.
**PANCRATIUM** ILLYRICUM, 1*s.*
MARITIMUM, 9*d.*
**PASSIFLORA** CÆRULEA, 1*s.* 6*d.* and 2*s.* 6*d.*
CONSTANCE ELIOTT, 1*s.* 6*d.* and 2*s.* 6*d.*
**PHELLODENDRON** AMURENSE, "The Cork Tree of the Amoor," 3*s.* 6*d.*
**PHILADELPHUS** CORONARIUS FOLIIS AUREUS, 2*s.* 6*d.*
GRANDIFLORUS SPECIOSISSIMUS PLENUS, 3*s.* 6*d.*
HYBRIDUS LEMOINEI, 7*s.* 6*d.*
KETELEERI FLORE-PLENO, 2*s.* 6*d.*
MICROPHYLLUS, 2*s.* 6*d.*
MULTIFLORUS PLENUS, 1*s.* 6*d.*
PRIMULÆFLORUS, 3*s.* 6*d.*

## PHILADELPHUS ROSÆFLORUS PLENUS.

A splendid variety, producing fine large flowers which are very full and double, composed of large imbricated pure white petals. 3*s.* 6*d.*

## PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s.* and 18*s.* per dozen.

## PIERIS OVALIFOLIA DENSIFLORA.

An evergreen shrub of elegant character and vigorous constitution, introduced from Assam. The leaves are acuminate, of firm texture, and slightly scabrous. The flowers are white, and grow in racemes at the ends of the branches. 3*s.* 6*d.* and 5*s.*

**PIPER** FUTOKADSURA, 3*s.* 6*d.* and 5*s.*
**POLYCARPA** MAXIMOWICZII, *vide* Idesia polycarpa
**POLYGONUM** MULTIFLORUM, 2*s.* 6*d.* and 3*s.* 6*d.*
SACHALINENSE, 1*s.* 6*d.* and 2*s.* 6*d.*
**POPULUS** CANADENSIS AUREUS VAN GEERTII, foliage of an attractive golden hue. 2*s.* 6*d.*
**POTENTILLA**, handsome double-flowered kinds. 1*s.* 6*d.* and 2*s.* 6*d.*
**PRIMULA** AMŒNA, *vide* P. Sieboldii
CORTUSOIDES HYBRIDA, 2*s.* 6*d.*
FLORIBUNDA, *vide* page 61
INTERMEDIA, 3*s.* 6*d.*
**PRIMULA** INTERMEDIA MINSTREL, 3*s.* 6*d.*
JAPONICA, 1*s.* and 1*s.* 6*d.*
—— of sorts, 3*s.* 6*d.*
SIEBOLDII, 1*s.* 6*d.*
—— CÆRULEA ALBA, 3*s.* 6*d.*
—— FIMBRIATA OCULATA, 3*s.* 6*d.*
—— HERMIA, 3*s.* 6*d.*
—— LACINIATA, 3*s.* 6*d.*
—— —— ROSEA, 3*s.* 6*d.*
—— PINK BEAUTY, 3*s.* 6*d.*
—— VENUS, 3*s.* 6*d.*
—— VIOLACEA, 3*s.* 6*d.*

## PRUNUS PISSARDII.

A remarkably ornamental plant, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found most effective for out-door decoration, the rich hue of its foliage being particularly attractive. 1*s.* 6*d.* and 2*s.* 6*d.*

**PRUNUS** SINENSIS ALBO-PLENA, 2*s.* 6*d.*

**PRUNUS** TRILOBA, 1*s.* 6*d.*

## RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven-lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, the branches spreading, and densely packed with spike-like greenish flowers. 2*s.* 6*d.*

**RHODODENDRONS**, choice hybrids of sorts, to name, 3*s.* 6*d.* and 5*s.*
**RHUS** GLABRA LACINIATA, 1*s.* and 1*s.* 6*d.*
**RIBES** ALPINUM PUMILUM AUREUM, 5*s.*
**RICHARDIA** AFRICANA, 1*s.* and 1*s.* 6*d.*
ALBO-MACULATA, 1*s.* and 1*s.* 6*d.*
**ROSA** RUGOSA ALBA, 1*s.* 6*d.* and 2*s.* 6*d.*
RUGOSA (REGELIANA), 1*s.* 6*d.* and 2*s.* 6*d.*

## RUBUS CRATÆGIFOLIUS.

Introduced from Mandchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1*s.* 6*d.* each. 12*s.* per dozen.

## RUBUS FRUTICOSUS DENTATUS.

A very peculiar variety of our native Bramble; the stems are purple, and furnished with red thorns; the leaves are small, trifoliolate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3*s.* 6*d.*

**RUBUS** FRUTICOSUS KITTATINNY, 1*s.* 6*d.*
FRUTICOSUS MAMMOTH, 2*s.* 6*d.*
—— NEW ROCHELLE, 2*s.* 6*d.*
—— SNYDER, 2*s.* 6*d.*
—— WILSON'S EARLY, 2*s.* 6*d.*
} highly esteemed American Blackberries.
PARVIFOLIUS, the crimson fruited Bramble, 3*s.* 6*d.*
**SALIX** BABYLONICA MASCULA, 2*s.* 6*d.*
PENTANDRA, 1*s.* 6*d.*
**SAUROMATUM**, *vide* Arisæma.
**SAXIFRAGA** CILIATA, 1*s.* 6*d.*
McNABIANA, 3*s.* 6*d.*
PELTATA, 1*s.* 6*d.*
**SCHIZOPHRAGMA** HYDRANGEOIDES, *vide* Hydrangea volubilis.
**SCIRPUS** (JUNCUS) TABERNÆMONTANI ZEBRINUS, 3*s.* 6*d.* and 5*s.*
**SEDUM** MAXIMOWICZII, 1*s.* 6*d.*
SPURIUM SPLENDENS, 1*s.* 6*d.*
**SENECIO** PULCHER, 1*s.* 6*d.*
See also page 64
**SKIMMIA** OBLATA, 2*s.* 6*d.* and 3*s.* 6*d.*
**SPIRÆA** AMURENSIS, 1*s.* 6*d.*
ASTILBOIDES, *vide* page 75
BARBATA, *vide* Astilbe barbata.
PALMATA, 1*s.* and 1*s.* 6*d.*
—— ALBA, 5*s.* and 7*s.* 6*d.*

## SPIRÆA GIGANTEA.

A very remarkable species imported from Japan. It grows from 6 to 7 feet high, well furnished with large Aralia-like leaves. The flowers are produced in large cymes and are pure white. 7*s.* 6*d.*

## SPIRÆA PALMATA ELEGANS.

A very distinct and pretty variety, in habit and foliage similar to *Spiræa palmata*, but with white flowers and conspicuous red stamens, which render it extremely effective. 2*s.* 6*d.*

**STAPHYLEA** COLCHICA, 2*s.* 6*d.* and 3*s.* 6*d.*
**STATICE** LATIFOLIA, 1*s.*
**STAUNTONIA** LATIFOLIA, 2*s.* 6*d.*
**STYRAX** CALIFORNICA, 7*s.* 6*d.*
**STYRAX** JAPONICA, 5*s.*
**SYRINGA** HYBRIDA HYACINTHIFLORA PLENA, 1*s.* 6*d.*
VULGARIS FL.-PL. LEMOINEI, *vide* page 76.

## SYRINGA VULGARIS FL.-PL. ALPHONSE LAVALLEE.

A very handsome and attractive variety bearing enormous thyrses of double flowers, much branched the shape of the bunch being all that could be desired. The buds are purple, opening a beautiful sky-blue shaded with violet. 5*s.*

## SYRINGA VULGARIS FL.-PL. COMTE HORACE DE CHOISEUL.

Fine thyrses of flowers in the way of *rubella pleno*, but the colour is of a deeper violet and the shading more bright than is seen in that variety. 10*s.* 6*d.*




## SPIRÆA ASTILBOIDES.

One of the most handsome of hardy herbaceous perennials, which has been certificated both by the Royal Horticultural and Royal Botanic Societies on account of its great merit. The stems grow from two to three feet high, and are terminated by compound feathery branches of elegant white flowers, produced in the greatest profusion. A charming plant for pot culture. This is one of the Twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington, in 1882. 5*s*.



## SYRINGA VULGARIS FLORE-PLENO LEMOINEI.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 2*s*. 6*d*. each; 24*s*. per dozen.

## SYRINGA VULGARIS FL.-PL. MADAME JULES FINGER.

Very compact long thyrses of large ranunculus-shaped flowers, of a beautiful satiny-rose colour, the buds being bright purple. This variety is of dwarf growth and extremely floriferous. 10*s.* 6*d.*

## SYRINGA VULGARIS FL.-PL. LE GAULOIS.

An extremely attractive variety producing large close thyrses of very double flowers, of a dark peach colour, light centres. 3*s.* 6*d.*

## SYRINGA VULGARIS FL.-PL. MATHIEU DE DOMBASLE.

A splendid double-flowered variety, producing immense thyrses nearly a foot long and from seven to nine inches broad; the expanded flowers of a beautiful reddish-mauve colour. 2*s.* 6*d.*

## SYRINGA VULGARIS FL.-PL. MICHEL BUCHNER.

A grand variety, producing fine erect pyramidal shaped thyrses of beautiful double flowers. The petals are prettily imbricated, pale lilac margined with rose; a vigorous grower of superior merit. 5*s.*

## SYRINGA VULGARIS FL.-PL. M. MAXIME CORNU.

A vigorous variety, producing fine thyrses of beautiful rosy-lilac double flowers, formed by corollas superposed one in the other; forces well. 7*s.* 6*d.*

## SYRINGA VULGARIS FL.-PL. PRÉSIDENT GRÉVY.

Magnificent thyrses of flower attaining a length of one foot and a proportionate breadth. The individual flowers are three quarters of an inch in diameter, composed of several rows of petals of a beautiful cobalt-blue colour, shading off to rose at the margins; the buds are of large size, rich violet-crimson in colour. This variety is of surpassing merit, and by far the best yet raised. 10*s.* 6*d.*

## SYRINGA VULGARIS FL.-PL. PYRAMIDAL.

An early flowering variety producing very dense pyramidal thyrses about ten inches long, composed of very large double flowers of a beautiful cærulean-rose colour, the reverse of a paler colour; buds carmine. 7*s.* 6*d.*

## SYRINGA VULGARIS FL.-PL. RENONCULE.

A fine variety, giving long erect thyrses of very full double flowers, which are of an azure-mauve colour and have a very strong perfume. 2*s.* 6*d.*

## SYRINGA VULGARIS FL.-PL. RUBELLA PLENA.

An extremely floriferous variety, producing long erect thyrses of full double flowers, of a clear reddish-violet colour; the buds are purple. 2*s.* 6*d.*

## SYRINGA VULGARIS FL.-PL. SENATEUR VOLLAND.

A very dwarf brilliant coloured double lilac, a new shade of colour, buds fuchsia-red, the flowers when open being rosy-pink. 10*s.* 6*d.*

**TIGRIDIA** CONCHIFLORA, 3*s.* per dozen.
GRANDIFLORA, 4*s.* per dozen.
—— ALBA, 4*s.* per dozen.
—— AURANTIACA, 4*s.* per dozen.
**TRICYRTIS** HIRTA, 1*s.*
HIRTA FLORE-NIGRO, 1*s.*
**TRITOMA** (KNIPHOFIA) BURCHELLII, 1*s.*
GRANDIS, 2*s.* 6*d.*
ROOPERI, 1*s.* 6*d.*

These can be supplied, when dormant, by the dozen or hundred at the proper season.

**TRITOMA** (KNIPHOFIA UVARIA) GLAUCESCENS, 1*s.* 6*d.*
UVARIA GRANDIFLORA, 2*s.* 6*d.*
**TRITONIA** AUREA, *vide* CROCOSMIA AUREA.
**TROPÆOLUM** SPECIOSUM, 1*s.*
TUBEROSUM, 1*s.*

## VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *Vide* page 65.

## VIBURNUM SIEBOLDII.

A bold and effective evergreen shrub, with dark brown warted branches, and opposite dark green flat leaves, which are thick, coriaceous, and laurel-like in character. The leaf-stalks are about an inch long, the blades broadly oblong oval, entire in the lower half, and obscurely and bluntly serrated towards the apex. It is a native of Japan. 3*s.* 6*d.* and 5*s.*

**VITIS** JAPONICA, *vide* Ampelopsis tricuspidata

**VITIS** VINIFERA PURPUREA, 5*s.*

### WEIGELAS, with handsome variegated foliage.

The following eight sorts have variegated foliage, the leaves being margined and tinted with white and gold.

**WEIGELA** AMABILIS FOLIIS VARIEGATIS, 1*s.* 6*d.*
AMABILIS LOOYMANSII AUREA, 1*s.* 6*d.*
HORTENSIS NIVEA FOLIIS MAROINATIS, 3*s.* 6*d.*
—— RUBRA FOLIIS AUREO-MAROINATA, 3*s.* 6*d.*

**WEIGELA** KOSTERIANA FOLIIS VARIEGATIS, 3*s.* 6*d.*
LONGIFOLIA ARGENTEO-MARGINATA, 3*s.* 6*d.*
NANA FOLIIS VARIEGATIS, 2*s.* 6*d.*
SIEBOLDII FOLIIS ARGENTEO-MARGINATA, 2*s.*6*d.*

**WEIGELA** ABEL CARRIERE, 1*s.* 6*d.*
AUG. WILHELM, 2*s.* 6*d.*

**WEIGELA** BERANGER, 2*s.* 6*d.*
DOCTEUR BAILLON, 1*s.* 6*d.*

### WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1*s.* 6*d.* each; 12*s.* per dozen.

### WEIGELA CONGO.

A fine variety of good habit, producing large purplish-crimson flowers in the most floriferous manner. 3*s.* 6*d.*

**WEIGELA** DIDEROT, 3*s.* 6*d.*
EMILE GALLÈ, 2*s.* 6*d.*

**WEIGELA** HORTENSIS NIVEA, 1*s.* 6*d.*
LAVALLEI, 1*s.* 6*d.*

### WEIGELA JEAN MACE.

A distinct and free-blooming variety, producing fine large purple flowers; the buds are of a very dark crimson-purple colour; it is the darkest Weigela in cultivation. 3*s.* 6*d.*

### WEIGELA MONTESQUIEU.

Fine reddish-crimson flowers of perfect shape; a very handsome and distinct variety. 5*s.*

**WISTARIA** (GLYCINE) FRUTESCENS MAGNIFICA, 2*s.* 6*d.*
MULTIJUOA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, 2*s.* 6*d.*
—— ALBA, 5*s.*
SINENSIS, 2*s.* 6*d.*

**WISTARIA** (GLYCINE) SINENSIS ALBA, 2*s.* 6*d.*
SINENSIS FLORE-PLENO, 3*s.* 6*d.*
**XANTHOCERAS** SORBIFOLIA, 3*s.* 6*d.*
**YUCCA** BREVIFOLIA, 5*s.*
MACROCARPA, 5*s.*
RECURVA, 3*s.* 6*d.* and 5*s.*
—— VARIEGATA, 7*s.* 6*d.*

# OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. WILLIAM BULL's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

**Selections left to W. B. at 2, 3 and 4 guineas per dozen; collections made at 5, 7 and 10 guineas.**

| | | |
|---|---|---|
| Abyssinian Banana | Músa Enséte | *Abyssinia* |
| African Mangosteen | Garcinia Livingstóni | *Africa* |
| African Rubber | Landolphia Watsonii | *Africa* |
| Allspice | Eugenia Pimenta | *W. Indies* |
| Arabian Coffee | Coffea arábica | *Yemen* |
| Arrowroot | Maránta arundinácea | *S. America* |
| Arnotto Dye Plant | Bixa Orellána | *Tropical America* |
| Australian Banyan | Ficus macrophylla | *Australia* |
| Avocado Pear | Persea gratissima | *West Indies* |
| Balsam of Peru | Myróxylon Pereira | *Peru* |
| Banyan Tree | Ficus indica | *E. Indies* |
| Bark of Commerce | Cinchóna officinális | *Tropical America* |
| Bengal Quince | Ægle Marmelos | *E. Indies* |

| | | |
|---|---|---|
| Betle Pepper | Piper Bétle | *E. Indies* |
| Black Pepper | Piper nigrum | *E. Indies* |
| Brazil Nut | Bertholléția excélsa | *Brazil* |
| Cabbage Palm | Eutérpe edúlis | *Brazil* |
| Camphor | Cámphora officinális | *Japan* |
| Candle Tree | Parmentiéra cereifera | *Panama* |
| Cannon Ball Tree | Couroupita guianeusis | *British Guiana* |
| Caoutchouc | Castillóa elástica | *Honduras* |
| Capo Chestnut | Calodendron capeuse | *Cape Colony* |
| Captain Cook's Tea Plant | Leptospérmum scopárium | *New Zealand* |
| Cardamon | Amómum Cardamómum | *E. Indies* |
| Cascarilla Bark | Croton Elutéria | *Bahama Islands* |
| Cassia | Cinnamomum Cassia | *East Indies* |
| Ceara Rubber | Manihot Glaziovii | *Brazil* |
| Chinese Plantain Tree | Músa Cavendishii | *China* |
| Cinnamon | Cinnamómum zeylanicum | *Ceylon* |
| Clove Tree | Caryophyllus aromáticus | *E. Indies* |
| Coca | Erythróxylon Cóca | *Peru* |
| Cocoa | Theobróma Cacáo | *Tropical America* |
| Coffee | Coffea arábica | *Yemen* |
| Contrayerva Root | Dorsténia Contrayérva | *S. America* |
| Cuba Bast | Paritium elátum | *W. Indies* |
| Cubeb Pepper | Piper Cubéba | *Java* |
| Cundurango | Gonólobus Cundurángo | *S. America* |
| Date | Phœnix dactylifera | *Levant* |
| Durian | Durio zibethínus | *India* |
| Edible-fruited Passion Flower | Passiflóra edúlis | *Brazil* |
| Edible Vanguéria | Vanguéria edúlis | *Madagascar* |
| Elephant Apple | Feronia elephantum | *E. Indies* |
| Fiddle Wood | Citharéxylon quadrangulâre | *Jamaica* |
| Fig, Sacred | Ficus religiosa | *E. Indies* |
| Fustick Wood | Chlorophora (Maclúra) tinctória | *W. Indies* |
| Gamboge | Zanthóchymus pictórius | *E. Indies* |
| Gigantic Granadilla | Passiflóra macrocárpa | *Rio Negro* |
| Ginger | Zingiber officinále | *E. Indies* |
| Granadilla | Passiflóra quadranguláris | *W. Indies* |
| Guarana Tea Plant | Paullinia sórbilis | *Brazil* |
| Guava | Psídium Cattleyanum | *Brazil* |
| Gum Arabic Tree | Acacia arabica | *Arabia* |
| Ipecacuanha | Cephaëlis Ipecacuànha | *Brazil* |
| Ivory Nut Palm | Phytelephas macrocárpa | *Peru* |
| Jack Fruit | Artocarpus integrifolia | *W. Indies* |
| Jalap | Exogónium púrga | *Mexican Andes* |
| Japan Cinnamon | Cinnamómum sericeum | *Japan* |
| Japanese Pepper | Piper Futokadsura | *Japan* |
| Kokum Oil | Garcinia indica | *E. Indies* |
| Kola Nut | Cola acuminata | *Niger* |
| Latanier Palm | Latánia borbónica | *Bourbon* |
| Ledger's Bark | Cinchóna Ledgeriana | *S. America* |
| Lemon Grass | Cymbopógon Schœnáuthus | *E. Indies* |
| Liberian Coffee | Coffea libérica | *Africa* |
| Liquorice | Glycyrrhiza glabra | *South Europe* |
| Litchi | Nephélium Litchi | *China* |
| Loquat | Eriobótrya japónica | *Japan* |
| Mahogany Tree | Swietenia Mahágoni | *W. Indies* |
| Malabar Silk Cotton Tree | Bombax malabaricum | *Malabar* |
| Mangosteen | Garcinia Mangostána | *Java* |
| Manilla Hemp | Músa textilis | *Philippine Isles* |
| Matico | Artánthe elongáta | *Peru* |
| Milk Tree | Galactodendron útile | *S. America* |
| Moreton Bay Chestnut | Castanospermum australe | *Australia* |
| Mustard Tree of Scripture | Salvadóra pérsica | *Persia* |
| Nardoo | Marsilea macrópus | *Australia* |
| Natal Plum | Arduina grandiflora | *Natal* |
| Netted-leaved Custard Apple | Anona reticulata | *S. America* |
| Nutmeg | Myristica moschâta | *E. Indies* |
| Palissander Wood | Machærium firmum | *S. America* |
| Para Rubber | Hévea brasiliénsis | *Brazil* |
| Patchouli Scent Plant | Pogostémon Pátchouli | *E. Indies* |
| Poison Bulb | Buphâne (Brunsvigia) toxicaria | *Natal* |

| | | |
|---|---|---|
| Poison Nut | Thevetia neriifolia | *W. Indies* |
| Queenslaud Nut | Macadámia ternifólia | *Queensland* |
| Queensland Plum | Davidsonia pruriens | *Queensland* |
| Rhea Fibre Plant | Böhmeria nivea | *India* |
| Rhubarb | Rhéum officinále | *China* |
| Saud Box Tree | Hura crepitans | *S. America* |
| Sarsaparilla | Smilax Sarsaparilla | *N. America* |
| Satin Wood | Chloróxylon Swieténia | *E. Indies* |
| Snake Wood | Cecrópia palmáta | *S. America* |
| Sour Sop | Anóna muricáta | *W. Indies* |
| Star Apple | Chrysophyllum Cainito | *W. Indies* |
| Sugar Cane | Sáccharum officinárum | *India* |
| Sweet Sop | Anona squamosa | *S. America.* |
| Sycamore Tree of Scripture | Ficus Sycomórus | *Egypt* |
| Tamarind Tree | Tamarindus indica | *E. Indies* |
| Tea | Théa Bohéa | *China* |
| Telegraph or Moving Plant | Desmódium gyrans | *E. Indies* |
| Tonga | Epipremnum mirábile | *South Sea Islands* |
| Tonquiu Bean | Diptcrix odorata | *Guiana* |
| Traveller's Tree | Raveuála madagascaricnsis | *Madagascar* |
| Turpentine Tree | Pistácia Terebinthus | *S. Europe* |
| Vanilla | Vanilla aromática | *S. America* |
| Zerumbet Ginger | Zingiber Zerumbet | *E. Indies* |

Purchasers of Officinal and Medicinal Plants, Tropical Fruits, &c., can have selections of living specimens made by W. B. from the preceding at 2, 3 and 4 guineas per dozen; or collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

# ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to any-one interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 5, 10 15 and 20 guineas each, and upwards.

S, distinguishes the stove kinds; I, intermediate house; C, cool house.
Those marked thus (*) are winter-blooming kinds.

| | | | |
|---|---|---|---|
| *I* | **ACANTHEPHIPPIUM** javanicum | Java | 10*s.* 6*d.* and 15*s.* |
| *I* | **ACINETA** Barkeri | Mexico | 10*s.* 6*d.* and 15*s.* |
| *I* | densa | South America | 21*s.* |
| *I* | erythroxantha | South America | |
| *I* | Humboldtii (superba) | Colombia | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | **ACRŌPERA** Loddigesii | Mexico | 5*s.* and 7*s.* 6*d.* |
| *I* | luteola | Mexico | 7*s.* 6*d.* and 10*s.* 6*d.* |
| **C* | **ADA** aurantiaca | Pamplona | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | **AËRANTHUS** Leonis, *vide* Angræcum Leonis | | |
| *I* | **AËRIDES** affine | Sylhet | 5*s.*, 7*s.* 6*d.* to 21*s.* |
| *I* | affine roseum | Sylhet | 10*s.* 6*d.* and 15*s.* |
| *I* | —— superbum | Sylhet | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *S* | crassifolium | Burmah | 5*s.* to 21*s.* |
| *I* | crispum (Brookei) | Bombay | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |

| | | | |
|---|---|---|---|
| *S* | **AËRIDES cylindricum (Vandarum)** | East Indies | 42*s.* |
| *S* | **Emericii** | Andaman Islands | 31*s.* 6*d.* and 42*s.* |
| *S* | **expansum Leoniæ** | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **Fieldingii (Fox Brush)** | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | **—— rubrum** | East Indies | |
| *S* | **Godefroyanum** | Cochin China | 31*s.* 6*d.*, 42*s.* and 63*s.* |
| *S* | **Houlletianum** | Cochin China | 31*s.* 6*d.*, 42*s.* and 63*s.* |
| *S* | **Huttoni (Leeanum)** | East Indies | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | **japonicum** | Japan | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | **Larpentæ** | East Indies | 63*s.* |
| *S* | **Lawrenceæ** | East Indies | 42*s.* and 63*s.* |
| *S* | **Leeanum,** *vide* **Huttoni** | | |
| *I* | **Lindleyanum** | Coonoor | 10*s.* 6*d.* and 15*s.* |
| *S* | **Lobbii** | Moulmein | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *S* | **—— magnificum** | Moulmein | |
| *S* | **—— rubrum** | Moulmein | |
| *S* | **maculosum** | Bombay | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *S* | **—— superbum** | Bombay | |
| *S* | **nobile** | India | 21*s.* and 31*s.* 6*d.* |
| *S* | **odoratum (cornutum)** | East Indies | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | **—— majus** | East Indies | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | **—— purpurascens** | East Indies | 15*s.* and 21*s.* |
| *S* | **ornithorrhynchum** | East Indies | 21*s.* and 31*s.* 6*d.* |
| *S* | **quinquevulnerum** | Philippine Islands | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *S* | **Rohanianum** | East Indies | 15*s.* and 21*s.* |
| *S* | **rubrum** | Bombay | 63*s.* and 84*s.* |
| *S* | **Sanderianum** | East Indies | 42*s.* and 63*s.* |
| *S* | **suavissimum** | East Indies | 15*s.* and 21*s.* |
| *S* | **Thibautianum** | East Indies | |
| *S* | **Vandarum,** *vide* **cylindricum** | | |
| *S* | **Veitchii** | East Indies | 105*s.* |
| *S* | **virens** | Java | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | **—— Dayanum** | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *S* | **—— superbum** | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **Warneri** | Bombay | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | **ANŒCTOCHILUS Dawsonianus,** *vide* **Goodyera** | | |
| *S* | **petola** | Borneo | 21*s.* |
| *S* | **ANGRÆCUM arcuatum** | Africa | 21*s.* and 31*s.* 6*d.* |
| *S* | **articulatum** | Madagascar | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *S* | **calligerum** | Madagascar | |
| *S* | **Chailluanum** | West Coast of Africa | 63*s.* |
| *S* | **citratum** | Madagascar | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *S* | **—— majus** | Madagascar | 15*s.* and 21*s.* |
| *S* | **distichum** | West Coast of Africa | 7*s.* 6*d.* and 10*s.* 6*d.* |
| **S* | **eburneum (superbum)** | Madagascar | 21*s.* and 31*s.* 6*d.* |
| *S* | **Ellisii** | Madagascar | 31*s.* 6*d.* and 42*s.* |
| *I* | **falcatum** | Japan | 10*s.* 6*d.* and 15*s.* |
| *S* | **grandiflorum** | Madagascar | 105*s.* |
| *S* | **hyaloides** | Madagascar | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *S* | **Leonis** | Comoro Island | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | **Scottianum** | Comoro Island | 31*s.* 6*d.* and 42*s.* |
| *S* | **Sanderianum** | West Coast of Africa | 15*s.* and 21*s.* |
| **S* | **sesquipedale** | Madagascar | 31*s.* 6*d.*, 42*s.* and 63*s.* |
| **S* | **—— majus** | Madagascar | |
| **S* | **virens (Brongniartianum)** | Madagascar | 21*s.* and 31*s.* 6*d.* |
| *I* | **ANGULOA Clowesii** | Colombia | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | **eburnea** | Peru | 84*s.* and 105*s.* |
| *I* | **Ruckerii** | South America | 31*s.* 6*d.* and 42*s.* |

| | | | |
|---|---|---|---|
| *I* | **ANGULOA** uniflora | Colombia | 10*s.* 6*d.* and 15*s.* |
| *I* | uniflora alba | Colombia | 63*s.* |
| *I* | —— superba | Colombia | 42*s.* |
| **S* | **ANSELLIA** africana | Sierra Leone | |
| *I* | **ARPOPHYLLUM** giganteum | Mexico | 15*s.* and 21*s.* |
| *I* | spicatum | Mexico | 10*s.* 6*d.* and 15*s.* |
| *C* | **BARKERIA** elegans | Mexico | 10*s.* 6*d.* and 15*s.* |
| **C* | Lindleyana | Mexico | 21*s.* and 31*s.* 6*d.* |
| **C* | Skinneri | Guatemala | 10*s.* 6*d.* and 15*s.* |
| *C* | spectabilis | Mexico | 15*s.* |
| *I* | **BIFRENARIA** aurantiaca | Brazil | 15*s.* and 21*s.* |
| *C* | **BLETIA** hyacinthina | China | 3*s.* 6*d.* and 5*s.* |
| *I* | Shepherdii | West Indies | 21*s.* |
| *I* | Sherrattiana | Colombia | 10*s.* 6*d.* and 15*s.* |
| **I* | Tankervillæ, *vide* **Phaius grandifolius** | | |
| *I* | verecunda | Florida | 15*s.* |
| *I* | —— alba | Florida | 15*s.* |
| *I* | **BOLLEA** Lalindei | Colombia | 21*s.* |
| *I* | **BRASAVOLA** cucullata | Mexico | 10*s.* 6*d.* and 15*s.* |
| *S* | Digbyana | Honduras | 10*s.* 6*d.* and 15*s.* |
| *I* | glauca | Mexico | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— oculata | Mexico | 15*s.* |
| *I* | nodosa | South America | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | rhopalorrhachis | Mexico | 21*s.* |
| *I* | **BRASSIA** antherotes | South America | |
| *I* | brachiata | Guatemala | 63*s.* and 84*s.* |
| *I* | caudata | South America | 10*s.* 6*d.* and 15*s.* |
| *I* | Gireoudiana | Costa Rica | 31*s.* 6*d.* |
| *I* | Keiliana | South America | 42*s.* |
| *S* | Lawrenceana | Demerara | |
| *S* | maculata | West Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | signata | South America | 31*s.* 6*d.* |
| *C* | verrucosa | Guatemala | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | Wrayæ | South America | 42*s.* and 63*s.* |
| *S* | **BROUGHTONIA** sanguinea | Jamaica | 10*s.* 6*d.* to 21*s.* |
| *S* | **BULBOPHYLLUM** Lobbii, *vide* **Sarcopodium Lobbii** | | |
| *I* | **BURLINGTONIA** bayensis | Brazil | |
| *I* | caloplectron, *vide* **Rodriguezia caloplectron** | | |
| *I* | candida | Demerara | 10*s.* 6*d.* |
| *I* | decora | Brazil | 15*s.* and 21*s.* |
| *I* | —— imperialis | Brazil | 21*s.* and 31*s.* 6*d.* |
| *I* | fragrans | Brazil | 15*s.* and 21*s.* |
| *I* | venusta | Brazil | 15*s.* and 21*s.* |
| *C* | **CALANTHE** discolor | Japan | |
| *S* | Dominii | Hybrid | 21*s.* and 31*s.* 6*d.* |
| *I* | Masuca | Nepal, Sikkim | 21*s.* and 31*s.* 6*d.* |
| *C* | pleiochroma | Japan | 21*s.* |
| *C* | —— brevior | Japan | 21*s.* |
| **I* | Regnieri | Cochin China | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| **I* | —— purpurea | Cochin China | 42*s.* |
| **I* | —— striata | Cochin China | 42*s.* |
| *C* | Sieboldii, *vide* **Phaius Sieboldii** | | |
| **I* | Stevensiana | Cochin China | 7*s.* 6*d.* and 10*s.* 6*d.* |
| **I* | Turneri | India | 10*s.* 6*d.* and 15*s.* |
| **I* | —— nivalis | India | 10*s.* 6*d.* and 15*s.* |
| **I* | Veitchii | Hybrid | 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* |
| **I* | —— alba | Hybrid | 105*s.* |

| | | | |
|---|---|---|---|
| *I* | **CALANTHE** veratrifolia | East Indies | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| **I* | vestita luteo-oculata | Tavoy, Java | 5*s.* and 7*s.* 6*d.* |
| **I* | —— oculata gigantea | Tavoy, Java | 21*s.* |
| **I* | —— rubro-oculata | Tavoy, Java | 3*s.* 6*d.* and 5*s.* |
| *S* | **CAMAROTIS** purpurea | Sylhet | 21*s.* and 31*s.* 6*d.* |
| *I* | **CATASETUM** Bungerothii | South America | 42*s.*, 63*s.* and 84*s.* |
| *I* | callosum | South America | 21*s.* |
| *I* | cernuum, *vide* Myanthes cernuus | | |
| *I* | discolor | South America | 10*s.* 6*d.* |
| *I* | fimbriatum | South America | 15*s.* |
| *I* | glaucoglossum | Mexico | 10*s.* 6*d.* |
| *I* | gnomus | South America | 21*s.* |
| *I* | longifolium | South America | 31*s.* 6*d.* |
| *I* | macrocarpum | Brazil | 10*s.* 6*d.* |
| *I* | maculatum viridiflorum | South America | 10*s.* 6*d.* |
| *I* | medium | Brazil | 63*s.* |
| *I* | sanguineum | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | —— integrale | South America | 15*s.* |
| *I* | serratum | South America | 21*s.* |
| *I* | Trulla | South America | 21*s.* |
| *I* | **CATTLEYA** Aclandiæ | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | amethystina, *vide* intermedia | | |
| *I* | amethystoglossa | Brazil | 15*s.* and 21*s.* |
| *I* | —— maculata | Brazil | 63*s.* |
| *I* | aurea | Colombia | 42*s.* and 63*s.* |
| *I* | —— marmorata | Colombia | |
| *I* | Bassettii, *vide* speciosissima | | |
| *I* | bicolor | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | —— grandiflora | Brazil | 31*s.* 6*d.* |
| *I* | —— Measuresiana | Brazil | 31*s.* 6*d.* and 42*s.* |
| *I* | —— —— oculata | Brazil | 63*s.* |
| *I* | Boothiana, *vide* lobata | | |
| *I* | Bowringiana | Central America | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | bulbosa, *vide* Walkeriana | | |
| *I* | chocoensis | Colombia | 21*s.* and 31*s.* 6*d.* |
| *C* | citrina | Oaxaca | 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* |
| *I* | crispa | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | —— superba | Brazil | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | Crossiana | Hybrid | |
| *I* | dolosa | Brazil | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | Dormaniana | Brazil | 21*s.* and 31*s.* 6*d.* |
| *S* | Dowiana | Costa Rica | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *I* | Eldorado | Rio Negro | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— aurea | Rio Negro | 42*s.* and 63*s.* |
| *I* | —— carnea | Rio Negro | 31*s.* 6*d.* and 42*s.* |
| *I* | —— conspicua | Rio Negro | 63*s.* and 84*s.* |
| *I* | —— rosea | Rio Negro | 31*s.* 6*d.* and 42*s.* |
| *I* | —— splendens | Rio Negro | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | —— superba | Rio Negro | |
| *I* | —— Wallisii (alba) | Rio Negro | |
| *I* | elegans, *vide* Lælia elegans | | |
| *I* | Forbesii | Brazil | 10*s.* 6*d.* |
| *I* | Gaskelliana | Venezuela | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— carnea | Venezuela | 21*s.* and 31*s.* 6*d.* |
| *I* | —— delicata | Venezuela | |
| *I* | —— grandiflora | Venezuela | 42*s.* |
| *I* | —— picta | Venezuela | 21*s.* and 31*s.* 6*d.* |

| | | | |
|---|---|---|---|
| *I* | **CATTLEYA Gaskelliana pulchra** | Venezuela | 21*s.* and 31*s.* 6*d.* |
| *I* | Gaskelliana rosea | Venezuela | 31*s.* 6*d.* |
| *I* | —— superba | Venezuela | 21*s.* and 31*s.* 6*d.* |
| *I* | gigas | Colombia | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *I* | —— atropurpurea | Colombia | |
| *I* | —— Chelsoni | Colombia | |
| *I* | —— formosa | Colombia | |
| *I* | —— imperialis | Colombia | 42*s.* and 63*s.* |
| *I* | —— magnifica | Colombia | |
| *I* | —— marginata | Colombia | |
| *I* | —— Normanii | Colombia | |
| *I* | —— picturata | Colombia | |
| *I* | —— regalis | Colombia | |
| *I* | —— Reginæ | Colombia | |
| *I* | —— rosea | Colombia | |
| *I* | —— Sanderiana | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | —— splendens | Colombia | |
| *I* | —— tyrianthina | Colombia | |
| *I* | grandis, *vide* Lælia grandis | | |
| *I* | guttata | Brazil | 15*s.* and 21*s.* |
| *I* | Harrisoniæ | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | Holfordi, *vide* C. luteola | | |
| *I* | intermedia (amethystina) | Brazil | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | labiata, *vide* C. Warnerii | | |
| *I* | Lawrenceana | Roraima | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | —— oculata | Roraima | |
| *I* | —— rosea | Roraima | |
| *I* | Lemoniana, *vide* C. speciosissima | | |
| *I* | Leopoldii | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | lobata (Lælia Boothiana) | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | Loddigesii | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | Luddemanniana, *vide* C. speciosissima | | |
| *I* | luteola (Holdfordii) | South America | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| **I* | marginata, *vide* Lælia marginata | | |
| *I* | maxima (Quindos) | Ecuador, Popayan | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *I* | —— superba | Ecuador, Popayan | 42*s.* and 63*s.* |
| *I* | Mendelii | South America | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— Alexandræ | South America | |
| *I* | —— ampliata | South America | |
| *I* | —— delicata | South America | |
| *I* | —— excellens | South America | |
| *I* | —— gigantea | South America | |
| *I* | —— grandis | South America | |
| *I* | —— insigne | South America | |
| *I* | —— maculata | South America | |
| *I* | —— magnifica | South America | |
| *I* | —— miniata | South America | |
| *I* | —— oculata | South America | |
| *I* | —— ornata | South America | |
| *I* | —— picta | South America | |
| *I* | —— princeps | South America | |
| *I* | —— Rex | South America | |
| *I* | —— superba | South America | |
| *I* | —— superbissima | South America | |
| *I* | —— Victoriæ | South America | |
| *I* | Mossiæ | Venezuela | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* five plants, 21*s.*, 31*s.* 6*d.*, 42*s.* and 63*s.* |

| | | | |
|---|---|---|---|
| *I* | **CATTLEYA Mossiæ albo-marginata** .. | Venezuela ..... | 63*s.* and 84*s.* |
| *I* | **Mossiæ Alexandræ** ..... | Venezuela ..... | |
| *I* | —— **amœna** ..... | Venezuela ..... | |
| *I* | —— **aurantiaca** ..... | Venezuela ..... | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *I* | —— **Chelsoni** ..... | Venezuela ..... | |
| *I* | —— **Cleopatra** ..... | Venezuela ..... | |
| *I* | —— **conspicua** ..... | Venezuela ..... | |
| *I* | —— **delicata** ..... | Venezuela ..... | 21*s.* and 31*s.* 6*d.* |
| *I* | —— —— **aurantiaca** ..... | Venezuela ..... | |
| *I* | —— **flammea** ..... | Venezuela ..... | |
| *I* | —— **formosa** ..... | Venezuela ..... | |
| *I* | —— **gigantea** ..... | Venezuela ..... | |
| *I* | —— **grandiflora** ..... | Venezuela ..... | 42*s.* and 63*s.* |
| *I* | —— **grandis** ..... | Venezuela ..... | |
| *I* | —— **insignis** ..... | Venezuela ..... | |
| *I* | —— **Lawrenceana** ..... | Venezuela ..... | 105*s.* |
| *I* | —— **magnifica** ..... | Venezuela ..... | |
| *I* | —— **marginata** ..... | Venezuela ..... | |
| *I* | —— **maxima** ..... | Venezuela ..... | |
| *I* | —— **picta** ..... | Venezuela ..... | |
| *I* | —— **picturata** ..... | Venezuela ..... | 63*s.* and 84*s.* |
| *I* | —— **pulcherrima** ..... | Venezuela ..... | 63*s.* and 84*s.* |
| *I* | —— **rosea** ..... | Venezuela ..... | 63*s.* and 84*s.* |
| *I* | —— —— **elegans** ..... | Venezuela ..... | |
| *I* | —— **rubra** ..... | Venezuela ..... | 105*s.* and 147*s.* |
| *I* | —— **speciosa** ..... | Venezuela ..... | |
| *I* | —— **splendens** ..... | Venezuela ..... | 42*s.* and 63*s.* |
| *I* | —— **superba** ..... | Venezuela ..... | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | —— **venosa** ..... | Venezuela ..... | |
| *I* | **nobilior** ..... | Brazil ..... | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | **Percivaliana** ..... | Venezuela ..... | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— **bella** ..... | Venezuela ..... | |
| *I* | —— **magnifica** ..... | Venezuela ..... | |
| *I* | —— **marginata** ..... | Venezuela ..... | |
| *I* | —— **nigra** ..... | Venezuela ..... | |
| *I* | —— **ornata** ..... | Venezuela ..... | |
| *I* | —— **picta** ..... | Venezuela ..... | |
| *I* | —— **rubro-nigra** ..... | Venezuela ..... | |
| *I* | —— **splendens** ..... | Venezuela ..... | |
| *I* | —— **rubra superba** ..... | Venezuela ..... | |
| *I* | **Perrinii**, *vide* **Lælia Perrinii** | | |
| **I* | **Pinelii**, *vide* **Lælia Pinelii** | | |
| *I* | **porphyroglossa punctulata** ..... | Brazil ..... | |
| *I* | **Schilleriana (Regnellii)** ..... | Brazil ..... | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | **Schofieldiana** ..... | Brazil ..... | 63*s.* and 84*s.* |
| **I* | **Schrœderæ** ..... | Colombia ..... | 42*s.* and 63*s.* |
| **I* | —— **albescens** ..... | Colombia ..... | |
| **I* | —— **superba** ..... | Colombia ..... | |
| *S* | **signata** ..... | Hybrid ..... | |
| *I* | **Skinneri** ..... | Mexico ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | —— **albescens** ..... | Mexico ..... | |
| *I* | —— **oculata** ..... | Mexico ..... | |
| *I* | —— **splendens** ..... | Mexico ..... | |
| *I* | **speciosissima (Bassettii, Lemoniana, Luddemanniana)** ..... | Caracas ..... | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s* |
| *S* | **Stelzneriana**, *vide* **Lælia elegans** | | |
| *S* | **superba** ..... | Essequibo ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | —— **Bungerothii** ..... | Essequibo ..... | |

| | | | |
|---|---|---|---|
| *S* | **CATTLEYA** superba splendens | Essequibo | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | Thompsoniana | Hybrid | |
| **I* | Trianæ | Colombia | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| **I* | —— alba | Colombia | |
| **I* | —— Atalanta | Colombia | 42*s.* and 63*s.* |
| **I* | —— bella | Colombia | 105*s.* |
| **I* | —— bogotensis | Colombia | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| **I* | —— Cleopatra | Colombia | 63*s.* and 84*s.* |
| **I* | —— conspicua | Colombia | |
| **I* | —— delicata | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| **I* | —— elegans | Colombia | 63*s.* and 84*s.* |
| **I* | —— excellens | Colombia | |
| **I* | —— fimbriata | Colombia | |
| **I* | —— flammea | Colombia | |
| **I* | —— gemma | Colombia | |
| **I* | —— grandis | Colombia | 42*s.* and 63*s.* |
| **I* | —— illustris | Colombia | |
| **I* | —— insignis | Colombia | |
| **I* | —— magnifica | Colombia | 105*s.* and 147*s.* |
| **I* | —— marginata | Colombia | 42*s.* and 63*s.* |
| **I* | —— miniata | Colombia | |
| **I* | —— nivea | Colombia | |
| **I* | —— perfecta | Colombia | |
| **I* | —— picta | Colombia | 63*s.* and 84*s.* |
| **I* | —— princeps | Colombia | |
| **I* | —— quadricolor | Colombia | 31*s.* 6*d.* and 42*s.* |
| **I* | —— Rosalind | Colombia | |
| **I* | —— rosea | Colombia | 31*s.* 6*d.* and 42*s.* |
| **I* | —— —— superba | Colombia | 84*s.* and 105*s.* |
| **I* | —— rubescens | Colombia | |
| **I* | —— rubra | Colombia | 42*s.* |
| **I* | —— speciosa | Colombia | 63*s.* and 84*s.* |
| **I* | —— splendens | Colombia | 42*s.* and 63*s.* |
| **I* | —— superba | Colombia | 31*s.* 6*d.* and 42*s.* |
| **I* | —— tricolor | Colombia | |
| **I* | —— tyrianthina | Colombia | 31*s.* 6*d.* and 42*s.* |
| **I* | —— Venus | Colombia | 63*s.* and 84*s.* |
| **I* | —— Vesta | Colombia | 63*s.* to 105*s.* |
| **I* | —— Victoria | Colombia | |
| **I* | —— virginalis | Colombia | 63*s.* and 84*s.* |
| *I* | velutina | Brazil | 31*s.* 6*d.* and 42*s.* |
| *I* | Walkeriana (bulbosa) | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | Warnerii (labiata) | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | —— magnifica | Brazil | |
| *I* | —— picta | Brazil | |
| *I* | —— splendens | Brazil | |
| *I* | xanthina, *vide* Lælia xanthina | | |
| *I* | **CHYSIS** aurea | Mexico | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | bractescens | Peru | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | lævis | Mexico | 21*s.* |
| *I* | Limminghei | Mexico | 42*s.* and 63*s.* |
| *S* | **CIRRHÆA** tristis | East Indies | 15*s.* and 21*s.* |
| *I* | **CIRRHOPETALUM** ornatissimum | East Indies | 42*s.* |
| *I* | picturatum | East Indies | 31*s.* 6*d.* and 42*s.* |
| *S* | Thouarsii | Manilla | 42*s.* |
| *S* | pulchrum | Borneo | 63*s.* |
| *S* | **CŒLOGYNE** asperata (Lowii) | Borneo | 31*s.* 6*d.* |

**CYMBIDIUM EBURNEUM.**

The large and attractive ivory-white flowers of this handsome species are always charming, and being deliciously fragrant, it is a universal favourite. 10*s.* 6*d.*, 15*s.* and 21*s.*

| | | | |
|---|---|---|---|
| *I | **CŒLOGYNE barbata** | Assam | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| I | corrugata | Khasya | 10*s.* 6*d* and 15*s.* |
| *C | cristata | Nepal, Sylhet | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C | —— Chatsworth variety | East Indies | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *C | —— hololeuca (alba) | East Indies | |
| *C | —— Lemoniana | East Indies | 31*s.* 6*d.* and 42*s.* |
| *C | —— maxima | East Indies | |
| *C | —— Trentham variety | East Indies | |
| I | elatior | Assam | 21*s.* and 31*s.* 6*d.* |
| *I | flaccida | Assam | 10*s.* 6*d.* and 15*s.* |
| I | Gardneriana | East Indies | |
| I | Massangeana | Assam | 42*s.* and 63*s.* |
| I | ocellata | Assam | 5*s.* and 7*s.* 6*d.* |
| I | —— maxima | Assam | |
| S | pandurata | Borneo | 31*s.* 6*d.* and 42*s.* |
| I | Sanderiana | East Indies | |
| I | speciosa | Java | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| I | —— major | Java | 21*s.* and 31*s.* 6*d.* |
| C | **COLAX jugosus** | Brazil | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| C | viridis | Brazil | 10*s.* 6*d.* and 15*s.* |
| I | **COMPARETTIA macroplectron** | South America | 15*s.* and 21*s.* |
| S | **CORYANTHES macrantha** | Caracas | 42*s.* |
| S | speciosa | South America | 42*s.* |
| C | **CRYPTOCHILUS sanguineus** | Assam | 21*s.* |
| S | **CYCNOCHES chlorochilon** | South America | 31*s.* 6*d.* and 42*s.* |
| I | **CYMBIDIUM aloifolium** | East Indies | 5*s.* and 7*s.* 6*d.* |
| S | canaliculatum | Queensland | 10*s.* 6*d.* and 15*s.* |
| I | Devonianum | Assam | |
| *C | eburneum, *vide* page 87 | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C | —— Dayanum | East Indies | |
| *C | —— maculatum | East Indies | |
| *C | —— pictum | East Indies | |
| *C | giganteum | Assam | 21*s.* and 31*s.* 6*d.* |
| C | Hookerianum | Sikkim, Himalaya | 63*s.* |
| C | Lowianum | Burmah | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| C | —— atropurpureum | Burmah | |
| C | —— Victoriæ | Burmah | |
| I | madidum | Queensland | |
| *C | Mastersii | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| S | pendulum atropurpureum | Java | |
| I | tigrinum | East Indies | 21*s.* and 31*s.* 6*d.* |
| I | **CYPRIPEDIUM albo-purpureum** | Hybrid | 63*s.* |
| *I | amandum | Hybrid | 84*s.* and 105*s.* |
| *I | Argus | East Indies | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| I | Arthurianum | Hybrid | |
| I | Ashburtoniæ | Hybrid | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| I | barbatum | Mount Ophir | 3*s.* 6*d.* and 5*s.* |
| I | —— biflorum | Mount Ophir | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| I | —— grandiflorum | Java | 21*s.* and 31*s.* 6*d.* |
| I | —— —— nanum | Java | 42*s.* |
| I | —— majus | Mount Ophir | 10*s.* 6*d.* |
| I | —— nigrum | Mount Ophir | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| I | —— pictum | Mount Ophir | 15*s.* |
| I | —— plumosum | Mount Ophir | 21*s.* and 31*s.* 6*d.* |
| I | —— pulcherrimum | Mount Ophir | 15*s.* and 21*s.* |
| I | —— purpureum | Mount Ophir | 10*s.* 6*d.* and 15*s.* |
| I | —— superbum | Mount Ophir | 7*s.* 6*d.* and 10*s.* 6*d.* |

| | | | |
|---|---|---|---|
| *I* | **CYPRIPEDIUM barbatum violaceum** | Mount Ophir | |
| **I* | barbatum Warnerianum | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | Boxallii | Burmah | 5*s.*, 7*s.* 6*d.* to 15*s.* |
| *C* | —— atratum | Burmah | 42*s.* and 63*s.* |
| **I* | Bullenianum | Borneo | 3*s.* 6*d.* and 5*s.* |
| *I* | callosum | Hybrid | 15*s.* and 21*s.* |
| *I* | calophyllum | Hybrid | |
| *I* | calurum | Hybrid | 31*s.* 6*d.* and 42*s.* |
| **I* | caricinum, *vide* C. Pearcei | | |
| *I* | caudatum | Panama | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *I* | —— roseum | Panama | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *I* | ciliolare | East Indies | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d* |
| *I* | conchiferum | Hybrid | 63*s.* |
| *I* | concolor | Moulmein | 15*s.* and 21*s.* |
| *I* | —— Regneirii | Moulmein | 15*s.* and 21*s.* |
| **I* | Crossianum | Hybrid | 21*s.* and 31*s.* 6*d.* |
| *C* | Dauthierii | Hybrid | 21*s.* and 31*s.* 6*d.* |
| *I* | Dayanum | Borneo | 21*s.* and 31*s.* 6*d.* |
| *I* | —— superbum | Borneo | |
| *I* | Dominii | Hybrid | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| *I* | Druryi | East Indies | 31*s.* 6*d.* and 42*s.* |
| *S* | euryandrum | Hybrid | 63*s.* and 84*s.* |
| *S* | gemmiferum | Hybrid | |
| *S* | Godefroyæ | Siam | 21*s.* and 31*s.* 6*d.* |
| *S* | —— ampliatum | Siam | |
| *S* | grande | Hybrid | 84*s.* and 105*s.* |
| *C* | Harrisianum | Hybrid | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *C* | —— nigrum | Hybrid | 63*s.* |
| *S* | Hartwegii | Ecuador | 21*s.* and 31*s.* 6*d.* |
| *S* | Haynaldianum | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | hirsutissimum | Assam | 21*s.* and 31*s.* 6*d.* |
| *S* | Hookeræ | Borneo | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | hybridum | Hybrid | 42*s.* and 63*s.* |
| **C* | insigne | Nepal | 3*s.* 6*d.* and 5*s.* |
| **C* | —— albo-marginatum | Nepal | 10*s.* 6*d.* and 15*s.* |
| **C* | —— fuscatum | Nepal | 10*s.* 6*d.* and 15*s.* |
| **C* | —— guttulatum | Nepal | 15*s.* and 21*s.* |
| **C* | —— maculatum | Nepal | 15*s.* and 21*s.* |
| **C* | —— Maulei | Nepal | 21*s.* and 31*s.* 6*d.* |
| **C* | —— —— Chantinii | Nepal | 31*s.* 6*d.* and 42*s.* |
| **C* | —— maximum | Nepal | 10*s.* 6*d.* |
| **C* | —— punctatum violaceum | Nepal | 31*s.* 6*d.* and 42*s.* |
| *I* | javanicum | Java | 10*s.* 6*d.* and 15*s.* |
| *S* | lævigatum (philippinense) | Philippine Islands | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | Lawrenceanum | Borneo | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | —— coloratum | Borneo | 63*s.* |
| *I* | —— majus | Borneo | |
| *I* | —— marmoratum | Borneo | |
| *I* | —— superbum | Borneo | 31*s.* 6*d.* |
| **I* | Leeanum | Hybrid | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| **I* | —— superbum | Hybrid | 63*s.* and 84*s.* |
| *S* | Lindleyanum | British Guiana | |
| *I* | longifolium | Costa Rica | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | Lowii | Borneo | 10*s.* 6*d.* and 15*s.* |
| **S* | melanopthalmum | Hybrid | 84*s.* |
| *S* | marmorophyllum | Hybrid | 63*s.* |
| **S* | Meirax | Hybrid | 105*s.* |

| | | | |
|---|---|---|---|
| *S* | **CYPRIPEDIUM Morganiæ** | Hybrid | |
| **S* | nitens | Hybrid | 21*s.* |
| **S* | niveum | East Indies | 7*s.*.6*d.*, 10*s.* 6*d.* & 15*s.* |
| *I* | œnanthum superbum | Hybrid | 105*s.* |
| *S* | Parishii | East Indies | 21*s.* and 31*s.* 6*d.* |
| *I* | Pearcei (caricinum) | Peru | 10*s.* 6*d.* and 15*s.* |
| *S* | Petri | Hybrid | 42*s.* |
| *S* | philippinense, *vide* lævigatum | | |
| *I* | porphyreum | Hybrid | 21*s.* |
| *S* | præstans | New Guinea | 42*s.* and 63*s.* |
| *I* | purpuratum | Hong Kong | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *S* | Robelenii | Malay Archipelago | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | Roezlii | South America | 10*s.* 6*d.* and 15*s.* |
| *S* | Sanderianum | Malay Archipelago | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | Saundersianum, *vide* page 8 | | |
| *C* | Schlimii | Colombia | 21*s.* and 31*s.* 6*d.* |
| *C* | —— album | Colombia | 42*s.* |
| *C* | Sedeni | Hybrid | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| *C* | —— superbum | Hybrid | 15*s.* and 21*s.* |
| *I* | selligerum | Hybrid | 10*s.* 6*d.* and 15*s.* |
| *I* | —— majus | Hybrid | |
| **I* | Spicerianum | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s* |
| **I* | —— grandiflorum | East Indies | |
| **I* | —— magnificum | East Indies | |
| **I* | —— prasinum | East Indies | 63*s.* |
| **I* | —— virescens | East Indies | 63*s.* |
| *I* | stenophyllum | Hybrid | 42*s.* |
| *S* | Stonei | Borneo | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| *S* | —— macranthum | Borneo | |
| *I* | superbiens (Veitchii) | Java | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | —— "Prince Demidoff's Variety" | Java | |
| *I* | superciliare | Hybrid | 42*s.* and 63*s.* |
| *I* | Swanianum | Hybrid | 21*s.* |
| **C* | venustum | Nepal | 5*s.* and 7*s.* 6*d.* |
| **C* | —— pardinum | Assam | 10*s.* 6*d.* and 15*s.* |
| *I* | vernixium | Hybrid | 21*s.* |
| *I* | vexillarium | Hybrid | |
| *C* | villosum | Moulmein | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| **S* | virens | Borneo | 15*s.* and 21*s.* |
| *I* | **CYRTOPODIUM Andersoni** | Brazil | 21*s.* and 31*s.* 6*d.* |
| *I* | punctatum | South America | 21*s.* and 31*s.* 6*d.* |
| *I* | St. Legerianum | Paraguay | 63*s.* and 84*s.* |
| *S* | **CYRTOPTERA Regnieri** | Cochin China | |
| *I* | **DENDROBIUM aggregatum** | East Indies | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | aggregatum majus | East Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | Ainsworthii | Hybrid | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | —— roseum | Hybrid | 63*s.* and 84*s.* |
| *I* | albo-sanguineum | Moulmein | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | album | East Indies | 21*s.* and 31*s.* 6*d.* |
| *S* | anosmum (Dayanum) | Manilla | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *S* | aurantiacum | East Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | aureum (heterocarpum) | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | barbatulum | East Indies | 15*s.* and 21*s.* |
| *S* | Bensoniæ | Arracan Hills | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | —— album | Arracan Hills | |
| *S* | bicameratum | Burmah | 10*s.* 6*d.* and 15*s.* |
| *S* | bigibbum | Torres Straits | 10*s.* 6*d.* and 15*s.* |

| | | | |
|---|---|---|---|
| *S* | **DENDROBIUM bigibbum superbum** | Torres Straits | 31*s.* 6*d.* and 42*s.* |
| *S* | **Boxallii** | Burmah | 15*s.* and 21*s.* |
| *I* | **brisbanense** | North Australia | 21*s.* |
| *S* | **Brymerianum** | Burmah | 42*s.* and 63*s.* |
| *I* | **Calceolaria** | East Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | **Cambridgeanum** | Chittagong | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | **cariniferum** | East Indies | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | **chrysanthum** | Nepal | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| **I* | **—— microphthalmum** | Khasya Hills | 15*s.* and 21*s.* |
| *I* | **chrysotis**, *vide* **D. Hookerianum** | | |
| *S* | **chrysotoxum** | East Indies | 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.* |
| *S* | **—— superbum** | East Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | **clavatum** | East Indies | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| **S* | **crassinode** | Arracan & Siam Mountains | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| **S* | **—— album** | Arracan & Siam Mountains | |
| **S* | **—— Barberianum** | Arracan & Siam Mountains | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | **crepidatum** | East Indies | 5*s.* and 7*s.* 6*d.* |
| *S* | **cretaceum** | Burmah | 5*s.* and 7*s.* 6*d.* |
| *S* | **cucullatum**, *vide* **D. Pierardii** | | |
| *S* | **crystallinum** | Arracan Mountains | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | **cupreum** | East Indies | 21*s.* and 31*s.* 6*d.* |
| *S* | **Dalhousianum** | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *S* | **Dayanum**, *vide* **D. anosmum** | | |
| *S* | **D'Albertisii** | New Guinea | 31*s.* 6*d.* and 42*s.* |
| *S* | **Dearei** | Philippine Islands | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | **densiflorum** | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | **—— album**, *vide* **D. Schroderi** | | |
| *I* | **Devonianum** | Khasya | 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.* |
| *I* | **dixanthum** | East Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | **Dominianum** | Hybrid | 63*s.* and 84*s.* |
| *S* | **Doreyense** | New Guinea | 42*s.* and 63*s.* |
| *S* | **Draconis (eburneum)** | Burmah | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | **Falconeri** | East Indies | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | **Farmeri** | India | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | **—— album** | India | |
| *S* | **—— aureum** | India | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | **fimbriatum** | Nepal | 10*s.* 6*d.* and 15*s.* |
| *I* | **—— oculatum** | Nepal | 10*s.* 6*d.* and 15*s.* |
| *S* | **Findleyanum** | Moulmein | 15*s.* and 21*s.* |
| *S* | **formosum Berkeleyi** | Andaman Islands | 21*s.* and 31*s.* 6*d.* |
| *I* | **—— giganteum** | Burmah | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | **Freemanii** | Assam | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **Fytchianum** | Burmah | 10*s.* 6*d.* and 15*s.* |
| *I* | **Gibsoni** | Tenasserim | 21*s.* and 31*s.* 6*d.* |
| *I* | **Griffithianum** | East Indies | |
| *I* | **Guibertianum** | East Indies | |
| *S* | **Harveyanum** | Burmah | 31*s.* 6*d.* and 42*s.* |
| *S* | **hedyosmum** | East Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | **heterocarpum**, *vide* **aureum** | | |
| **C* | **Hillii**, *vide* **speciosum Hillii** | | |
| *I* | **Hookerianum (chrysotis)** | Assam and Sikkim | |
| *C* | **infundibulum** | Moulmein | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *C* | **Jamesianum** | Moulmein | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | **japonicum**, *vide* **moniliforme** | | |
| *S* | **Jenkinsii** | Gualpara | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *S* | **Johannis** | Queensland | 21*s.* and 31*s.* 6*d.* |
| *I* | **Kingianum** | Australia | 10*s.* 6*d.*, 15*s.* and 21*s.* |

| | | | |
|---|---|---|---|
| *S* | **DENDROBIUM** leucolophotum | East Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | Linawianum (moniliforme, Hort.) | China and Japan | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *S* | linguæforme | Queensland | |
| *I* | lituiflorum | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | longicorne | Khasya Hills | 15*s.* and 21*s.* |
| *S* | Lowii | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | luteolum | Moulmein | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | macrophyllum (superbum) | Manilla | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | —— giganteum | Manilla | 21*s.* and 31*s.* 6*d.* |
| *S* | McCarthiæ | Ceylon | 21*s.* and 31*s.* 6*d.* |
| *I* | marmoratum | Assam | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | moniliforme (japonicum) | Japan | 5*s.* and 7*s.* 6*d.* |
| *S* | monophyllum | Queensland | |
| *I* | moschatum | East Indies | 10*s.* 6*d.* and 15*s.* |
| **I* | nobile | Assam | 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* |
| **I* | —— cærulescens | Assam | 21*s.* and 31*s.* 6*d.* |
| **I* | —— elegans | Assam | 21*s.* |
| **I* | —— excellens | Assam | |
| **I* | —— grandiflorum | Assam | 21*s.* and 31*s.* 6*d.* |
| **I* | —— insignis | Assam | |
| **I* | —— nobilius | Assam | |
| **I* | —— pendulum | Assam | 21*s.* and 31*s.* 6*d.* |
| **I* | —— pulcherrimum | Assam | 21*s.* and 31*s.* 6*d.* |
| **I* | —— roseum | Assam | 63*s.* |
| **I* | —— rubellum | Assam | 31*s.* 6*d.* and 42*s.* |
| **I* | —— splendens | Assam | |
| **I* | —— Wallichianum | Assam | 21*s.* and 31*s.* 6*d.* |
| *I* | nodatum | Moulmein | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | Parishii | Moulmein | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— Dives | Moulmein | 21*s.* |
| *S* | Parthenium | Borneo | 31*s.* 6*d.* and 42*s.* |
| *I* | Paxtoni | Khasya | 10*s.* 6*d.* and 15*s.* |
| *I* | philippinense | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| **I* | Pierardi | Delta of Ganges | 5*s.* and 7*s.* 6*d.* |
| **I* | —— latifolium | Delta of Ganges | 21*s.* |
| *I* | primulinum | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— giganteum | East Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | pulchellum | Assam | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | purpureum | New Guinea | 31*s.* 6*d.* |
| *S* | —— candidulum | New Guinea | 42*s.* |
| *S* | rigidum | Queensland | |
| *I* | Schroderi (densiflorum album) | East Indies | 105*s.* |
| *I* | secundum | East Indies | 7*s.* 6*d.* and 10*s.* 6*d.* |
| **C* | speciosum | Australia | 10*s.* 6*d.* and 15*s.* |
| **C* | —— Hillii | Australia | 21*s.* and 31*s.* 6*d.* |
| *S* | Stratiotes | New Guinea | 42*s.* and 63*s.* |
| *S* | suavissimum | Burmah | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | sulcatum | Assam | 15*s.* and 21*s.* |
| *S* | superbiens | Torres Straits | 31*s.* 6*d.* and 42*s.* |
| *S* | superbum, *vide* macrophyllum | | |
| *S* | tetragonum | North Australia | 21*s.* |
| *I* | teretifolium | Australia | 15*s.* and 21*s.* |
| *I* | thyrsiflorum | East Indies | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | —— carneum | East Indies | 21*s.* |
| *I* | —— Walkerianum | East Indies | |
| *S* | tortile | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *S* | —— roseum | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |

| | | | |
|---|---|---|---|
| *I* | **DENDROBIUM transparens** | Nepal | 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*. |
| *S* | undulatum | Queensland | |
| *I* | Veitchianum | Java | 7*s*. 6*d*. and 10*s*. 6*d*. |
| **I* | Wardianum | Assam | 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*. |
| **I* | —— cinnabarinum | Assam | 84*s*. |
| **I* | —— grandiflorum | Assam | 15*s*. and 21*s*. |
| **I* | —— superbum | Assam | 15*s*. and 21*s*. |
| *I* | **DENDROCHILUM arachnites** | East Indies | 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*. |
| *I* | Cobbianum | East Indies | 10*s*. 6*d*. and 15*s*. |
| *I* | —— giganteum | East Indies | 63*s*. and 84*s*. |
| *I* | convallarioides | East Indies | 15*s*. |
| *I* | cucumerinum | East Indies | 15*s*. and 21*s*. |
| *S* | filiforme | Manilla | 21*s*. and 31*s*. 6*d* |
| **S* | glumaceum | Philippine Islands | 10*s*. 6*d*., 15*s*. & 21*s* |
| *S* | uncatum | East Indies | 10*s*. 6*d*. and 15*s*. |
| *S* | **DICHÆA vaginata** | Mexico | 10*s*. 6*d*. |
| *C* | **DISA grandiflora** | Cape of Good Hope | 10*s*. 6*d*., 15*s*. & 21*s*. |
| *C* | grandiflora miniata | Cape of Good Hope | 21*s*. and 31*s*. 6*d*. |
| *C* | **EPIDENDRUM atropurpureum**, *vide* **macrochilum** | | |
| *S* | bicornutum | South America | 10*s*. 6*d*., 15*s*. & 21*s*. |
| *I* | Brasavolæ | Guatemala | 10*s*. 6*d*., 15*s*. & 21*s*. |
| *I* | Christii | South America | |
| *I* | ciliare | South America | 5*s*., 7*s*. 6*d*. & 10*s*. 6*d*. |
| *I* | cochleatum | West Indies | 7*s*. 6*d*. and 10*s*. 6*d*. |
| *I* | criniferum | Costa Rica | 15*s*. and 21*s*. |
| *I* | cuspidatum | Costa Rica | 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*. |
| *I* | dichromum | Bahia | 7*s*. 6*d*., 10*s*. 6*d*. & 15*s*. |
| *I* | diotum | South America | 21*s*. |
| *I* | Endresii | South America | |
| *I* | evectum | South America | 10*s*. 6*d*. and 15*s*. |
| *I* | falcatum (Parkinsonianum) | Mexico | 10*s*. 6*d*., 15*s*. and 21*s*. |
| *I* | fals-loquum | South America | 21*s*. and 31*s*. 6*d*. |
| *I* | Friderici Guilielmi | South America | |
| *I* | glumaceum | South America | 31*s*. 6*d*. and 42*s*. |
| *I* | ibaguense | Colombia | 21*s*. and 31*s*. 6*d*. |
| *I* | leucochilum | South America | |
| *C* | macrochilum (atropurpurem) | South America | 10*s*. 6*d*., 15*s*. & 21*s*. |
| *I* | nemorale | Mexico | 10*s*. 6*d*., 15*s*., and 21*s*. |
| *I* | paniculatum | South America | 21*s*. and 31*s*. 6*d*. |
| *I* | patens | South America | 15*s*. and 21*s*. |
| *I* | prismatocarpum | Chiriqui | 10*s*. 6*d*., 15*s*. & 21*s*. |
| *I* | pseudo-epidendrum auratum | South America | |
| *I* | raniferum | Mexico | 31*s*. 6*d*. and 42*s*. |
| *I* | rhizophorum (radicans) | Mexico | 10*s*. 6*d*., 15*s*. and 21*s*. |
| *I* | selligerum | South America | 10*s*. 6*d*. |
| *I* | Stamfordianum | South America | 10*s*. 6*d*., 15*s*. and 21*s*. |
| *I* | —— Wallacei | South America | 10*s*. 6*d*., 15*s*. and 21*s*. |
| *I* | syringothyrsus | South America | |
| *I* | tovarense | Venezuela | 10*s*. 6*d*. and 15*s*. |
| *C* | vitellinum majus | Mexico | 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*. |
| *I* | Wallisii | Colombia | 63*s*. aud 84*s*. |
| *I* | xanthinum | South America | 42*s*. and 63*s*. |
| *I* | **ERIA clavicaulis** | Assam | 15*s*. aud 21*s*. |
| *S* | **ESMERALDA bella**, *vide* page 8. | | |
| *S* | Clarkei | East Indies | |
| *S* | **EULOPHIA Dregeana** | Natal | 21*s*. |
| *I* | scripta | Madagascar | 21*s*. and 31*s*. 6*d*. |

| | | | |
|---|---|---|---|
| *S* | **GALEANDRA** Bauerii | Guatemala | 10*s.* 6*d.*, 15*s.* & 21*s.* |
| *S* | Devoniana | Guiana | 10*s.* 6*d.*, 15*s.* & 21*s.* |
| *S* | Dives | South America | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | flaveola | South America | 42*s.* and 63*s.* |
| *S* | **GEODORUM** Duperreanum | Cochin China | 15*s.* and 21*s.* |
| *I* | **GONGORA** atropurpurea | South America | 21*s.* |
| *I* | punctata | South America | 21*s.* |
| *S* | **GOODYERA** (Anœctochilus) Dawsoniana | East Indies | 10*s.* 6*d.* and 15*s.* |
| *S* | (——) Dawsoniana superba | East Indies | 15*s.* and 21*s.* |
| *I* | discolor | South America | 5*s.* and 7*s.* 6*d.* |
| *S* | **GRAMMATOPHYLLUM** Ellisii | Madagascar | 42*s.* and 63*s.* |
| *S* | Fenzlianum | New Guinea | 31*s.* 6*d.* and 42*s.* |
| *S* | **GYMNADENIA** macrantha | Sierra Leone | 10*s.* 6*d.* |
| *I* | **HARTWEGIA** purpurea | Mexico | 21*s.* |
| *C* | **HELCIA** sanguinolenta | Andes of Guayaquil | 15*s.* and 21*s.* |
| *I* | **HOULLETIA** Brocklehurstiana | Brazil | |
| *C* | odoratissima | Colombia | 10*s.* 6*d.*, 15*s.* & 21*s.* |
| *C* | —— antioquiensis | Colombia | |
| *I* | **HUNTLEYA** cerina, *vide* Pescatoria cerina | | |
| *I* | **IONOPSIS** paniculata | Brazil | 15*s.* and 21*s.* |
| *I* | utricularioides | Brazil | 10*s.* 6*d.* and 15*s.* |
| **C* | **LÆLIA** acuminata | Mexico | 10*s.* 6*d.* & 15*s.* |
| **C* | acuminata rosea | Mexico | 10*s.* 6*d.* & 15*s.* |
| **C* | albida | Guatemala | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| **C* | —— bella | Guatemala | 10*s.* 6*d.* and 15*s.* |
| **C* | —— Marianæ | Guatemala | 10*s.* 6*d.* and 15*s.* |
| *I* | amanda | Brazil | |
| **C* | anceps | Mexico | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| **C* | —— alba | Mexico | |
| **C* | —— Barkeriana | Mexico | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| **C* | —— conspicua | Mexico | 105*s.* |
| **C* | —— Dawsonii | Mexico | |
| **C* | —— Hillii | Mexico | 63*s.* and 84*s.* |
| **C* | —— major | Mexico | 21*s.* and 31*s.* 6*d.* |
| **C* | —— oculata | Mexico | 21*s.* and 31*s.* 6*d.* |
| **C* | —— Percivaliana | Mexico | 42*s.* and 63*s.* |
| **C* | —— Sanderiana | Mexico | 63*s.* and 84*s.* |
| **C* | —— Schroderiana | Mexico | |
| **C* | —— splendens | Mexico | 63*s.* and 84*s.* |
| **C* | —— Stella | Mexico | |
| **C* | —— radians | Mexico | |
| **C* | —— rosea | Mexico | 21*s.* and 31*s.* 6*d.* |
| **C* | —— rubra | Mexico | 63*s.* and 84*s.* |
| **C* | autumnalis | Mexico | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| **C* | —— atrorubens | Mexico | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | Boothiana, *vide* Cattleya lobata | | |
| *I* | cinnabarina | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | crispa, *vide* Cattleya crispa | | |
| *I* | crispilabia (Lawrenceana) | Brazil | 31*s.* 6*d.* and 42*s.* |
| **I* | Dayana | Brazil | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| **I* | —— superba | Brazil | 21*s.* |
| *I* | elegans | Brazil | 42*s.* and 63*s.* |
| *I* | —— alba | Brazil | 31*s.* 6*d.*, 42*s.* and 63*s.* |
| *I* | —— carnea | Brazil | 63*s.* and 84*s.* |
| *I* | —— irrorata | Brazil | |
| *I* | —— macroloba | Brazil | |
| *I* | —— prasiata | Brazil | |

| | | | |
|---|---|---|---|
| *I* | **LÆLIA** elegans rosea | Brazil | |
| *I* | elegans Schilleriana | Brazil | 63*s.* and 84*s.* |
| *I* | —— Turneri | Brazil | |
| *I* | —— Stelzneriana | Brazil | 84*s.* and 105*s.* |
| *I* | flava | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| **C* | Gouldiana | Mexico | 84*s.* and 105*s.* |
| *I* | grandis | Brazil | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | harpophylla | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | Lindleyana | Brazil | 31*s.* 6*d.* and 42*s.* |
| *I* | lobata, *vide* Cattleya lobata | | |
| *C* | majalis (Flor de Maio) | Oaxaca | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *C* | —— rubra | Oaxaca | 21*s.* and 31*s.* 6*d.* |
| **I* | marginata | Oaxaca | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | Patinii | Colombia | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | Perrinii | Brazil | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *I* | —— marginata | Brazil | |
| *I* | —— superba | Brazil | 31*s.* 6*d.* and 42*s.* |
| **I* | Pinelii (præstans, pumila) | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | purpurata | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | —— alba | Brazil | 42*s.* and 63*s.* |
| *I* | —— —— excellens | Brazil | |
| *I* | —— —— gloriosa | Brazil | |
| *I* | —— ampliata | Brazil | |
| *I* | —— atropurpurea | Brazil | |
| *I* | —— atrosanguinea | Brazil | |
| *I* | —— Brysiana | Brazil | |
| *I* | —— Chelsoni | Brazil | |
| *I* | —— grandis | Brazil | |
| *I* | —— Nelisii | Brazil | |
| *I* | —— nigra | Brazil | |
| *I* | —— marginata | Brazil | |
| *I* | —— maxima | Brazil | |
| *I* | —— rosea | Brazil | |
| *I* | —— rubicunda | Brazil | |
| *I* | —— Russelliana | Brazil | |
| *I* | —— Schrœderiana | Brazil | |
| *I* | —— splendens | Brazil | |
| *I* | —— versicolor | Brazil | |
| *I* | —— Victoriæ | Brazil | |
| *I* | —— Wyattiana | Brazil | |
| *I* | Schilleriana, *vide* L. elegans | | |
| *I* | superbiens | Malacatan | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | xanthina (Cattleya xanthina) | Brazil | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *S* | **LÆLIOPSIS** domingensis | West Indies | 31*s.* 6*d.* and 42*s.* |
| *I* | **LEPTOTES** bicolor | South America | 7*s.* 6*d.* and 10*s.* 6*d.* |
| **I* | **LIMATODIS** rosea | Moulmein | 5*s.* and 7*s.* 6*d.* |
| *I* | **LISSOCHILUS** Krebsii | Natal | 21*s.* and 31*s.* 6*d.* |
| *S* | **LUISIA** platyglossa | East Indies | 10*s.* 6*d.* and 15*s.* |
| *C* | **LYCASTE** aromatica | Mexico | 10*s.* 6*d.* and 15*s.* |
| *I* | Barringtoniæ | West Indies | 21*s.* and 31*s.* 6*d.* |
| *C* | costata | South America | 21*s.* and 31*s.* 6*d.* |
| *C* | cruenta | Guatemala | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | Deppei | Mexico | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | gigantea | South America | 15*s.* and 21*s.* |
| *C* | (Maxillaria) Harrisoniæ | South America | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *C* | (——) —— eburnea | South America | 21*s.* and 31*s.* 6*d.* |
| *C* | lanipes | Guayaquil | 10*s.* 6*d.*, 15*s.* and 21*s.* |

| | | | |
|---|---|---|---|
| *I* | **LYCASTE** Lawrenceana | South America | 21*s.* and 31*s.* 6*d.* |
| *I* | leucanthe | South America | 21*s.* and 31*s* 6*d.* |
| *I* | plana Measuresiana | Bolivia | 42*s.* |
| *I* | Schilleriana | South America | 21*s.* and 31*s.* 6*d.* |
| **C* | Skinneri | Guatemala | 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* |
| **C* | —— alba | Guatemala | |
| **C* | —— albo-marginata | Guatemala | |
| **C* | —— delicata | Guatemala | 42*s.* and 63*s.* |
| **C* | —— fulgens | Guatemala | |
| **C* | —— grandis | Guatemala | 42*s* and 63*s.* |
| **C* | —— maculata | Guatemala | 31*s.* 6*d.* |
| **C* | —— magnifica | Guatemala | |
| **C* | —— marginata | Guatemala | |
| **C* | —— marmorata | Guatemala | |
| **C* | —— picta | Guatemala | 42*s.* and 63*s.* |
| **C* | —— purpurata | Guatemala | 63*s.* |
| **C* | —— rosea | Guatemala | 21*s.* |
| **C* | —— —— superba | Guatemala | |
| **C* | —— rubella | Guatemala | 31*s.* 6*d.* and 42*s.* |
| **C* | —— —— picta | Guatemala | |
| **C* | —— splendens | Guatemala | 42*s.* and 63*s.* |
| **C* | —— superba | Guatemala | 21*s.* |
| **C* | —— tinctum | Guatemala | 42*s.* and 63*s.* |
| **C* | —— vivicans | Guatemala | |
| *C* | **MASDEVALLIA** abbreviata | Colombia | 5*s.* and 7*s.* 6*d.* |
| *C* | amabilis | Colombia | 3*s.* 6*d.* and 5*s.* |
| *C* | —— lineata | Colombia | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | attenuata | Colombia | 5*s.* and 7*s.* 6*d.* |
| *C* | Backhousiana, *vide* Chimæra Backhousiana | | |
| *C* | Barlæana | South America | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | bella | Colombia | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *C* | Benedictii, *vide* psittacina | | |
| *C* | Bonplandii | Colombia | 5*s.* and 7*s.* 6*d.* |
| *C* | calura | Colombia | |
| *I* | candida, *vide* tovarensis | | |
| *C* | chelsoni | Hybrid | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | Chimæra | Colombia | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *C* | —— Backhousiana | Colombia | 15*s.* and 21*s.* |
| *C* | —— Roezlii | Colombia | 21*s.* and 31*s.* 6*d.* |
| *C* | —— Wallisii | Colombia | 15*s.* and 21*s.* |
| *C* | —— Winniana | Colombia | 15*s.* and 21*s.* |
| *C* | Colibri, *vide* Trochilus | | |
| *C* | corniculata | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | Crossii, *vide* racemosa | | |
| *C* | Davisii | South America | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *C* | Dayana | Colombia | 63*s.* and 84*s.* |
| *C* | elephanticeps | Colombia | |
| *C* | Ephippium, *vide* Trochilus | | |
| *C* | erythrochæte | Colombia | 21*s.* and 31*s.* 6*d.* |
| *C* | Estradæ | South America | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | —— delicata | South America | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | Gorgona, *vide* nycterina | | |
| *C* | Harryana | Colombia | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | —— acanthifolia.—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet-rose colour; the very bright glossy texture of the blooms renders them remarkably attractive | Colombia | 42*s.* and 63*s.* |
| *C* | —— acuminata | Colombia | 42*s.* and 63*s.* |

C **MASDEVALLIA Harryana atropurpurea** Colombia ..... 42*s.* and 63*s.*
C **Harryana atrosanguinea** ..... Colombia ..... 42*s.* and 63*s.*
C —— **aurantiaca** ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— **cærulescens** ..... Colombia ..... 5*s.*, 7*s.* 6*d* and 10*s.* 6*d.*
C —— —— **atroviolacea** ..... Colombia ..... 63*s.* and 84*s.*
C —— —— **concolor** ..... Colombia ..... 42*s.* and 63*s.*
C —— —— **gigantea** ..... Colombia ..... 84*s.* and 105*s.*
C —— —— **grandiflora** ..... Colombia ..... 63*s.* and 84*s.*
C —— —— **magnifica** ..... Colombia ..... 42*s.* and 63*s.*
C —— —— **maxima** ..... Colombia ..... 63*s.* and 84*s.*
C —— —— **superba** ..... Colombia ..... 42*s.* and 63*s.*
C —— **Chelsoni** ..... Colombia ..... 63*s.* and 84*s.*
C —— **coccinea** ..... Colombia ..... 21*s.* and 31*s.* 6*d.*
C —— **Comet** ..... Colombia .....
C —— **conchiflora.**—This fine variety produces splendid blossoms of a rich rosy-lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance ..... 7*s.* 6*d.* and 10*s.* 6*d.*
C —— **decora** ..... Colombia ..... 42*s.* and 63*s.*
C —— **delicata** ..... Colombia ..... 42*s.* and 63*s.*
C —— **Denisoniana** ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— **elegans** ..... Colombia ..... 42*s.* and 63*s.*
C —— **formosa** ..... Colombia ..... 42*s.* and 63*s.*
C —— **gemma** ..... Colombia .....
C —— **gloriosa** ..... Colombia .....
C —— **illustris** ..... Colombia .....
C —— **insignis** ..... Colombia .....
C —— **lilacina** ..... Colombia ..... 10*s.* 6*d.* and 15*s.*
C —— **luteo-oculata** ..... Colombia ..... 42*s.* and 63*s.*
C —— **magnifica** ..... Colombia ..... 63*s.* and 84*s.*
C —— **Meteor** ..... Colombia .....
C —— **miniata** ..... Colombia .....
C —— **mirabilis** ..... Colombia .....
C —— **oculata** ..... Colombia ..... 15*s.* and 21*s.*
C —— **ornata** ..... Colombia ..... 42*s.* and 63*s.*
C —— **patens** ..... Colombia .....
C —— **princeps** ..... Colombia .....
C —— **purpurea** ..... Colombia ..... 7*s.* 6*d.* and 10*s.* 6*d.*
C —— —— **magnifica** ..... Colombia .....
C —— **regalis.**—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— **Reginæ** ..... Colombia .....
C —— **rosea** ..... Colombia ..... 21*s.* and 31*s.* 6*d.*
C —— **salmonea** ..... Colombia .....
C —— **sanguinea** ..... Colombia ..... 7*s.* 6*d.* and 10*s.* 6*d.*
C —— —— **aurantiaca** ..... Colombia ..... 63*s.* and 84*s.*
C —— **splendens** ..... Colombia ..... 42*s.* and 63*s.*
C —— **superba** ..... Colombia ..... 42*s.* and 63*s.*
C —— **triumphans** ..... Colombia ..... 63*s.* and 84*s.*
C —— **violacea** ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— —— **magnifica** ..... Colombia ..... 63*s.* and 84*s.*
C —— —— **oculata** ..... Colombia ..... 42*s.* and 63*s.*
C —— —— **superba** ..... Colombia ..... 42*s.* and 63*s.*
C —— **versicolor** ..... Colombia ..... 21*s.* and 31*s.* 6*d.*
C —— **vivicans** ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— **Walkeriana** ..... Colombia .....

| | | | |
|---|---|---|---|
| *C* | **MASDEVALLIA** Houtteana, *vide* psittacina | | |
| *C* | ignea | Colombia | 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*. |
| *C* | —— aurantiaca | Colombia | 10*s*. 6*d*. and 15*s*. |
| *C* | —— citrina | Colombia | |
| *C* | —— Massangeana | Colombia | 15*s*. and 21*s*. |
| *C* | —— —— superba | Colombia | |
| *C* | —— militaris | Colombia | 42*s*. and 63*s*. |
| *C* | —— —— purpurea | Colombia | 63*s*. and 84*s*. |
| *C* | —— —— splendens | Colombia | |
| *C* | —— penanthe | Colombia | |
| *C* | —— Stobartiana | Colombia | 31*s*. 6*d*. and 42*s*. |
| *C* | inflata | Colombia | 42*s*. and 63*s*. |
| *C* | infracta | Colombia | 10*s*. 6*d*. and 15*s*. |
| *C* | —— purpurea | Colombia | 21*s*. and 31*s*. 6*d*. |
| *C* | ionocharis | South America | 21*s*. and 31*s*. 6*d*. |
| *C* | Lindeni | Colombia | 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*. |
| *C* | macrura | Colombia | 42*s*., 63*s*. and 84*s*. |
| *C* | maculata | South America | 3*s*. 6*d*. and 5*s*. |
| *C* | —— flava | South America | 7*s*. 6*d*. and 10*s*. 6*d*. |
| *C* | —— superba | South America | |
| *C* | melanopus | Colombia | 10*s*. 6*d*. |
| *C* | muscosa | South America | |
| *C* | nycterina (Gorgona) | Colombia | 10*s*. 6*d*. and 15*s*. |
| *C* | Peristeria | Colombia | 10*s*. 6*d*., 15*s*. and 21*s*. |
| *C* | polysticta | Colombia | 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*. |
| *C* | —— brevior | Colombia | 15*s*. and 21*s*. |
| *C* | —— caudata | Colombia | 15*s*. and 21*s*. |
| *C* | porcelliceps | Colombia | 31*s*. 6*d*. and 42*s*. |
| *C* | psittachina (Benedictii, Houtteana) | Colombia | 7*s*. 6*d*., 10*s*. 6*d*. to 21*s*. |
| *C* | racemosa | Colombia | 31*s*. 6*d*. and 42*s*. |
| *C* | radiosa | Colombia | 21*s*. and 31*s*. 6*d*. |
| *C* | Reichenbachiana | South America | 7*s*. 6*d*. and 10*s*. 6*d*. |
| *C* | rosea | Ecuador | 10*s*. 6*d*. and 15*s*. |
| *C* | Schlimii | Colombia | 10*s*. 6*d*., 15*s*. and 21*s*. |
| *C* | severa | Colombia | |
| *C* | Shuttleworthii | Colombia | 10*s*. 6*d*., 15*s*. and 21*s*. |
| *C* | —— xanthocorys | Colombia | 15*s*. and 21*s*. |
| *C* | simula | South America | 15*s*. and 21*s*. |
| *C* | swerticifolia | Colombia | 10*s*. 6*d*. and 15*s*. |
| *C* | torta | Colombia | 63*s*. and 84*s*. |
| *I* | tovarensis (candida) | Venezuela | 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*. |
| *C* | triadactylites | South America | 21*s*. and 31*s*. 6*d*. |
| *I* | triangularis | Venezuela | 5*s*. and 7*s*. 6*d*. |
| *C* | trichæte | Colombia | 21*s*. and 31*s*. 6*d*. |
| *C* | Trochilus (Colibri, Ephippium) | Colombia | 15*s*., 21*s*. and 31*s*. 6*d*. |
| *C* | Veitchiana | Peru | 7*s*. 6*d*., 10*s*. 6*d*. & 15*s*. |
| *C* | —— grandiflora | Peru | 21*s*., 31*s*. 6*d*. and 42*s*. |
| *I* | Wagneriana | Venezuela | 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*. |
| *C* | Wallisii, *vide* M. Chimæra Wallisii | | |
| *C* | xanthina | Colombia | 21*s*. and 31*s*. 6*d*. |
| *C* | **MAXILLARIA** grandiflora | South America | 7*s*. 6*d*., 10*s*. 6*d*. & 15*s*. |
| *C* | Harrisoniæ, *vide* Lycaste Harrisoniæ | | |
| *C* | Lehmanni | South America | |
| *I* | leontoglossa | South America | 7*s*. 6*d*. and 10*s*. 6*d*. |
| **C* | luteo-alba | Colombia | 10*s*. 6*d*. and 15*s*. |
| *C* | —— grandiflora | Colombia | 21*s*. |
| *C* | —— purpurea | Colombia | 21*s*. |

| | | | |
|---|---|---|---|
| *C* | **MAXILLARIA** nigrescens | Merida | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | picta | Brazil | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | Sanderiana | South America | |
| *I* | squalens | South America | 5*s.* and 7*s.* 6*d.* |
| *I* | tenuifolia | Mexico | 10*s.* 6*d.* and 15*s.* |
| *C* | Turneri | Mexico | 10*s.* 6*d.* and 15*s.* |
| *C* | venusta | Colombia | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| **C* | **MESOSPINIDIUM** sanguineum | Ecuador | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | vulcanicum | Ecuador | 15*s.* and 21*s.* |
| *S* | **MICROSTYLIS** calophylla | East Indies | 10*s.* 6*d.* and 15*s.* |
| *S* | chlorophrys | Borneo | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | metallica | Borneo | 10*s.* 6*d.* and 15*s.* |
| *I* | **MILTONIA** candida | Brazil | 21*s.* and 31*s.* 6*d.* |
| *I* | candida grandiflora | Brazil | 42*s.* and 63*s.* |
| *I* | Clowesii | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | —— major | Brazil | 15*s.* and 21*s.* |
| *I* | —— pauciguttata | Brazil | 42*s.* and 63*s.* |
| *I* | cuneata | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | festiva | Brazil | 21*s.* |
| *I* | flavescens (stellata) | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | Moreliana | Brazil | 31*s.* 6*d.* and 42*s.* |
| *I* | —— atropurpurea | Brazil | |
| *I* | —— atrorubens | Brazil | |
| *I* | —— rosea | Brazil | |
| *I* | Phalænopsis, *vide* Odontoglossum Phalænopsis | | |
| *I* | Regnellii (cereola) | Brazil | 31*s.* 6*d.* and 42*s.* |
| *I* | —— purpurea | Brazil | 63*s.* and 84*s.* |
| *I* | Roezlii, *vide* Odontoglossum Roezlii | | |
| *I* | spectabilis | Brazil | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— bicolor | Brazil | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *I* | —— intermedia | Brazil | 31*s.* 6*d.* |
| *I* | —— marginata | Brazil | |
| *I* | —— virginalis | St. Catherine's | 21*s.* and 31*s.* 6*d.* |
| *I* | vexillaria, *vide* Odontoglossum vexillarium | | |
| *I* | Warscewiczii, *vide* Oncidium Weltoni | | |
| *I* | **MORMODES** luxatum | Mexico | 21*s.* and 31*s.* 6*d.* |
| *I* | luxatum eburneum | Mexico | 21*s.* and 31*s.* 6*d.* |
| *I* | —— punctatum | Mexico | 31*s.* 6*d.* and 42*s.* |
| *I* | pardinum | Mexico | 21*s.* and 31*s.* 6*d.* |
| *I* | —— unicolor | Mexico | 21*s.* and 31*s.* 6*d.* |
| *I* | **MYANTHES** cernuus (Catasetum cernuum) | Brazil | 31*s.* 6*d.* |
| *S* | **NEPHELAPHYLLUM** pulchrum | Java | 10*s.* 6*d.* and 15*s.* |
| *I* | **NANODES** Medusæ | South America | 21*s.* and 31*s.* 6*d.* |
| **C* | **ODONTOGLOSSUM** Alexandræ, *vide* O. crispum | | |
| *C* | Andersonianum | Bogota | 42*s.* and 63*s.* |
| *C* | —— lobatum | Bogota | |
| *C* | angustatum | Colombia | 42*s.* |
| *C* | Arnoldianum | Colombia | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *C* | astranthum | Colombia | |
| *C* | baphicanthum (*hybrid*) | Colombia | 31*s.* 6*d.* and 42*s.* |
| **C* | bictonense | Guatemala | 10*s.* 6*d.* and 15*s.* |
| **C* | —— album | Guatemala | 15*s.* and 21*s.* |
| *C* | blandum | Colombia | 21*s.* and 31*s.* 6*d.* |
| *I* | blepharicanthum | Venezuela | 42*s.* and 63*s.* |
| **C* | Bluntii, *vide* O. crispum | | |
| *C* | cariniferum | South America | 7*s.* 6*d.* and 10*s.* 6*d.* |
| **C* | Cervantesii | Mexico | 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.* |

| | | | |
|---|---|---|---|
| *C | **ODONTOGLOSSUM** Cervantesii decorum | Mexico | 21*s.* and 31*s.* 6*d.* |
| C | Chestertoni (*hybrid*) | Colombia | 42*s.* and 63*s.* |
| C | cirrhosum | Ecuador | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| C | —— gemmatum | Ecuador | 63*s.* |
| C | —— Klabochorum | Ecuador | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| C | citrosmum (pendulum) | Mexico | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| C | —— album | Mexico | |
| C | —— carneum | Mexico | |
| C | —— grandiflorum | Mexico | |
| C | —— punctatum | Mexico | |
| C | —— maximum | Mexico | |
| C | —— roseum | Mexico | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| C | —— rubrum | Mexico | |
| C | —— —— grandiflorum | Mexico | |
| C | constrictum | South America | 7*s.* 6*d.* and 10*s.* 6*d.* |
| C | Coradinei | Colombia | 31*s.* 6*d.* and 42*s.* |
| C | —— hemileucum | Colombia | |
| C | —— maculatum | Colombia | |
| *C | cordatum | Mexico | 10*s.* 6*d.*, 15*s.* & 21*s.* |
| *C | —— aureum | Mexico | 105*s.* |
| *C | —— Kienastianum | Mexico | 105*s.* |
| *C | —— nigrum | Mexico | 84*s.* |
| *C | —— pictum | Mexico | 63*s.* |
| *C | —— superbum | Mexico | 63*s.* |
| C | coronarium | Colombia | 42*s.* and 63*s.* |
| C | —— Dayanum | Colombia | |
| C | —— miniatum | Colombia | 63*s.* |
| *C | crispum (Alexandræ, Bluntii) | Colombia | 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*, and various sizes from 21*s.* upwards. |
| *C | —— album | Colombia | |
| *C | —— aureo-purpureum | Colombia | |
| *C | —— amœnum | Colombia | 42*s.* and 63*s.* |
| *C | —— concinnum | Colombia | |
| *C | —— Denisoniæ | Colombia | |
| *C | —— flaveolum | Colombia | |
| *C | —— grandiflorum | Colombia | 63*s.* and 84*s.* |
| *C | —— guttatum | Colombia | 63*s.* and 84*s.* |
| *C | —— intermedium | Colombia | |
| *C | —— Lehmanni | Colombia | |
| *C | —— pictum | Colombia | |
| *C | —— purpureum | Colombia | |
| *C | —— roseum | Colombia | 63*s.* and 84*s.* |
| *C | —— speciosum | Colombia | 63*s.* and 84*s.* |
| *C | —— splendens | Colombia | 105*s.* |
| *C | —— superbum | Colombia | 63*s.* and 84*s.* |
| *C | —— Trianæ | Colombia | 63*s.* and 84*s.* |
| C | cristatellum | Colombia | 63*s.* and 84*s.* |
| C | cristatum | Peru | 21*s.* and 31*s.* 6*d.* |
| C | crocatum | Colombia | |
| C | crocidipterum | South America | 10*s.* 6*d.* and 15*s.* |
| C | decorum (*hybrid*) | Colombia | |
| C | deltoglossum (*hybrid*) | Colombia | |
| C | Diadema (*hybrid*) | Colombia | |
| C | Edouardii | Ecuador | 42*s.* and 63*s.* |
| C | eximium (*hybrid*) | Colombia | |
| C | facetum | Colombia | 31*s.* 6*d.* and 42*s.* |
| C | flaveolum (*hybrid*) | Colombia | |

| | | | |
|---|---|---|---|
| C | **ODONTOGLOSSUM gloriosum** | Ocaña | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| C | gloriosum album (nævium majus) | Ocaña | 15*s.* and 21*s.* |
| C | —— aureum | Ocaña | |
| C | —— nigrum | Ocaña | 42*s.* and 63*s.* |
| C | —— pictum | Ocaña | 42*s.* and 63*s.* |
| C | —— superbum | Ocaña | 21*s.* and 31*s.* 6*d.* |
| C | grande | Guatemala | 5*s.*, 7*s.* 6*d.* to 21*s.* |
| C | —— macrolobum | Guatemala | 42*s.* |
| C | —— pictum | Guatemala | |
| C | —— superbum | Guatemala | 42*s.* |
| C | Hallii | Ecuador | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| C | —— leucoglossum | Ecuador | 42*s.* and 63*s.* |
| C | —— marginatum | Ecuador | |
| C | —— nigrum | Ecuador | |
| C | —— xanthoglossum | Ecuador | 31*s.* 6*d.* and 42*s.* |
| C | Harryanum | South America | 21*s.*, 31*s.* 6*d.*, & 42*s.* |
| C | hastilabium | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| C | hebraicum (*hybrid*) | Colombia | 42*s.* and 63*s.* |
| C | —— albens (*hybrid*) | Colombia | |
| C | hystrix (radiatum) | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| C | Imperator (*hybrid*) | Colombia | |
| C | ioplocon | Colombia | |
| I | Insleayi leopardinum | Mexico | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| I | —— splendens | Mexico | 63*s.* and 84*s.* |
| I | Karwinskii | South America | 21*s.* and 31*s.* 6*d.* |
| I | Krameri | Costa Rica | 42*s.* and 63*s.* |
| C | ligulare | South America | |
| C | Lindeni | Colombia | 7*s.* 6*d.* and 10*s.* 6*d.* |
| C | Lindleyanum | Colombia | 3*s.* 6*d.* and 5*s.* |
| C | —— speciosum | Colombia | 15*s.* and 21*s.* |
| *C | Londesboroughianum | Mexico | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| C | Lucienianum | South America | 63*s.* |
| C | luteo-purpureum | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C | maculatum | Mexico | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C | —— anceps | Mexico | 63*s.* and 84*s.* |
| *C | —— aureum | Mexico | 105*s.* |
| *C | —— erosum | Mexico | 31*s.* 6*d.* and 42*s.* |
| *C | —— stenanthum | Mexico | 21*s.* and 31*s.* 6*d.* |
| *C | —— superbum | Mexico | 21*s.* and 31*s.* 6*d.* |
| C | madrense (maxillare) | Mexico | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| C | —— majus | Mexico | 42*s.* and 63*s.* |
| C | membranceum | Mexico | 10*s.* 6*d.* and 15*s.* |
| C | mirabile (*hybrid*) | Colombia | |
| C | mirandum | Colombia | |
| C | mulus | Colombia | |
| C | —— crocatus | Colombia | |
| C | —— cuspidatus | Colombia | |
| C | nævium | Ocaña | 42*s.* and 63*s.* |
| C | —— majus, *vide* O. gloriosum album | | |
| C | nebulosum | Mexico | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| C | —— candidum | Mexico | 15*s.* and 21*s.* |
| C | —— grandiflorum | Mexico | |
| C | —— pardinum | Mexico | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| C | —— punctatum | Mexico | 31*s.* 6*d.* and 42*s.* |
| C | odoratum | Colombia | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| C | —— giganteum | Colombia | |
| C | Œrstedii | Costa Rica | 5*s.* and 7*s.* 6*d.* |

| | | | |
|---|---|---|---|
| *C* | **ODONTOGLOSSUM Œrstedii majus** | Costa Rica | 10*s.* 6*d.*, 15*s.* & 21*s.* |
| *C* | pendulum *vide* **O. citrosmum** | | |
| *C* | **Pescatorei** | Colombia | 5*s.*, 7*s.* 6*d.* to 21*s.* |
| *C* | —— **aurantiacum** | Colombia | |
| *C* | —— **formosum** | Colombia | |
| *C* | —— **grandiflorum** | Colombia | 42*s.* and 63*s.* |
| *C* | —— **limbosum** | Colombia | |
| *C* | —— **oculatum** | Colombia | 63*s.* and 84*s.* |
| *C* | —— **nivale** | Colombia | 42*s.* and 63*s.* |
| *C* | —— **splendens** | Colombia | 42*s.* and 63*s.* |
| *C* | —— **stupendum** | Colombia | |
| *I* | **Phalænopsis (Miltonia Phalænopsis)** | Ocaña | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *C* | **polyxanthum** | Ecuador | |
| *C* | **pretiosum**, *vide* **O. Schleiperianum** | | |
| *C* | **princeps** (*hybrid*) | Colombia | |
| **C* | **pulchellum** | Mexico | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | —— **Egertoni (tenue)** | Mexico | 3*s.* 6*d.* and 5*s.* |
| **C* | —— **majus** | Mexico | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | **radiatum**, *vide* **O. hystrix** | | |
| *C* | **ramosissimum** | Colombia | 42*s.* and 63*s.* |
| *C* | —— **album** | Colombia | 42*s.* and 63*s.* |
| *C* | **ramulosum** | Ocaña | 15*s.* and 21*s.* |
| *C* | **Reichenheimii** | Mexico | 31*s.* 6*d.* and 42*s.* |
| *S* | **Roezlii (Miltonia Roezlii)** | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | —— **album** | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | —— **delicatum** | Colombia | 10*s.* 6*d.* and 15*s.* |
| *S* | —— **nigrum** | Colombia | 105*s.* |
| *S* | —— **roseum** | Colombia | |
| *S* | —— **splendens** | Colombia | 63*s.* and 84*s.* |
| *C* | **roseum** | Mexico | 10*s.* 6*d.* and 15*s.* |
| **C* | **Rossii majus** | Mexico | 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* |
| **C* | —— —— **aspersum** (*hybrid*) | Mexico | |
| **C* | —— —— **musaicum** | Mexico | |
| **C* | —— —— **nivosum** | Mexico | |
| **C* | —— —— **pictum** | Mexico | |
| **C* | —— —— **roseum** | Mexico | |
| **C* | —— —— **rubescens** | Mexico | 31*s.* 6*d.* and 42*s.* |
| **C* | —— —— **splendens** | Mexico | 21*s.* and 31*s.* 6*d.* |
| *C* | **rubescens** (*hybrid*) | South America | |
| *C* | **Ruckerianum** (*hybrid*) | Colombia | 63*s.* and 84*s.* |
| *C* | —— **giganteum** (*hybrid*) | Colombia | 84*s.* and 105*s.* |
| *C* | **Sanderianum** | Colombia | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *C* | **sceptrum** | Colombia | 31*s.* 6*d.* and 42*s.* |
| *C* | **Schleiperianum (pretiosum)** | Costa Rica | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | —— **flavidum** | South America | 84*s.* and 105*s.* |
| *C* | **spectabilis** (*hybrid*) | Colombia | |
| **C* | **tripudians** | Peru | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| **C* | —— **grandiflorum** | Peru | 15*s.* and 21*s.* |
| *C* | **triumphans** | Ocaña | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| *C* | **Uroskinneri** | Guatemala | 10*s.* 6*d.*, 15*s.* & 21*s.* |
| *I* | **vexillarium (Miltonia vexillaria)** | Colombia | 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.*, 21*s.* and various sizes from 42*s.* upwards |
| *I* | —— **albescens** | Colombia | |
| *I* | —— **amabile** | Colombia | |
| *I* | —— **amœnum** | Colombia | |
| *I* | —— **bicolor** | Colombia | 42*s.* and 63*s.* |
| *I* | —— **chelsoniense** | Colombia | |

**ODONTOGLOSSUM VEXILLARIUM INSIGNE.**

A splendid variety of this popular Orchid. The flowers are of a deep rosy blush colour, with a prominent transverse band of bright yellow across the base of the lip, above the yellow band are two parallel crimson lines, and below the band on the white basal part of the lip is a broad transverse semicircular blotch of deep purplish-red. 84*s.* and 105*s.*

| | | | | |
|---|---|---|---|---|
| *I* | **ODONTOGLOSSUM vexillarium Cobbianum** | .... | Colombia ..... | 105*s.* |
| *I* | vexillarium conspicuum ..... | | Colombia ..... | |
| *I* | —— giganteum..... | | Colombia ..... | 84*s.* and 105*s.* |
| *I* | —— insigne, *vide* page 103. | | | |
| *I* | —— maculatum ..... | | Colombia ..... | |
| *I* | —— marginatum ..... | | Colombia ..... | |
| *I* | —— marmoratum..... | | Colombia ..... | |
| *I* | —— pictum ..... | | Colombia ..... | |
| *I* | —— picturatum ..... | | Colombia ..... | |
| *I* | —— pulcherrimum ..... | | Colombia ..... | 42*s.* and 63*s.* |
| *I* | —— purpureum ..... | | Colombia ..... | |
| *I* | —— radiatum ..... | | Colombia ..... | |
| *I* | —— roseum ..... | | Colombia ..... | 42*s.*, 63*s.* and 84*s.* |
| *I* | —— rubellum (Autumn-flowering) | | Colombia ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | —— rubrum ..... | | Colombia ..... | |
| *I* | —— splendens ..... | | Colombia ..... | |
| *I* | —— superbum ..... | | Colombia ..... | 42*s.* and 63*s.* |
| *I* | —— venosum ..... | | Colombia ..... | |
| *C* | Victor (*hybrid*) ..... | | Colombia ..... | |
| *C* | Wallisii ..... | | Colombia ..... | 42*s.* and 63*s.* |
| *C* | Wilckeanum (*hybrid*) ..... | | Colombia ..... | |
| *C* | —— albens (*hybrid*)..... | | Colombia ..... | |
| *C* | —— pallens (*hybrid*) ..... .... | | Colombia ..... | |
| *I* | Warscewiczii..... | | Costa Rica ..... | 105*s.* |
| *C* | **ONCIDIUM** æmulum, *vide* O. superbiens | | | |
| *S* | altissimum ..... | | West Indies..... | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | ampliatum ..... | | Panama ..... | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | —— majus..... | | Panama ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | anciferum ..... | | South America ..... | 42*s.* |
| *I* | ascendens ..... | | South America ..... | 15*s.* and 21*s.* |
| *C* | aurosum (excavatum) ..... | | Ecuador ..... | 7*s* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *C* | Balderramæ ..... | | Colombia ..... | |
| *I* | barbatum ..... | | Brazil ..... | 10*s.* 6*d.* and 15*s.* |
| **C* | Barkeri, *vide* O. tigrinum | | | |
| *C* | Batemanianum ..... | | Brazil ..... | 15*s.* and 21*s.* |
| *I* | bicallosum ..... | | Guatemala ..... | 7*s.* 6*d* , 10*s.* 6*d.* to 21*s.* |
| *C* | bicolor ..... | | Brazil ..... | 15*s.* and 21*s.* |
| *I* | carthaginense..... ..... | | Mexico..... | 21*s.* and 31*s.* 6*d.* |
| *I* | Cavendishianum ..... | | Guatemala ..... | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| **C* | cheirophorum ..... | | Ecuador ..... | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | chrysomorphum..... | | South America ..... | 21*s.* and 31*s.* 6*d.* |
| *C* | concolor ..... | | Brazil ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | cornigerum..... | | Brazil ..... | 15*s.* and 21*s.* |
| *C* | crispum ..... | | Brazil ..... | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *C* | —— grandiflorum ..... | | Brazil ..... | 15*s.* and 21*s.* |
| *C* | —— nigrum ..... | | Brazil ..... | 42*s.* |
| *C* | —— punctatissimum ..... | | Brazil ..... | 63*s.* |
| *I* | crocodiliceps ..... | | South America ..... | |
| *C* | cruentum (pelicanum) ..... | | Mexico..... | 15*s.* and 21*s.* |
| *C* | cucullatum..... | | South America ..... | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | —— grandiflorum ..... | | South America ..... | |
| *C* | —— maculosum ..... | | South America ..... | 21*s.* and 31*s.* 6*d.* |
| *C* | —— purpureum ..... | | South America ..... | 42*s.* and 63*s.* |
| *C* | curtum ..... | | Brazil ..... | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *C* | dasytyle ..... | | Brazil ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | Diadema, *vide* serratum | | | |

| | | | |
|---|---|---|---|
| *I* | **ONCIDIUM divaricatum** | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | excavatum, *vide* aurosum | | |
| *C* | flexuosum | Brazil | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *C* | Forbesii | Brazil | 5*s.*, 7*s.* 6*d.* to 21*s.* |
| *C* | —— grandiflorum | Brazil | 42*s.* and 63*s.* |
| *I* | fuscatum | Colombia | 7*s.* 6*d.* to 21*s.* |
| *C* | Gardnerianum | Brazil | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *C* | Harrisonianum | Mexico | 15*s.* and 21*s.* |
| *C* | hastatum, *vide* stelligerum | | |
| *C* | incurvum | Oaxaca | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | janeirense, *vide* longipes | | |
| *I* | Jonesianum | South America | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | juncifolium | South America | 15*s.* and 21*s.* |
| *S* | Kramerianum | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | —— resplendens | Colombia | |
| *S* | Lanceanum | Surinam | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | —— superbum | Surinam | 21*s.* and 31*s.* 6*d.* |
| *C* | Lemonianum | Cuba | 15*s.* and 21*s.* |
| *C* | leucochilum | Mexico | 21*s.* and 31*s.* 6*d.* |
| *C* | —— splendens | Mexico | 63*s.* and 84*s.* |
| *C* | Limminghii | Venezuela | 10*s.* 6*d.* and 15*s.* |
| *I* | longipes (janeirense) | Brazil | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— major | Brazil | 21*s.* |
| *S* | luridum (guttatum) | West Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | macranthum | Ecuador | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *C* | —— aurosum | Ecuador | |
| *C* | —— grandiflorum | Ecuador | |
| *C* | —— hastiferum | Ecuador | 42*s.*, 63*s.* and 84*s.* |
| *C* | Marshallianum | Brazil | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *I* | meliosmum | Brazil | 21*s.* and 31*s.* 6*d.* |
| *S* | microchilum | Brazil | 31*s.* 6*d.* and 42*s.* |
| *I* | nigratum | British Guiana | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *C* | nubigenum (Phalænopsis) | Ecuador | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *C* | obryzatum | Colombia | 21*s.* and 31*s.* 6*d.* |
| *C* | ochthodes | Colombia | 21*s.* |
| **C* | ornithorrhynchum | Guatemala | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | Papilio | Panama | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *S* | —— majus | Panama | 15*s.* and 21*s.* |
| *I* | pelicanum, *vide* cruentum | | |
| *C* | Phalænopsis, *vide* nubigenum | | |
| *I* | Philipsianum | South America | 10*s.* 6*d.* and 15*s.* |
| *I* | phylloglossum | South America | |
| *C* | phymatochilum | Brazil | 21*s.* and 31*s.* 6*d.* |
| *C* | plagianthum | Colombia | |
| *C* | prætextum | Brazil | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C* | —— maculosum | Brazil | 15*s.* and 21*s.* |
| *C* | —— superbum | Brazil | 15*s.* and 21*s.* |
| *I* | pubes | Brazil | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | —— elatum | Brazil | 21*s.* |
| *I* | pulvinatum | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | pumilum | Brazil | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | reflexum | Mexico | 10*s.* 6*d.* and 15*s.* |
| *C* | Reichenbachii | Colombia | 21*s.* and 31*s.* 6*d.* |
| *I* | roseum, *vide* carthaginense | | |
| *I* | sarcodes | Brazil | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| *I* | Schillerianum | South America | 15*s.* and 21*s.* |
| *I* | Schlimii | South America | 15*s.* and 21*s.* |
| *C* | serratum (Diadema) | Peru | 15*s.*, 21*s.* and 31*s.* 6*d.* |

| | | | |
|---|---|---|---|
| *I* | **ONCIDIUM sessile** | Santa Martha | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | sphacelatum | Mexico | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *I* | sphegiferum | South America | 15*s.* and 21*s.* |
| *C* | stelligerum (hastatum) | Mexico | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | —— amœnum | Mexico | 42*s.* and 63*s.* |
| *C* | —— ornatum | Mexico | 42*s.* and 63*s.* |
| *C* | —— pictum | Mexico | 42*s.* and 63*s.* |
| *C* | superbiens (æmulum) | Colombia | |
| *I* | tectum | South America | 15*s.* |
| *C* | tetracopis | Colombia | |
| **C* | tigrinum (Barkeri) | Mechoacan | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *C* | trilingue | Colombia | 15*s.* and 21*s.* |
| **I* | unguiculatum | Mexico | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *C* | unicorne | Brazil | 5*s.* and 7*s.* 6*d.* |
| *C* | varicosum | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *C* | —— pictum | Brazil | 31*s.* 6*d.* and 42*s.* |
| *C* | —— Rogersii | Brazil | |
| *I* | Warneri | South America | 21*s.* and 31*s.* 6*d.* |
| *I* | Weltoni (Miltonia Warscewiczii) | Colombia | 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.* |
| *C* | Wentworthianum | Guatemala | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| *C* | zebrinum | Colombia | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **ORNITHOCEPHALUS grandiflorus** | Brazil | 63*s.* and 84*s.* |
| *I* | **ORNITHIDIUM coccineum** | Brazil | 15*s.* and 21*s.* |
| *I* | **PALUMBINA candida** | Mexico | 10*s.* 6*d.* and 15*s.* |
| *S* | **PAPHINIA cristata** | West Indies | 21*s.* and 31*s.* 6*d.* |
| *S* | cristata grandis | Brazil | 21*s.* and 31*s.* 6*d.* |
| *S* | rugosa | Colombia | 21*s.* and 31*s.* 6*d.* |
| *S* | —— Sanderiana | Colombia | 42*s.* and 63*s.* |
| *S* | **PERISTERIA elata (The Dove Flower)** | Panama | 10*s.* 6*d.*, 15*s.* and 21*s.* |

*El Spirito Santo (Holy Ghost Flower)* of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.

| | | | |
|---|---|---|---|
| | —— pendula | South America | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| | —— selligera | South America | 63*s.* |
| *I* | **PESCATORIA (Huntleya) cerina** | South America | 31*s.* 6*d.* and 42*s.* |
| *I* | Dayana | South America | |
| *I* | **PHAIUS albus**, *vide* Thunia alba | | |
| *S* | Bensoniæ, *vide* Thunia Bensoniæ | | |
| *I* | Blumei | Assam | |
| **I* | grandifolius (Aletia Tankerviliiæ) | Hong Kong | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | Marshallianus, *vide* Thunia Marshalliana | | |
| *C* | Sieboldii | Japan | 10*s.* 6*d.* and 15*s.* |
| *C* | —— maculatus | Japan | 15*s.* and 21*s.* |
| *I* | Wallichii | Sylhet | 21*s.* and 31*s.* 6*d.* |
| *I* | Woodfordii | East Indies | 10*s.* 6*d.* and 15*s.* |
| *I* | —— maculatus | East Indies | |
| *S* | **PHALÆNOPSIS amabilis** | Sunda Islands | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| *S* | amabilis Dayana | Sunda Islands | 31*s.* 6*d.* |
| *S* | amethystina, *vide* Wightii | | |
| *S* | Boxallii | East Indies | |
| *S* | Esmeralda | Cochin China | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *S* | grandiflora | Borneo | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| *S* | leucorhoda | East Indies | 105*s.* |
| *S* | Lüddemanniana | Philippine Islands | 15*s.* and 21*s.* |
| *S* | Parishii | East Indies | 42*s.* and 63*s.* |
| *S* | rosea | East Indies | 15*s.* and 21*s.* |
| *S* | Sanderiana | East Indies | 15*s.* and 21*s.* |
| **S* | Schilleriana | Manilla | 10*s.* 6*d.* and 15*s.* |

| | | | |
|---|---|---|---|
| *S | **PHALÆNOPSIS** Schilleriana superba | Manilla | 31*s.* 6*d.* and 42*s.* |
| S | speciosa | Andamans | 63*s.* and 84*s.* |
| S | Stuartiana | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| S | tetraspis | East Indies | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| S | violacea | East Indies | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| S | Wightii | Sunda Isles | 31*s.* 6*d.* |
| S | **PHOLIDOTA** imbricata | East Indies | 5*s.* and 7*s.* 6*d.* |
| C | **PILUMNA** (Trichopilia) fragrans | Merida | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| I | laxa, *vide* Trichopilia laxa | | |
| I | nobilis | South America | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *C | **PLEIONE** Hookeri | East Indies | 21*s.* |
| *C | humilis | East Indies | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C | —— tricolor | Assam | 31*s.* 6*d.* |
| *C | lagenaria | Khasya | 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* |
| *C | maculata | Assam, Khasya | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| C | præcox tenera | East Indies | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C | Reichenbachiana | East Indies | 7*s.* 6*d.* and 10*s.* 6*d.* |
| *C | Wallichiana | Arracan Mountains | 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* |
| I | **PLEUROTHALLIS** Barberiana | South America | 21*s.* |
| I | ornata | South America | |
| I | scapha | South America | 105*s.* |
| S | **POLYSTACHYA** bracteosa | Africa | 15*s.* and 21*s.* |
| S | **PROMENÆA** citrina | Brazil | 21*s.* and 31*s.* 6*d.* |
| S | Rollissonii | Brazil | 31*s.* 6*d.* and 42*s.* |
| S | stapelioides | Brazil | 31*s.* 6*d.* and 42*s.* |
| S | **RENANTHERA** coccinea | Cochin China | 21*s.* and 31*s.* 6*d.* |
| C | **RESTREPIA** antennifera | Colombia | 21*s.* and 31*s.* 6*d.* |
| C | elegans | Colombia | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| C | guttulata | Colombia | |
| C | leopardina | Colombia | 21*s.* and 31*s.* 6*d.* |
| I | ophiocephala | Mexico | 21*s.* |
| S | **RODRIGUEZIA** caloplectron | South America | 21*s.* |
| S | planifolia | South America | 7*s.* 6*d.* and 10*s.* 6*d.* |
| S | secunda | West Indies | 7*s.* 6*d.* and 10*s.* 6*d.* |
| S | **SACCOLABIUM** ampullaceum | Rangoon | 7*s.* 6*d.* and 10*s.* 6*d.* |
| S | Blumei | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| S | —— Dayanum | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| S | —— javanense | Java | 21*s.* and 31*s.* 6*d.* |
| S | —— longiracemosum | East Indies | 21*s.* and 31*s.* 6*d.* |
| S | —— majus | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| S | —— pulchrum | East Indies | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| S | —— roseum | East Indies | 21*s.* and 31*s.* 6*d.* |
| S | —— splendens | East Indies | 42*s.* and 63*s.* |
| S | cæleste | Cochin China | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| S | curvifolium | Nepal, Ceylon | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S | giganteum (Vanda densiflora) | East Indies | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| *S | —— illustre | East Indies | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| S | guttatum | East Indies | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| S | —— giganteum | East Indies | |
| S | —— Holfordianum | East Indies | |
| S | —— superbum | Ceylon | 63*s.* and 84*s.* |
| S | Harrisonianum | Pulo, Copang | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| S | miniatum citrinum | Cochin China | |
| S | præmorsum | Java | 42*s.* and 63*s.* |
| S | retusum | Java | 42*s.* and 63*s.* |
| S | violaceum | Manilla | 7*s.* 6*d.*, 10*s.* 6*d.* & 15*s.* |
| S | **SARCANTHUS** laxus | East Indies | 21*s.* and 31*s.* 6*d.* |

| | | | |
|---|---|---|---|
| *S* | **SARCOCHILUS Hartmanni** | North Australia | |
| *S* | unguiculatus | East Indies | 21*s.* and 31*s.* 6*d.* |
| *S* | **SARCOPODIUM Lobbii** | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **SCHOMBURGKIA gloriosa** | South America | 31*s.* 6*d.* and 42*s.* |
| *I* | tibicinis | Mexico | 21*s.* and 31*s.* 6*d.* |
| *I* | **SCUTICARIA Dodgsonii** | West Indies | 42*s.* and 63*s.* |
| *I* | Hadwenii | Brazil | 21*s.* and 31*s.* 6*d.* |
| *I* | Steelii | Brazil | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| | **SELENIPEDIUM**, *vide* Cypripedium | | |
| *I* | **SOBRALIA macrantha** | Guatemala | 21*s.* and 31*s.* 6*d.* |
| *I* | macrantha magnifica | Guatemala | |
| *I* | —— nana | Guatemala | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | —— rosea | Guatemala | |
| *I* | —— rubra | Guatemala | |
| *I* | —— splendens | Guatemala | 42*s.* and 63*s.* |
| *C* | **SOPHRONITIS cernua** | Brazil | 7*s.* 6*d.* and 10*s.* 6*d.* |
| **C* | grandiflora | Brazil | 5*s.*, 7*s.* 6*d.* to 21*s.* |
| **C* | —— coccinea | Brazil | |
| **C* | —— marginata | Brazil | |
| **C* | —— militaris | Brazil | |
| **C* | —— superba | Brazil | |
| *C* | violacea | Brazil | 10*s.* 6*d.* and 15*s.* |
| *S* | **SPATHOGLOTTIS Augustorum** | New Guinea | 42*s.* and 63*s.* |
| *S* | Fortunei | Hong Kong | 21*s.* and 31*s.* 6*d.* |
| *S* | Lobbii | Borneo | 84*s.* and 105*s.* |
| *S* | pacifica | Pacific Islands | |
| *S* | plicata | Cochin China | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | Regnieri | Cochin China | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **STANHOPEA aurea** | South America | 10*s.* 6*d.* and 15*s.* |
| *I* | Bucephalus | South America | 10*s.* 6*d.* and 15*s.* |
| *I* | chrysops | South America | |
| *I* | decora | South America | |
| *I* | ecornuta | South America | 42*s.* |
| *I* | grandiflora (eburnea) | South America | |
| *I* | graveolens | South America | 10*s.* 6*d.* |
| *I* | guttulata | South America | 10*s.* 6*d.* and 15*s.* |
| *I* | insignis | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | maculata | South America | |
| *C* | Martiana | Mexico | 10*s.* 6*d.* and 15*s.* |
| *C* | oculata | Xalapa | 10*s.* 6*d.* and 15*s.* |
| *I* | punctata | South America | 10*s.* 6*d.* |
| *C* | tigrina | Xalapa | 10*s.* 6*d.* and 15*s.* |
| *C* | —— superba | Xalapa | 21*s.* |
| *I* | Wardiana | La Guayra | 10*s.* 6*d.* and 15*s.* |
| *S* | **THRIXSPERMUM Berkeleyii** | Andaman Islands | 42*s.* |
| *S* | indusiatum | Malay Archipelago | 15*s.* and 21*s.* |
| *I* | **THUNIA (Phaius) alba** | India | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | alba striata | India | 5*s.* and 7*s.* 6*d.* |
| *S* | Bensoniæ | Moulmein | 15*s.* and 21*s.* |
| *S* | intermedia | India | |
| *S* | Marshalliana | India | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | —— ionophlebia | India | 42*s.* and 63*s.* |
| *S* | —— tricolor | India | 63*s.* and 84*s.* |
| *S* | pulchra | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | **TRICHOCENTRUM albo-purpureum** | South America | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **TRICHOPILIA aureophylax** | Mexico | |
| *C* | coccinea | Costa Rica | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |

| | | | |
|---|---|---|---|
| *I* | **TRICHOPILIA** crispa (gloxiniæflora) | Costa Rica | 42*s.*, 63*s.* and 84*s.* |
| *I* | crispa marginata | Costa Rica | |
| *I* | fragrans, *vide* Pilumna fragrans | | |
| *I* | Galeottiana (picta) | Costa Rica | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *I* | (Pilumna) laxa | South America | 5*s.* and 7*s.* 6*d.* |
| *I* | suavis | Costa Rica | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | —— superba | Costa Rica | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *C* | tortilis | Mexico | 10*s.* 6*d.* and 15*s.* |
| *C* | —— alba | Mexico | |
| **C* | **TRICHOSMA** suavis | Assam | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | **TRIGONIDIUM** ringens | Assam | 15*s.* and 21*s.* |
| *I* | **UROPEDIUM** Lindeni | Colombia | 21*s.* and 31*s.* 6*d.* |
| *S* | **VANDA** Batemanii | Moluccas | 15*s.* and 21*s.* |
| *S* | Bensoni | Burmah | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | Boxallii | East Indies | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | Cathcartii | Sikkim | 42*s.* and 63*s.* |
| *I* | cærulea | Khasya | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *I* | cærulescens | Burmah | 15*s.* and 21*s.* |
| *S* | concolor | East Indies | 31*s.* 6*d.*, 42*s.* and 63*s.* |
| *S* | Denisoniana | India | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| **S* | densiflora, *vide* Saccolabium giganteum | | |
| *S* | **VANDA** gigantea | Moulmein & Rangoon | 15*s.* and 21*s.* |
| *S* | Hookeriana | Borneo | 21*s.*, 31*s.* 6*d.* and 42*s.* |
| *S* | insignis | Timor | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *S* | Massaiana | East Indies | 63*s.* |
| *S* | Parishii | Burmah | 15*s.*, 21*s.* and 31*s.* 6*d.* |
| *S* | —— Marriottiana | Burmah | 84*s.* and 105*s.* |
| *S* | Roxburghii | Bengal | 21*s.* and 31*s.* 6*d.* |
| *S* | —— cærulea | Bengal | 21*s.* and 31*s.* 6*d.* |
| *S* | Sanderiana | Eastern Archipelago | |
| *S* | suavis | Java | 31*s.* 6*d.* and 42*s.* |
| *S* | —— (Chatsworth variety) | Java | |
| *S* | —— maxima | Java | |
| *S* | teres | Sylhet | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *S* | —— Andersoni | Sylhet | 31*s.* 6*d.* and 42*s.* |
| *I* | tricolor | Java | 21*s.* and 31*s.* 6*d.* |
| *I* | —— aurea | Java | |
| *I* | —— chelsoniensis | Java | |
| *I* | —— formosa | Java | 31*s.* 6*d.* and 42*s.* |
| *I* | —— guttata | Java | |
| *I* | —— insignis | Java | 21*s.* and 31*s.* 6*d.* |
| *I* | —— limbata | Java | |
| *I* | —— marginata | Java | |
| *I* | —— meleagris | Java | |
| *I* | —— multiflora | Java | 31*s.* 6*d.* and 42*s.* |
| *I* | —— nebulosa | Java | 42*s.* and 63*s.* |
| *I* | —— ochracea | Java | |
| *I* | —— planilabris | Java | |
| *I* | —— splendens | Java | |
| *I* | —— superba | Java | 31*s.* 6*d.* and 42*s.* |
| *I* | undulata | Assam | |
| *S* | **VANILLA** aromatica | Brazil | 5*s.* and 7*s.* 6*d.* |
| *S* | planifolia | South America | 5*s.* and 7*s.* 6*d.* |
| *I* | **WARREA** cyanea | Colombia | 10*s.* 6*d.* and 15*s.* |
| *I* | Lindeniana | Colombia | 15*s.* and 21*s.* |
| *I* | tricolor | Brazil | 10*s.* 6*d.* and 15*s.* |
| *I* | **WARSCEWICZELLA** discolor | Colombia | 21*s.* and 31*s.* 6*d.* |

| | | | |
|---|---|---|---|
| *I* | **ZYGOPETALUM crinitum** ..... | Brazil ..... | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| *I* | **crinitum cæruleum** ..... | Brazil ..... | 21*s.* and 31*s.* 6*d.* |
| *I* | **—— superbum** ..... | Brazil ..... | 21*s.* and 31*s.* 6*d.* |
| *I* | **Gautieri** ..... | Brazil ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **intermedium** ..... | Brazil ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| **C* | **Mackayi** ..... | Brazil ..... | 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* |
| **C* | **—— majus** ..... | Brazil ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **maxillare** ..... | Brazil ..... | 10*s.* 6*d.*, 15*s.* and 21*s.* |
| *I* | **rostratum** ..... | South America ..... | 21*s.* and 31*s.* 6*d.* |

## CHOICE ORCHIDS.

**EAST INDIAN** | **WEST INDIAN** | **COLOMBIAN**
**MEXICAN** | **PERUVIAN** | **BRAZILIAN**

**Collections made at 3, 4, 6, 9 and 12 guineas per dozen.**

## ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at

**3, 4, 6, 9 and 12 guineas per dozen.**

**SPHAGNUM MOSS FOR ORCHIDS.**
3s. 6d. per bushel; 12s. per sack.

**BEST FIBROUS PEAT FOR ORCHIDS.**
10s. per sack.

# ORCHID EXHIBITION.

THE ORCHID EXHIBITION AT

*Mr. WILLIAM BULL'S Establishment*

FOR

## NEW AND RARE PLANTS,

536, KING'S ROAD, CHELSEA, LONDON, S.W.,

WILL OPEN

TO

**PATRONS OF THE ESTABLISHMENT**

AND

THOSE RECEIVING CARDS OF INVITATION,

*TUESDAY, MAY 1st, 1888,*

And continue on view throughout MAY, JUNE and JULY.

# NEW AND CHOICE ACHIMENES.

**COQUETTE,** clear violet purple flowers, the throat surrounded with bright purple. 2*s.* 6*d.*

**PHŒBUS,** very large flowers, purple, merging into orange at the centre; the throat is dark yellow, the mouth of the throat marked blackish-crimson. 2*s.* 6*d.*

**VIOLETTA,** rich violet-purple flowers, the ecutre of each lobe aud the mouth of the throat being very darkly veined. 2*s.* 6*d.*

*Good selections made at* 6*s.*, 9*s. and* 12*s. per dozen, according to sorts.*
*New and choice sorts,* 18*s. and* 30*s. per dozen, according to sorts.*

ADMIRATION
AMBROISE VERSCHAFFELT
ARGUS
AURORA
AUTUMNALIS
BELLE CRACOVIENNE
CARL WOLFARTH
CARMINATA ELEGANS
CHARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
ECLIPSE
EDWARD BOISSIER
EVELINE
EXCELSIOR
FRANCOIS CARDINAUX
GEOROIANA
GIBSONII
GRANDIFLORA
—— FLORE PLENO
ORANDIS
HARRY WILLIAMS
HENDERSONI
LABYRINTHICUM
LADY LYTTLETON
LEOPARD
LONGIFLORA

LONGIFLORA ALBA
—— —— MAXIMA
LONGIFLORA MACRANTHA
—— MAJOR
—— ROSEA
LOUIS VAN HOUTTE
LOVELINESS
MADAME JEHENNE
MARVEL
MAUVE PERFECTION
MASTERPIECE
METEOR
MINIATA
NESIDA
NINA
OBERON
PURPUREA ELEOANS
—— MULTIFLORA
RIENZII
RIVAL
ROLLISSONI
ROSEA ELEOANS
—— MAONIFICA
SCARLET PERFECTION
SKINNERI
SPARKLER
STELLA
UNIQUE
VENUSTA
VIVICANS
WILLIAMSII

## GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimatod. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the variotios is extremely pretty. Selections of good varieties at 30*s.* and 42*s.* per dozen, according to sorts.

GESNERAS, see also page 35.

## HYBRID GESNERAS.

**PYRAMIDAL,** a vigorous growiug variety, freely developing numerous lateral branches, which beeome covered with rose coloured flowers, shaded with purple; the throat is goldeu-yellow with small crimson spots. 2*s.* 6*d.*

**SOUVENIR DE MADAME JOIGNOT,** this variety has handsome bronze-green leaves, the Achimenelike flowers, which are abundantly prodneed, being of a rich carmine-purple colour. 2*s.* 6*d.*

## EUCODONIAS.

A free-flowering and dwarf growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. 1*s.* and 1*s.* 6*d.* each.

EHRENBERGII
NÆGELIOIDES
NÆOELIOIDES DIAMANTINA
—— LILACINELLA
NÆOELIOIDES NANA MULTIFLORA
VAN HOUTTEI.

# NEW AND CHOICE GLOXINIAS.

**FOR NEW VARIETIES, OFFERED FOR THE FIRST TIME,** *Vide* page 9.

**AMETHYST,** azure blue, lighter towards the edges of the lobes; throat pure white, extending to the centre of each lobe. 3*s.* 6*d.*

**CYGNET,** pure white, the lobes broadly margined with soft pink; very pretty. 3*s.* 6*d.*

**HYDRA,** white, lobes margined with pale rose, marked with bright rose at intersections of lobes. 3*s.*6*d.*

**LYDIA,** very large drooping flower, upper lobes deep rose, lower lobes rose shaded with deep crimson; light throat, prettily speckled with crimson. 3*s.* 6*d.*

**MALABAR,** lobes pale rose; centre of lobes and mouth bright crimson; light throat shaded with violet. 3*s.* 6*d.*

**MODIOLA,** flowers erect, deep rich velvety crimson, the lobes margined with rose, the mouth being shaded with dark maroon; light throat, freckled with crimson. 3*s.* 6*d.*

**SABRINA,** intensely deep crimson, lobes margined with pale rose; light throat freckled crimson. 3*s.* 6*d.*

## Choice selections made by Mr. W. B. at 18s., 30s. and 42s. per dozen according to sorts.

ALPHA, *vide* page 9
ANNA DE CONDEIXA
ARCHIMEDES
ARIADNE
AURELIA
BARON DE ROTHSCHILD
BERENICE
BIJOU
CALYPSO
CASILDA
CASINO, *vide* page 9
CECILE MICHAUX
CHATEAUBRIAND
CHAUCER
CLEOPATRA
COMTE DE MONTESQUIEU
CORDON LAVANDE
COWPER
DANTE
DARING
DIADEME
DIAMANT
DIDON
DRYDEN
EDEN
ELFIN
FANTOME
FLORE
GEORGES SAND
HECLA
HERON
JUPITER
LA BOËTIE
LA FRANCE
LE GAULOIS
LUCRECE, *vide* page 9
MAD. BLEU
MAD. PH. HÉBERT
MARCEL
MARGUERITE D'ELCHINGEN
MARQUIS DE CHENNEVIERES
MATODOR
MENTOR
MILTON
MINOS
MOGUL
MON CAPRICE
MONSIEUR BERGMAN
M. LUCIEN LINDEN
NEPTUNE
ODIN
ORACLE
OSCAR
PARTHENIA
PERFECTION
PERLE
PHŒNIX
PORTEND
PRINCE DE GALLES
ROMOLA
RUBIS
SARNIA, *vide* page 9
STANLEY
SYLPHIDE
TAMAR
TEMPLAR
TENNYSON
THEMIS
VELINDRA
VICOMTE DE CONDEIXA
ZIBELINE

GLOXINIA.

**GLOXINIA** INSIGNIS, this distinct variety produces its flowers during the autumn and winter; colour bluish-lilac, marked with a large crimson blotch at the base of the tube. 2*s.* 6*d.*

MACULATA SCEPTRUM, a magnificent hybrid, with extra large erect cordate foliage; it produces a rigid terminal inflorescence, exceeding 20 inches in height, which bears majestically its large, clear lilac, well-formed blooms. 1*s.* 6*d.*

# TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18*s*., 24*s*., 30*s*. and 42*s*. per dozen, according to sorts.

AILSA
ALARM
ALEXANDRE
AMABANTE ET CANNELLE
AMAZON
CECILIA
CLOVIS
COQUETTE
DAPHNE
ELAINE
GIGANTEA
HOTSPUR
JULIETTE
LIEFKIN
LORENZO
MANCINUS
MARQUIS DE GUIADIARO
MIRANA
M. RICHARD LARIOS
OPHIR
PAREPA
PLUTON
PORTIA
ROBERT LE DIABLE
SABINA
THALIE
UKARA

# NEW AND CHOICE REGAL PELARGONIUMS.

This name is applied to that magnificent group of Pelargoniums, the flowers of which are of large size, with very rich and showy colours, and which, although they are not really double, yet have the appearance of being so from their full and crispy form, and the extra number of their frilled petals.

**ALEXANDRE DE NAPADIEWICZ**, a fine flower of a salmon-carmine colour, widely margined with white; upper petals blotched with maroon; large white centre. 3*s*. 6*d*.

**BEAUTY OF OXTON**, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; all the petals regularly margined white, and beautifully fringed. 1*s*.

**CAPTAIN RAIKES**, a fine large full flower; upper petals deep fiery crimson, flaked with purplish-black, and bordered with carmine; lower petals clear bright fiery crimson. 1*s*.

**COUNTESS OF ROSEBERY**, a desirable variety, producing large trusses of pure white flowers, with a spot of delicate rose in the upper petals, the margin of the flower being prettily fringed. 2*s*. 6*d*.

**DR. MASTERS**, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson; the lower petals have a smaller blotch, with a broader margin of the same colour as the upper. 1*s*.

**DUCHESS OF BEDFORD**, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1*s*.

**DUKE OF ALBANY**, deep rich crimson-maroon, margined with rosy lake; light centre surrounded with violet-rose shading; all the petals beautifully undulated and fringed; fine full flower; extremely showy. 1*s*.

**EMILE LEMOINE**, large trusses of crispy flowers in the way of *Le Vesure*, to which it is much superior; rich orange-scarlet and white. 7*s*. 6*d*.

**GLOIRE DU TOURS**, flowers of a bright vermilion, with light centre and edges; upper petals blotched with blackish maroon. 2*s*.6*d*.

**MADAME EVRARD**, very full flower, with beautiful crispy petals of bright purplish crimson colour, spotted with dark maroon. 1*s*.

**MADAME THIBAUT**, white blotched and marbled with rose; upper petals marked with crimson-maroon; large white centre. 1*s*.

**MAID OF KENT**, an attractive variety, of neat dwarf habit and extremely free blooming; the flowers are pure white, with bright rose-coloured spots on all the petals, which are beautifully undulated and fringed. 2*s*. 6*d*.

**PRINCE OF PELARGONIUMS**, large flowers with elegantly fringed margins; brilliant vermilion-scarlet ground colour, finely relieved by a blush-white centre, with violet veins; the upper petals flushed with rich crimson. 2*s*. 6*d*.

**MISS LILY CANNELL**, a very pretty flower; crimson-scarlet petals shaded with rosy-purple and edged with white, light centre. 1*s*.

**PRINCE OF TECK**, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 1*s*. 6*d*.

**PRINCE OF WALES**, an exceedingly handsome variety, freely producing good trusses of flowers of a bright vermilion colour, with light centre and edge to the petals, the superior ones being marked with light crimson, and darkly blotched. 1*s*.

**PRINCESS BEATRICE**, upper petals crimson-lake blotched with maroon and margined with white, under petals blush white; a large and full flower, the petals being beautifully undulated and fringed. 5*s*.

**PRINCESS OF WALES**, an extremely beautiful variety, very large and effective flowers of a rosy-lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon; an exceedingly attractive flower. 3*s*. 6*d*.

**QUEEN VICTORIA**, the flowers of this handsome and distinct variety have peculiarly crispy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 1*s*. 6*d*.

**VOLONTE NATIONALE ALBUM**, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. A free grower and very floriferous. 1*s*. 6*d*.

# NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

**For New Varieties, offered for the first time, vide page 9.**

**AGATHA,** a fine flower of good form; upper petals bright crimson, blotched with maroon and margined with white; under petals blush-white, spotted with bright crimson. 1*s.* 6*d.*

**ALFONSO,** pure white free-blooming variety, upper petals marked with rich rosy-crimson, under petals faintly feathered with rose; a large finely formed flower. 3*s.* 6*d.*

**ANGUS,** delicate rose; upper petals blotched dark crimson and shaded rose; under petals spotted with dark crimson. 1*s.*

**ARBACES,** a very attractive flower of a bright rosy-purple colour, with light margin; the upper petals blotched and feathered with dark crimson. 1*s.*

**ARDENS,** upper petals fiery crimson, heavily blotched and feathered maroon; edged with rosy-magenta; lower petals soft crimson; spotted maroon; light centre. 7*s.* 6*d.*

**ARGUS,** *vide* page 9.

**ARVON,** upper petals bright crimson, blotched with blackish-maroon and edged with rose; under petals soft rose, spotted crimson. 1*s.*

**CATRINA,** upper petals dark maroon, margined with rosy-crimson; under petals rosy-crimson, blotched with maroon. 1*s.* 6*d.*

**CERES,** blush ground, upper petals blotched and feathered with maroon surrounded with crimson-lake; lower petal slightly spotted with lake. 3*s.* 6*d.*

**CHARGER,** upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 1*s.* 6*d.*

**CLOVIS,** upper petals blackish-maroon edged with bright crimson, lower petals bright rosy-crimson blotched with maroon. 5*s.*

**CYPRIA,** a fine flower of a rich rosy-crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 1*s.* 6*d.*

**DACIA,** upper petals dark maroon shaded with bright crimson, margined with rose; under petals rosy-pink, cleanly spotted with dark crimson. 1*s.* 6*d.*

**DAMON,** upper petals bright crimson, blotched with maroon; under petals rosy-crimson, white centre; all the petals edged white. 1*s.* 6*d.*

**DAURUS,** flower rich crimson, shaded with maroon; light centre, shaded rosy-purple. 1*s.*6*d.*

**DINORAH,** upper petals blotched with maroon, surrounded with bright rosy-purple, and edged with rose; under petals light rose, spotted with bright rosy-purple. 1*s.* 6*d.*

**DOLPHIN,** flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted crimson. 3*s.*6*d.*

**EBOR,** upper petals maroon margined with white; lower petals white heavily veined with violet-purple, spotted with dark crimson; light centre. 3*s.* 6*d.*

**ECLIPSE,** upper petals blackish-maroon, edged with fiery crimson; under petals deep crimson, shaded with scarlet, and blotched with dark maroon; light centre. 1*s.* 6*d.*

**ELLA,** upper petals fiery crimson margined with white, heavily blotched and feathered with dark maroon; lower petals heavily suffused and veined crimson-lake, with a distinct white margin; spotted with maroon; light centre. 10*s.* 6*d.*

**ELVINA,** upper petals rich bright crimson, blotched with maroon and margined with white; under petals blush, tinted rose and spotted with crimson. 1*s.* 6*d.*

**ENSIGN,** all the petals blotched with maroon, surrounded with crimson and rose. 1*s.* 6*d.*

**FORWARD,** upper petals maroon edged with soft rose; under petals rosy-crimson, heavily spotted with maroon. 1*s.* 6*d.*

**GIDOUR,** upper petals deep maroon, surrounded with fiery crimson, and margined with deep rose; under petals bright rosy-pink, spotted with dark crimson; a splendid flower. 1*s.*6*d.*

**GRISON,** light rosy-pink, all the petals blotched with very dark blackish-maroon, and shaded with crimson; a very fine flower. 1*s.* 6*d.*

**HECLA,** light rosy-purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and margined with rose; under petals spotted with maroon. 1*s.*6*d.*

**IO,** upper petals rich purplish-crimson, blotched with maroon and margined with blush-white; lower petals white, suffused and veined with rosy-purple; spotted with purplish-crimson; very distinct. 10*s.* 6*d.*

**JESSICA,** upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy-pink, spotted dark crimson 1*s.*6*d.*

**KENNETH,** upper petals purplish-crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy-lavender; white centre. 1*s.* 6*d.*

**LEONARD,** flesh-coloured flower, the upper petals being blotched with dark crimson, surrounded with bright crimson; under petals spotted with bright rosy-crimson. 3*s.* 6*d.*

**LEONIS,** flower soft rosy-purple, surrounded with pale rose, the upper petals blotched with maroon. 1*s.* 6*d.*

**LUCULLUS,** fiery crimson; upper petals blotched with blackish-maroon; under petals spotted crimson-maroon; light centre. 1*s.* 6*d.*

**MABEL,** flower bright rose, upper petals blotched with blackish-maroon; lower petals spotted with crimson-lake. 3*s.* 6*d.*

**MALCOLM,** upper petals rosy-pink, blotched with maroon; under petals soft rosy-pink, spotted with deep crimson. 1*s.* 6*d.*

**MARSUS,** upper petals white, blotched with rosy-crimson; under petals blush-white, spotted with crimson. 1*s.* 6*d.*

**MEDINA,** upper petals maroon, shaded with crimson and edged with rose; under petals rose, blotched with dark crimson. 1*s.* 6*d.*

**MINARET,** upper petals crimson, with maroon blotch; under petals rosy-crimson marked and spotted with maroon. 1*s.* 6*d.*

## NEW AND CHOICE SPOTTED PELARGONIUMS—continued.

**MYRA**, upper petals dark maroon surrounded with bright crimson and edged with rose; lower petals soft pink, spotted with crimson; light centre. 3*s*. 6*d*.

**NEPTUNE**, flower rosy-purple, upper petals blotched and feathered with maroon; under petals spotted with maroon. 3*s*. 6*d*.

**NIZZA**, flower bright rosy-purple; upper petals feathered with dark crimson. 1*s*. 6*d*.

**ONDINE**, upper petals dark crimson, surrounded with fiery crimson, edged with pink; under petals rose suffused with crimson, and spotted with dark crimson. 3*s*. 6*d*.

**ORISSA**, upper petals light purplish-crimson, feathered and blotched with maroon; under petals soft violet-rose, marked with crimson; a rich-looking and attractive flower. 1*s*. 6*d*.

**OSCAR**, upper petals crimson, margined with rose and blotched with maroon; under petals rose, spotted crimson; light centre. 1*s*. 6*d*.

**PEERLESS**, the upper petals blackish-maroon, surrounded with fiery crimson; under petals rich crimson, with maroon spot. 1*s*. 6*d*.

**PERA**, upper petals bright crimson edged with white and spotted maroon; lower petals white, spotted with crimson and slightly blotched maroon. The edges of all the petals prettily fringed. 10*s*. 6*d*.

**PHŒNIX**, deep rosy-purple, upper petals blotched and feathered with dark crimson: under petals edged with white, light centre. 1*s*. 6*d*.

**PINNACE**, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals carmine, spotted crimson. 1*s*. 6*d*.

**PIONEER**, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. 1*s*. 6*d*.

**PLATEAU**, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. 1*s*. 6*d*.

**RUBIS**, *vide* page 9.

**RUMOUR**, upper petals carmine-crimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark crimson. 1*s*. 6*d*.

**SABINE**, upper petals dark crimson-maroon, edged with bright crimson; under petals rosy-crimson, blotched with maroon. 1*s*. 6*d*.

**SERENA**, rosy-lake, with slight purplish shade; upper petals blotched with maroon; under petals spotted with deep crimson. 1*s*. 6*d*.

**SIRIUS**, upper petals fiery crimson, edged with rose and blotched maroon; lower petals rose, spotted with crimson. 3*s*. 6*d*.

**SPORTSMAN**, a deep rosy-purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. 3*s*. 6*d*.

**TELAMON**, upper petals blackish-maroon, margined with fiery crimson; under petals light red, slightly shaded with orange and spotted with dark maroon; a very fine flower. 1*s*. 6*d*.

**TENNYSON**, upper petals dark maroon, margined with rose and edged with white; under petals pure clear white, with a small blotch of bright lake in the centre of each. 1*s*. 6*d*.

**TREASURE**, upper petals violet-purple, blotched maroon and edged lavender; under petals light rosy-purple, spotted maroon. 3*s*. 6*d*.

**TYRANT**, upper petals dark crimson-maroon, edged with rose; under petals salmon-rose, spotted with dark crimson. 1*s*. 6*d*.

**VELINDRA**, pure white flower, upper petals blotched and feathered with rosy-carmine, lower petals feathered same colour. 7*s*. 6*d*.

**VINCENT**, upper petals maroon, edged with rosy-crimson; under petals rich rosy-crimson; the centre shaded with violet. 1*s*. 6*d*.

**ZENOBIA**, upper petals blackish-maroon, surrounded with fiery crimson and edged with rose; under petals rosy-crimson spotted with maroon, rose centre. 3*s*. 6*d*.

**Selections of other good varieties can be made from Mr. W. B.'s general collections at 18s., 24s. and 30s. per dozen, according to sorts.**

# NEW AND CHOICE SHOW PELARGONIUMS.

**ADALIA**, upper petals maroon, edged with crimson; under petals deep rose, slightly shaded with crimson; white centre. 1*s*. 6*d*.

**ADVENTURER**, maroon spot on top petals; narrow rose edge; rose lower petals; white centre, large and fine form. 1*s*. 6*d*.

**AGAR**, upper petals dark maroon, surrounded with fiery crimson, edged with pale rose; lower petals, soft rose slightly veined with crimson, light centre. 3*s*. 6*d*.

**AMPHION**, upper petals blackish-maroon, surrounded crimson and margined magenta-rose; lower petals rose; light centre. 3*s*. 6*d*.

**ATALANTA**, upper petals maroon, edged bright rose; under petals deep rose; white centre. 2*s*. 6*d*.

**BANQUET**, upper petals crimson-maroon, edged with rose; under petals bright rose. 1*s*. 6*d*.

**BLUE BEARD**, very large light purple flowers with white eye; upper petals dark; very distinct. 7*s*. 6*d*.

**CECILIA**, upper petals dark velvety maroon, surrounded with bright crimson and edged rose; under petals rosy-pink; white centre. 1*s*. 6*d*.

**CHARTER**, rich maroon upper petals margined with violet-rose; under petals violet-rose; shaded crimson; large white centre. 1*s*. 6*d*.

**CLAUDIA**, upper petals dark maroon, surrounded with crimson and edged with bright pink; lower petals bright pink; light centre: 10*s*. 6*d*.

**COMUS**, upper petals dark crimson, margined with bright crimson; lower petals bright pink shaded with crimson. 2*s*. 6*d*.

**COSSACK**, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 1*s*. 6*d*.

**CREUSA**, light rose; the upper petals blotched with dark crimson; light centre. 1*s*. 6*d*.

**CRUSADER**, lower petals bright crimson: dark upper petals, light eye; very dwarf. 7*s*. 6*d*.

## NEW AND CHOICE SHOW PELARGONIUMS—continued.

**DARDAN**, upper petals black-maroon, bordered with rosy-crimson; under petals light bright rose; large white centre. 1*s.* 6*d.*

**DIANA**, upper petals deep blackish-maroon, surrounded with bright crimson and edged with rose; lower petals bright rose veined with crimson; light centre. 10*s.* 6*d.*

**DUKE OF CLARENCE**, scarlet with white eye; upper petals maroon; flowers very round and smooth. 7*s.* 6*d.*

**EDIE**, upper petals blackish-maroon, surrounded with crimson, edged with rose; lower petals pale pink, light centre 3*s.* 6*d.*

**ELAINE**, pure white flower, upper petals blotched and feathered with purplish-crimson. 7*s.* 6*d.*

**EMBASSY**, pure white, the two upper petals blotched with deep violet-maroon. 1*s.* 6*d.*

**EMBLEM**, bright rose, shaded with violet; upper petals blotched with dark crimson; light centre. 1*s.* 6*d.*

**EXCHEQUER**, maroon upper petals, surrounded with crimson and margined with rose; under petals rose; white centre. 1*s.* 6*d.*

**EXPRESS**, lower petals purplish-rose, upper petals black, with wire edge of rose. 7*s.* 6*d.*

**FALCON**, upper petals blackish-maroon, shaded bright crimson and edged pale rose; under petals soft rosy-pink; light centre. 1*s.* 6*d.*

**FRANCES**, rosy-purple, white eye, large dark blotch on top petals; a fine flower. 7*s.* 6*d.*

**GARNET**, maroon upper petals, surrounded with crimson, and margined with violet-rose; bright rose under petals; light centre. 1*s.* 6*d.*

**HUMPHREY**, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centre. 1*s.* 6*d.*

**INSTANCE**, upper petals violet-crimson, shaded with maroon and edged with white; under petals blush-white; very pretty. 1*s.* 6*d.*

**INVENTOR**, upper petals maroon, shaded with bright crimson and margined with rose; under petals salmon-pink; white centre. 1*s.* 6*d.*

**IRIS**, upper petals bright rose, blotched with maroon, surrounded with fiery crimson; under petals soft rose; light centre. 3*s.* 6*d.*

**JOVIAL**, a rosy-purple flower, upper petals blotched with maroon, the entire flower edged white; light centre. 3*s.* 6*d.*

**JUNIUS**, upper petals very dark maroon, with a wire edge of crimson; lower petals rosy-crimson veined with deep crimson, light centre. 10*s.* 6*d.*

**LAURETTA**, upper petals bright crimson blotched with blackish-maroon and edged with pale rose; under petals soft rose; light centre; a splendid variety. 1*s.* 6*d.*

**LEANDER**, upper petals dark maroon, surrounded with rosy-purple, widely margined with pale rose; under petals pale blush; light centre. 3*s.* 6*d.*

**LORA**, upper petals maroon, margined with scarlet and edged with rose, under petals rosy-pink, white eye. 1*s.* 6*d.*

**MADELINA**, upper petals blotched with maroon, surrounded with fiery crimson and edged with bright rose; under petals rosy-lake; pure white centre; a fine flower. 1*s.* 6*d.*

**MARION**, rosy-purple with white eye, dark top petals: wire edge of rose. 7*s.* 6*d.*

**MATHON**, upper petals blackish-maroon, surrounded with rosy-crimson; under petals white, feathered with soft purple. 1*s.* 6*d.*

**MIRANA**, upper petals dark maroon, surrounded with crimson, margined with rose; lower petals rose, suffused with pink. 3*s.* 6*d.*

**MURILLO**, maroon upper petals, surrounded with crimson and margined with rose; under petals bright rose; pure white centre. 1*s.*6*d.*

**MYSTERY**, rosy-salmon, upper petals dark maroon with rose edge, light eye. 7*s.* 6*d.*

**NABOB**, fiery crimson, the upper petals shaded with dark crimson and blotched with fiery maroon; light centre. 3*s.* 6*d.*

**NEPTUNE**, rich scarlet, small black spot, fine quality and free. 3*s.* 6*d.*

**PALATINE**, upper petals rich maroon, surrounded with fiery crimson and edged rose; under petals soft pink; light centre. 1*s.* 6*d.*

**PAREPA**, upper petals bright crimson shading off to a margin of rose, blotched and feathered with maroon; lower petals blush-pink; light centre. 3*s.* 6*d.*

**PAULINE**, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 1*s.* 6*d.*

**PENSION**, rich deep crimson; the upper petals marked with velvety maroon; large light centre; a fine flower. 1*s.* 6*d.*

**PERIM**, upper petals blackish-maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 1*s.* 6*d.*

**PILOT**, bright rosy-pink, blotched with dark velvety crimson on the upper petals; light centre. 1*s.* 6*d.*

**PLATO**, soft rose, white eye, dark blotch on upper petals. 7*s.* 6*d.*

**RUSTIC**, a fine flower; upper petals rich crimson, shaded maroon; under petals rich crimson; light centre, shaded with violet. 1*s.* 6*d.*

**RUTULIA**, upper petals crimson-maroon, bordered with rosy-crimson; under petals scarlet-crimson; light centre, shaded violet. 1*s.* 6*d.*

**SPHINX**, upper petals maroon, edged with rose; under petals bright salmon-rose, shaded with crimson; light centre. 3*s.* 6*d.*

**SPLENDENT**, upper petals maroon, surrounded with scarlet and edged with pink; under petals salmon-rose; white centre. 1*s.* 6*d.*

**SUBLIME**, upper petals violet-crimson, blotched with maroon and edged with lavender; under petals lavender blush. 1*s.* 6*d.*

**TEMPLAR**, upper petals white blotched with maroon and feathered with crimson-lake; lower petals white, faintly suffused with blush. 3*s.* 6*d.*

**THEODOSIA**, upper petals velvety crimson, blotched with blackish-maroon and edged with rose; under petals bright rose, slightly shaded with crimson. 1*s.* 6*d.*

**Selections of other good varieties can be made from Mr. W. B.'s general collection, at 18s., 24s. and 30s. per dozen.**

## NEW AND CHOICE FANCY PELARGONIUMS.

**CORDELIA**, flower soft rosy-pink edged with white; white centre. 3*s*. 6*d*.
**IONA**, light lower petals with distinct blotch on each; upper petals deep lilac-rose. 5*s*.
**LENA**, upper petals rosy-carmine, light edge; under petals suffused with rosy-carmine. 3*s*. 6*d*.
**MEDINA**, a dark flower with light eye; large and free. 5*s*.
**PENGUIN**, white, upper petals beautifully marked with rosy-carmine; fine large flower. 3*s*. 6*d*.

**Selections made by Mr. W. B. from general collection at 18s., 24s., 30s., 42s. and 60s. per dozen, according to sorts.**

## CAPE SPECIES, HYBRID, SELF-COLOURED, STRIPED AND PERPETUAL-FLOWERING PELARGONIUMS.

**Selections made by Mr. W. B. at 18s. and 30s. per dozen.**

## NEW AND CHOICE ZONAL PELARGONIUMS.

**ADRIEN DE MORTILLET**, large rosy-magenta flowers, marked with orange. 3*s*. 6*d*.
**ALPHONSE DAUDET**, a beautiful variety with large trusses of reddish-salmon flowers. 3*s*. 6*d*.
**AVENIR**, immense trusses, dark violet flowers, shaded with rose. 5*s*.
**BEAUTY OF CLYFFE HALL**, rich deep orange-scarlet, with white eye. 2*s*. 6*d*.
**CALYPSO**, large trusses of medium sized flowers, pure white. 3*s*. 6*d*.
**CHINOIS**, small irregular reddish-purple flowers; upper petals marked white. 7*s*. 6*d*.
**EDEN**, large crimson-scarlet flowers, white centre; top petals maculated with orange. 3*s*. 6*d*.
**GOLCONDE**, flowers yellowish-orange; large trusses. 3*s*. 6*d*.
**JULES FERRY**, enormous trusses of dark reddish-scarlet flowers. 1*s*. 6*d*.
**LA LORRAINE**, enormous trusses of soft rose flowers; good habit. 7*s*. 6*d*.
**LOUIS ULBACH**, brilliant scarlet flowers, very large trusses. 1*s*. 6*d*.
**M. HERVÉ MANGON**, large flowers, salmon bordered with white, dwarf and floriferous. 1*s*. 6*d*.
**PALAIS DE L'INDUSTRIE**, enormous trusses of beautifully shaped soft rosy-pink flowers, white centre, surrounded with crimson-scarlet. 3*s*. 6*d*.
**PERLE**, large trusses of well-shaped pure white flowers, very floriferous. 5*s*.
**PORT-ROYAL**, rosy-salmon, white centre, surrounded with orange; distinct. 7*s*. 6*d*.
**RENAISSANCE**, rosy red, white centre, upper petals shaded reddish-orange; very free. 5*s*.
**RENAN**, large trusses of rich apricot-salmon flowers, very floriferous. 1*s*. 6*d*.
**TROPHÉE**, large trusses of rose flowers, shaded lilac in centre. 5*s*.
**UNIVERS**, trusses of large well-made flowers; dark crimson-scarlet. 7*s*. 6*d*.
**VICTOR HUGO**, large trusses of bright orange-scarlet flowers, dwarf, and very floriferous. 1*s*. 6*d*.
**WHITE PERFECTION**, a free-flowering white variety of good habit; the individual flowers being perfect in shape. 2*s*. 6*d*.

**Selections made by Mr. W. B. from General Collection of Zonal Pelargoniums at 9s., 12s., 18s. and 30s. per dozen, according to sorts.**

## NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

**Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s. per dozen, according to sorts.**

## NEW AND CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.

**ALGERINE**, white, slightly feathered in the upper petals with rosy-crimson. 1*s*.
**ALICE CROUSSE**, petals of great size violet-purple and amaranth, very floriferous; extra. 1*s*.
**ALMA**, bright salmon-scarlet, the centre lit up with vermilion in a most pleasing manner, the flower is fully double and of fine shape. 3*s*. 6*d*.

NEW AND CHOICE DOUBLE IVY-LEAVED PELARGONIUMS—continued.

**ALPHONSE FAILLE**, dark cerise, shaded with carmine and amaranth. 1*s.* 6*d.*
**ANDRÉ THEURIET**, reddish-violet flowers, of fine shape; good habit. 7*s.* 6*d.*
**BASTIEN-LEPAGE**, very large semi-double flowers, rosy-mauve, top petals marked with purple. 7*s.* 6*d.*
**BERTHA**, large bright rosy-purple flower. 3*s.* 6*d.*
**BERTHELOT**, large full violet-magenta flowers, of good form, very floriferous. 1*s.* 6*d.*
**COMUS**, soft rosy-purple flower, upper petals feathered with dark maroon. 2*s.* 6*d.*
**CRÉPUSCULE**, bright rosy-salmon flowers, very large and double. 1*s.*
**CUVIER**, large and full dark violet flowers: a vigorous grower. 1*s.* 6*d.*
**FLOURENS**, large irregular flowers, salmon shaded with rose; large petals. 3*s.* 6*d.*
**FÜRSTIN JOSEPHINE VON HOHENZOLLERN**, finely shaped reddish-magenta flowers. 1*s.*
**GALILÉE**, deep rose feathered in the top petals with crimson. 2*s.* 6*d.*
**GAY-LUSSAC**, clear crimson-lake, flowers very double and of good shape; dwarf vigorous habit. 3*s.* 6*d.*
**GENÉRAL BRIÈRE DE L'ISLE**, beautiful carmine double flowers, shaded with gold. 2*s.* 6*d.*
**GLOIRE DE LORRAINE**, bright cerise, brightened with scarlet, large and double; extra. 7*s.* 6*d.*
**HUMBER**, blush-pink; upper petals feathered with rosy-purple; large flower. 1*s.* 6*d.*
**LAMARTINE**, an improvement on *Emile Lemoine*, bright red, deeply shaded. 7*s.* 6*d.*
**LAPLACE**, flowers cup-shaped crimson-lake; of vigorous habit and extremely floriferous. 3*s.* 6*d.*
**LAVOISIER**, very large full flowers of perfect form; fine trusses of orange-salmon flowers. 1*s.* 6*d.*
**MADAME BOUCHARLAT**, large full flower of a bright rosy-cerise shade; very floriferous. 1*s.* 6*d.*
**MDLLE. GAUTHIER**, beautiful bright satiny-rose colour, shaded with salmon. 1*s.* 6*d.*
**MARINER**, rich rosy-magenta, upper petals feathered with dark crimson; fine flower. 2*s.* 6*d.*
**META**, bright cerise flowers, upper petals faintly feathered with maroon. 3*s.* 6*d.*
**SABINE**, bright rosy-carmine, a large well-formed round flower of a most pleasing colour. 2*s.* 6*d.*
**SATELLITE**, rosy-pink, upper petals feathered with purplish-crimson. 1*s.* 6*d.*
**SOURCE TOULOUSAINE**, bright carmine-rose, with salmon centre. 1*s.*
**VETERAN**, large trusses of semi-double flowers, bright orange-carmine, very floriferous. 5*s.*
**WRANGLER**, soft pink, faintly marked in upper petals with crimson. 1*s.* 6*d.*

## NEW AND CHOICE IVY-LEAVED PELARGONIUMS.

"PELARGONIUM LATERIPES."

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

**ESPOIR**, rosy-pink; upper petals barred with dark crimson; large flower. 1*s.*
**FUTURE FAME.** Flowers borne in immense trusses, being individually of very large size and of a most pleasing brilliant amaranth-purple colour. It was awarded a First Class Certificate by the Floral Committee in recognition of its superior merit. 1*s.*
**MASTERPIECE**, a very large and fine flower of a beautiful rich magenta-crimson colour. 1*s.*
**MONA**, bright magenta-pink, upper petals feathered with crimson. 3*s.* 6*d.*
**RUPERT**, rosy-carmine, shaded with magenta; upper petals barred with dark crimson 1*s.*

## NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

**AÉROLITHE**, irregular orange-scarlet semi-double flowers. 1*s.* 6*d.*
**ADMIRAL SEYMOUR**, dark amaranth-purple colour, marked with red in the upper petals. 1*s.*
**BONNAT**, large spherical trusses of brilliant carmine flowers. 7*s.* 6*d.*
**CENTAURE**, very large round trusses of bright rose flowers, vigorous habit. 3*s.* 6*d.*
**CHELSEA GEM**, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses; full double flowers of a charming rose-pink colour. 1*s.*; 9*s.* per dozen.
**CLEOPÂTRE**, flowers shaded salmon, centre orange-salmon; very dwarf and floriferous. 3*s.* 6*d.*
**COMTE DE FLANDRE**, delicate rose, shaded with bright red; very floriferous. 1*s.*
**COMTESSE DE FLANDRE**, flowers beautiful rosy-scarlet; very neat and pretty. 1*s.*
**COMTE D'HAINAULT**, an exceedingly dwarf variety, with rosy-purple flowers. 1*s.*
**DIRECTOR W. SCHULE**, large reddish-madder flowers. 1*s.* 6*d.*
**ESPERANCE**, very pretty delicate blush flowers, salmon centre. 1*s.* 6*d.*
**GENERAL BRIÈRE DE L'ISLE**, well shaped rosy-salmon flowers. 1*s.* 6*d.*
**GÉNERAL DE COURCY**, brick red in centre shading to salmon, marbled with white. 1*s.* 6*d.*
**GÉROME**, large trusses of double rosy-violet flowers. 7*s.* 6*d.*

### NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

**GIL BLAS**, fine compact truss of bright cherry-coloured flowers, brightened with fiery crimson. 1*s.*
**GLOIRE DE FRANCE**, dark salmon, shading to whitish-rose; extra large trusses. 1*s.* 6*d.*
**GUSTAVE VETTGE**, large trusses of rosy-salmon flowers, fringed with white. 1*s.* 6*d.*
**HORTENSE LEURQUIN**, full rosy-lilac flowers; dwarf habit. 1*s.* 6*d.*
**JEANNE CANOOT**, semi-double flowers, white, shaded with pale lilac. 1*s.* 6*d.*
**KHÉDIVE**, a fine full flower of a soft rose colour; dwarf and free-blooming. 1*s.*
**L'ABBE GRÉGOIRE**, dark crimson, marked bright reddish-amaranth in the upper petals. 1*s.* 6*d.*
**L'ANDALOUSE**, large trusses of creamy white flowers, very free. 1*s.*
**LA FAVORITE**, large trusses of well-made pure white flowers. 7*s.* 6*d.*
**LA JEANNETTE**, dwarf and free; large full flowers of the most pure snowy whiteness. 1*s.*
**LA PERLE**, enormous trusses of rosy-lilac flowers, bordered with deep rose, very fine. 1*s.* 6*d.*
**LE CID**, fine trusses of very bright crimson flowers; vigorous habit. 3*s.* 6*d.*
**LE POITEVIN**, fine trusses of brilliant cerise flowers, shaded with magenta. 1*s.* 6*d.*
**LE PROPHÈTE**, plant very vigorous; fine trusses of bright madder flowers. 3*s.* 6*d.*
**LOUIS FIGUIER**, large compact trusses, dark red bordered with rose. 1*s.* 6*d.*
**LOUIS LEURQUIN**, full bright red flowers; dwarf habit. 1*s.* 6*d.*
**MADAME DE NAUROIS**, rosy-carmine flowers, maculated with white, light centre. 1*s.* 6*d.*
**MADAME GRILLET**, soft rose flowers, good truss. 1*s.* 6*d.*
**MADAME GUILBERT**, large trusses of pure rose flowers. 1*s.* 6*d.*
**MADAME MENOREAU**, pure white, centre bright rose. 1*s.* 6*d.*
**MADEMOISELLE DELRIEU**, rosy-violet flowers; large truss. 1*s.* 6*d.*
**M. BAROU**, reddish-orange, lit up with violet. 1*s.* 6*d.*
**M. DE LEYBARDIE**, rosy-violet, the upper petals marked with white. 1*s.* 6*d.*
**M. FABRE**, orange-cerise, shaded violet. 1*s.* 6*d.*
**M. J. DELAUX**, rosy-purple, shaded with carmine, upper petals marked with white. 1*s.* 6*d.*
**M. JEAN LIABAUD**, large trusses of purplish-violet flowers. 1*s.* 6*d.*
**M. JOVIS**, immense trusses of blush-salmon flowers. 7*s.* 6*d.*
**PAUL ARÈNE**, very dwarf and floriferous; well-formed milk-white flowers. 7*s.* 6*d.*
**PETIT JEAN**, enormous trusses of Solferino-coloured flowers, the upper petals fiery red. 1*s.*
**PH. GEDULDIG**, reddish-carmine, shaded in the centre with violet. 1*s.* 6*d.*
**PRESIDENT DUTAILLY**, dark amaranth, bordered maroon. 1*s.* 6*d.*
**PRINCESSE CLEMENTINE**, very distinct and the dwarfest of this class, with golden foliage and extremely double scarlet-vermilion flowers, very floriferous. 1*s.*
**PROUVÉ**, very large trusses of bright cerise flowers, darkly blotched on the upper petals. 1*s.*
**RAFFAELLO MERCATELLI**, reddish-salmon, semi-double flowers. 1*s.* 6*d.*
**REINE MARIE HENRIETTE**, rose coloured flowers of perfect shape; a free grower. 1*s.*
**ROMULUS**, dark violet, maculated with red. 1*s.* 6*d.*
**SECRETAIRE NICOLAS**, orange-madder; fine trusses. 1*s.* 6*d.*
**SERGENT BLANDAN**, very large trusses of rich orange-madder flowers. 1*s.* 6*d.*
**SERGENT BOBILLOT**, beautiful rosy-purple flowers; fine trusses. 1*s.* 6*d.*
**SOUVENIR DE LOUIS VAN HOUTTE**, beautiful carmine-rose flowers; very floriferous. 1*s.*
**TRIOMPHE DE FRANCE**, enormous trusses of carmine-amaranth flowers, shading to rose. 1*s.* 6*d.*
**TUNISIE**, erect trusses of double flowers, white shaded with salmon. 7*s.* 6*d.*
**VIVIAND MOREL**, amaranth, centre deep red. 1*s.* 6*d.*

Selections of other good varieties can be made from Mr. W. B.'s general collection at 9s., 12s. and 18s. per dozen.

## SWEET-SCENTED LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 24s. per dozen, according to sorts.

## NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

## NEW AND CHOICE BRONZE, GOLD AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

CYATHEA SMITHII. CYATHEA DEALBATA.

DICKSONIA ANTARCTICA.

*Vide* next page.

# TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well established plants with fine heads, many of them having been grown in this country several years. The measurements of some of the plants are given below :—

Prices on application, or an inspection invited.

| No. | DICKSONIA ANTARCTICA. | |
|---|---|---|
| | Height of Stem. | Height of Head. |
| 1 | 2 ft. 8 in. | 1 ft. 6 in. |
| 2 | 10 in. | 2 ft. |
| 3 | 5 ft. 6 in. | 3 ft. 6 in. |
| 4 | 3 ft. 10 in. | 1 ft. |
| 5 | 4 ft. 2 in. | 2 ft. 6 in. |
| 6 | 5 ft. 2 in. | 2 ft |
| 7 | 3 ft. 3 in. | 1 ft. 6 in. |
| 8 | 7 ft. 4 in. | 3 ft. |
| 9 | 5 ft. 3 in. | 3 ft. 6 in. |
| 10 | 2 ft. 10 in. | 1 ft. 6 in. |
| 11 | 4 ft. 6 in. | 2 ft. |
| 12 | 5 ft. 2 in. | 3 ft. 6 in. |
| 13 | 1 ft. 10 in. | 2 ft. |
| 14 | 4 ft. 9 in. | 3 ft. |
| 15 | 7 ft. 10 in. | 4 ft. |
| 16 | 9 ft. 6 in. | 2 ft. 6 in. |
| 17 | 1 ft. 11 in. | 2 ft. |
| 18 | 2 ft. 7 in. | 1 ft. |
| 19 | 2 ft. | 1 ft. 6 in. |
| 20 | 2 ft. 8 in. | 2 ft. 6 in. |
| 21 | 3 ft. | 1 ft. 6 in. |
| 22 | 7 ft. 6 in. | 2 ft. 6 in. |
| 23 | 8 ft. 6 in. | 3 ft. |
| 24 | 5 ft. 6 in. | 3 ft. 6 in. |
| 25 | 3 ft. 2 in. | 2 ft. 6 in. |
| 26 | 1 ft. 10 in. | 2 ft. |
| 27 | 7 ft. 6 in. | 4 ft. |
| 28 | 1 ft. 10 in. | 1 ft. 6 in. |
| 29 | 4 ft. 9 in. | 2 ft. 6 in. |
| 30 | 2 ft. | 2 ft. |
| 31 | 5 ft. 6 in. | 2 ft. |
| 32 | 8 ft. 6 in. | 3 ft. 6 in. |
| 33 | 4 ft. 4 in. | 2 ft. |
| 34 | 2 ft. | 2 ft. |
| 35 | 2 ft. | 2 ft. |
| 36 | 4 ft. 6 in. | 3 ft. 6 in. |
| 37 | 2 ft. 9 in. | 2 ft. 6 in. |
| 38 | 7 ft. 5 in. | 2 ft. 6 in. |
| 39 | 3 ft. 8 in. | 2 ft. 6 in. |
| 40 | 1 ft. 10 in. | 2 ft. |
| 41 | 4 ft. | 2 ft. 6 in. |
| 42 | 8 ft. | 3 ft. |
| 43 | 12 ft. 9 in. | 3 ft. |
| 44 | 10 ft. 2 in. | 3 ft. 6 in. |
| 45 | 2 ft. 10 in. | 3 ft. |
| 46 | 5 ft. 10 in. | 2 ft. 6 in. |
| 47 | 7 ft. 4 in. | 3 ft. 6 in. |
| 48 | 3 ft. 10 in. | 2 ft. |
| 49 | 3 ft. 6 in. | 2 ft. |
| 50 | 7 ft. 2 in. | 3 ft. |
| 51 | 6 ft. 9 in. | 3 ft. 6 in. |

| No. | DICKSONIA ANTARCTICA. | |
|---|---|---|
| | Height of Stem. | Height of Head. |
| 52 | 5 ft. 6 in. | 2 ft. 6 in. |
| 53 | 7 ft. | 3 ft. 6 in. |
| 54 | 3 ft. | 1 ft. 6 in. |
| 55 | 4 ft. 6 in. | 2 ft. |
| 56 | 7 ft. 9 in. | 3 ft. |
| 57 | 8 ft. | 4 ft. |
| 58 | 5 ft. 2 in. | 2 ft. |
| 59 | 2 ft. 10 in. | 2 ft. |
| 60 | 10 ft. | 4 ft. |
| 61 | 4 ft. 9 in. | 3 ft. |
| 62 | 7 ft. 6 in. | 3 ft. 6 in. |
| 63 | 2 ft. 3 in. | 2 ft. |
| 64 | 4 ft. 8 in. | 2 ft. |
| 65 | 7 ft. | 4 ft. |
| 66 | 8 ft. | 3 ft. |
| 67 | 7 ft. | 3 ft. 6 in. |
| 68 | 3 ft. 7 in. | 2 ft. 6 in. |
| | **CYATHEA DEALBATA.** | |
| 69 | 2 ft. 8 in. | 2 ft. 6 in. |
| 70 | 4 ft. 10 in. | 3 ft. |
| 71 | 2 ft. 3 in. | 2 ft. |
| 72 | 4 ft. 8 in. | 2 ft. 6 in. |
| 73 | 3 ft. 8 in. | 2 ft. 6 in. |
| 74 | 2 ft. 8 in. | 1 ft. 6 in. |
| 75 | 4 ft. 10 in. | 2 ft. 6 in. |
| 76 | 3 ft. 3 in. | 2 ft. 6 in. |
| 77 | 5 ft. 8 in. | 3 ft. 6 in. |
| 78 | 3 ft. 3 in. | 3 ft. |
| 79 | 6 ft. 2 in. | 3 ft. |
| 80 | 4 ft. | 2 ft. |
| 81 | 5 ft. 6 in. | 3 ft. |
| | **CYATHEA BURKEI.** | |
| 82 | 8 ft. | 4 ft. |
| 83 | 7 ft. 4 in. | 3 ft. |
| 84 | 6 ft. 3 in. | 4 ft. |
| 85 | 6 ft. 4 in. | 4 ft. |
| 86 | 5 ft 8 in. | 4 ft. |
| 87 | 5 ft. 9 in. | 4 ft. 6 in. |
| 88 | 8 ft. 6 in. | 4 ft. |
| 89 | 5 ft. 2 in. | 3 ft. |
| 90 | 8 ft. | 3 ft. |
| | **CYATHEA DREGEI.** | |
| 91 | 7 ft. | 5 ft. |
| 92 | 4 ft. 5 in. | 3 ft. |
| 93 | 6 ft. 4 in. | 4 ft. |
| 94 | 6 ft. 2 in. | 5 ft. |

# CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 18s., 30s. and 42s. per dozen.

## ADIANTUM ANEITENSE.

A very elegant free-growing species of Maiden-hair Fern, introduced from the Island of Aneiteum. It has a creeping rhizome clothed with dark coloured scales, and divided deltoid fronds. The numerous segments of which the fronds are made up are rhomboidal, nearly sessile, firm in texture, with a glabrous surface, subglaucous beneath, and shallowly lobed along the upper and outer edges, where the roundish reniform sori are borne in the centre of the lobes. It is a distinct and ornamental evergreen Stove Fern, and was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 3*s.* 6*d.* and 5*s.*

**ADIANTUM** AMABILE, 1*s.* 6*d.*
ASSIMILE CRISTATUM, *vide* page 124.
BAUSEI, 3*s.* 6*d.*
BELLUM, 3*s.* 6*d.*
CARDIOCHLÆNA, 3*s.* 6*d.*
CILIATUM, 3*s.* 6*d.*
CONCINNUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— LATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CURVATUM, 3*s.* 6*d.*
DOLABRIFORMIS, 3*s.* 6*d.*
**ADIANTUM** FARLEYENSE, 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*
FARLEYENSE ALCICORNE, 5*s.*
FULVUM, 2*s.* 6*d.* and 3*s.* 6*d.*
GHIESBREGHTII (SCUTUM), 3*s.* 6*d.*
LATHOMII, 3*s.* 6*d.*
LEORANDII, 3*s.* 6*d.*
LUNULATUM, 3*s.* 6*d.*
MACROPHYLLUM, 3*s.* 6*d.*
PENTADACTYLON, 3*s.* 6*d.*
PERUVIANUM, 3*s.* 6*d.* and 5*s.*

## ADIANTUM OBLIQUUM MINUS.

An elegant dwarf evergreen Stove Fern from the United States of Colombia. It has a creeping rhizome, thickly furnished with pinnate fronds, which have blackish stipes, and a lamina composed of shortly-stalked pinnæ, curved upwards at the point, which is acuminate. In the sterile fronds the pinnæ are inciso-dentate, the fertile ones bear close set, but distinct oblong sori. 7*s.* 6*d.*

**ADIANTUM** REGINÆ, 3*s.* 6*d.* and 5*s.*
RHODOPHYLLUM, 5*s.*
RUBELLUM, 3*s.* 6*d.*
SANCTÆ CATHERINÆ, 3*s.* 6*d.*
SCUTUM, *vide* GHIESBREGHTII.
SPECIOSUM, 3*s.* 6*d.*
TENERUM, 2*s.* 6*d.*
TETRAPHYLLUM ORACILE, 7*s.* 6*d.*
TINCTUM, 3*s.* 6*d.*
TRAPEZIFORME, 3*s.* 6*d.*
VEITCHII, 3*s.* 6*d.*
VICTORIÆ, 3*s.* 6*d.*
**ANEMEDICTYON** PHYLLITIDIS, 1*s.* 6*d.* and 2*s.* 6*d.*
PHYLLITIDIS TESSELLATA, 5*s.*
**ANGIOPTERIS** EVECTA.
**ANTIGRAMMA** BRASILIENSIS, 7*s.* 6*d.* and 10*s.* 6*d.*
**ASPIDIUM** TRIFOLIATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
**ASPLENIUM** ALATUM, 3*s.* 6*d.*
BELANGERI, 2*s.* 6*d.*
CICUTARIUM, 2*s.* 6*d.*
FERNANDEZIANUM, 3*s.* 6*d.*
HOOKERIANUM, 3*s.* 6*d.*
PROLONGATUM, 3*s.* 6*d.* and 5*s.*
SHEPHERDII, 2*s.* 6*d.* and 3*s.* 6*d.*
VIVIPARUM, 3*s.* 6*d.*
**BLECHNUM** BRASILIENSE, 3*s.* 6*d.*
INTERMEDIUM, 3*s.* 6*d.*
POLYPODIOIDES, 2*s.* 6*d.* and 3*s.* 6*d.*

## CHEILANTHES CHLOROPHYLLA.

A free-growing cool Stove Fern, imported from Brazil. The fronds are ovate lanceolate tripinnatifid, the pinnæ distant lanceolate, the pinnules lanceolate, and the lobes entire linear oblong. The stipes are dark chestnut-brown and polished. 5*s.* and 7*s.* 6*d.*

**CHEILANTHES** ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.*
**CIBOTIUM** SCHIEDEI, 5*s.* and 7*s.* 6*d.*
**CYATHEA** (CIBOTIUM) PRINCEPS, *vide* page 124.
SPINULOSA, *vide* page 124.

## DAVALLIA FIJIENSIS.

A charmingly elegant evergreen Fern, free in growth, firm and durable in texture, and bright green in colour, introduced from the Fiji Islands. The fronds grow two or three feet in height, and have a deltoid outline, the points of the fronds and of the pinnæ being gracefully deflexed; they are compoundly divided, the whole frond being split up into lanceolate pinnules and pinnulets, and finally cut into narrow linear bifid divisions. This was one of the New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Ghent, and at the Great Show of the Royal Horticultural Society, held at Kensington in 1880. 5*s.*

## DAVALLIA FIJIENSIS PLUMOSA.

This is certainly one of the most charming forms of a remarkably ornamental species. It has creeping rhizomes, from which spring up at intervals the gracefully-drooping, feathery plumose fronds growing on stalks a foot or more in length. It will be a grand subject for all decorative purposes, especially useful for cutting, and a noble Fern for exhibition. In speaking of the best novelties, the *Gardeners' Chronicle* (Jan. 7th, 1882, page 10), remarks: "The *Davallia fijiensis plumosa* is, perhaps, one of the most elegant of all known Ferns." It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 7*s*. 6*d*.

**DAVALLIA** BULLATA, 2*s*. 6*d*.
CHÆROPHYLLA, 3*s*. 6*d*.
FÆNICULACEA, 10*s*. 6*d*.
HEMIPTERA, 5*s*.
LORRAINII, 10*s*. 6*d*. and 15*s*.
MARIESII, 3*s*. 6*d*.
—— CRISTATA, 3*s*. 6*d*.
MOOREANA, 2*s*. 6*d*. and 3*s*. 6*d*.
NOVA ZEALANDIÆ, 2*s*. 6*d*.
PENTAPHYLLA, 3*s*. 6*d*.
POLYANTHA, 3*s*. 6*d*.
PYXIDATA, 3*s*. 6*d*.
SOLIDA, 3*s*. 6*d*.
TENUIFOLIA, 3*s*. 6*d*.
—— VEITCHII, 5*s*.
TYERMANNI (HUMATA), 3*s*. 6*d*.
**DIPLAZIUM** ARNOTTII, 7*s*. 6*d*.
**DORYOPTERIS** PALMATA, 2*s*. 6*d*.
SAGGITTÆFOLIA, 3*s*. 6*d*.
**ELAPHOGLOSSUM** GLABRATUM, 7*s*. 6*d*.
HERMINIERI, 15*s*. and 1 guinea.
**GLEICHENIAS**, *vide* page 126.
**GONIOPHLEBIUM** FRAXINIFOLIUM, 5*s*.
GLAUCOPHYLLUM, 5*s*.
SUBAURICULATUM, 3*s*. 6*d*.
**GYMNOGRAMMA** CALOMELANOS, 2*s*. 6*d*. & 3*s*. 6*d*.
CHRYSOPHYLLA, 2*s*. 6*d*. and 3*s*. 6*d*.
DECOMPOSITA, 3*s*. 6*d*.
LAUCHEANA, 3*s*. 6*d*.
—— GIGANTEA, 5*s*.
MERTENSII DOBROYDENSIS, 5*s*.
PERUVIANA ARGYROPHYLLA, 3*s*. 6*d*.
SCHIZOPHYLLA, 1*s*. 6*d*. and 2*s*. 6*d*.
—— OLORIOSA, 3*s*. 6*d*.
WETENHALLIANA, 2*s*. 6*d*. and 3*s*. 6*d*.
**GYMNOPTERIS** QUERCIFOLIA, 3*s*. 6*d*.
**GYMNOTHECA** RADDIANA, 2 and 3 guineas
**HEMIONITIS** PALMATA, 2*s*. 6*d*. and 3*s*. 6*d*.
**HYMENODIUM** CRINITUM, 5*s*. and 7*s*. 6*d*.

## LASTREA JENMANI.

This Fern has been introduced from Jamaica. The stipes is erect, stout and scaly, the frond about two feet long and nine or twelve inches wide, covered with dense minute pellucid dots; the pinnæ are numerous, the lower ones much reduced, the larger ones six inches long and an inch wide, cut down nearly to the rachis, into blunt slightly crenulate segments. 5*s*.

**LASTREA** QUINQUANGULARIS, 3*s*. 6*d*.
RICHARDSII MULTIFIDA, 3*s*. 6*d*.
*See also* page 126.
**LOMARIA** GIBBA, 1*s*. 6*d*. and 2*s*. 6*d*.
HETEROPHYLLA
**LYGODIUM** SCANDENS, 3*s*. 6*d*.
**MENISCIUM** RETICULATUM, 5*s*.
**MICROLEPIA** HIRTA CRISTATA, 3*s*. 6*d*.
**NEPHRODIUM** TRUNCATUM, 7*s*. 6*d*.
**NEPHROLEPIS** BAUSEI, 5*s*.
DAVALLIOIDES FURCANS, 3*s*. 6*d*.
DUFFII, 2*s*. 6*d*. and 3*s*. 6*d*.
ENSIFOLIA, 5*s*.
PECTINATA, 3*s*. 6*d*.

**PHLEBODIUM** GLAUCUM, 3*s.* 6*d.* and 5*s.*
**PLATYCERIUM** GRANDE
STEMMARIA, 10*s.* 6*d.* and 15*s.*
**PLEOCNEMIA** LEUZEANA, 5*s.* and 7*s.* 6*d.*
**PLEOPELTIS** XIPHIAS, 5*s.*
**POLYSTICHUM** LENTUM, 5*s.*
VIVIPARUM, 3*s.* 6*d.* and 5*s.*
**POLYPODIUM** PECTINATUM, 3*s.* 6*d.*
PLUMOSUM, 5*s.*
VENOSUM, 3*s.* 6*d.*
**PTERIS** HASTATA, 1*s.* 6*d.*
INTERNATA, 2*s.* 6*d.*
TRICOLOR, 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

# CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 18s., 30s. and 42s. per dozen.

## ADIANTUM ASSIMILE CRISTATUM.

A very elegant and handsomely crested form of the well-known greenhouse Fern *A. assimile*. It is of light and graceful appearance, and strikingly different from the typical species, the fronds being much more elongate, and terminated with dense tasselate growths, which cause the fronds to arch over in a most elegant manner. The pinnules are of a bright green colour, which, combined with the pendulous character of its fronds, renders it one of the most useful for growing in suspended baskets, &c. It has been imported from Victoria. 10*s.* 6*d.*

**ADIANTUM** CAPILLUS-VENERIS MAGNIFICUM, 3*s.* 6*d.*
CAPILLUS-VENERIS PACOTTI, 1*s.* 6*d.* and 2*s.* 6*d.*
**ADIANTUM** CUNEATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
CUNEATUM GRANDICEPS, 3*s.* 6*d.*
DECORUM, 3*s.* 6*d.*

## ADIANTUM CUNEATUM ELEGANS.

This is an elegant variety of the old and favourite *Adiantum cuneatum*. Less dense than the typical form and less gossamer-like than the variety *gracillimum*, it is about intermediate between the two, perfectly distinct and equally effective as a decorative plant, added to which it is hardier, stands better when cut and produces a much larger quantity of fronds. The pinnæ, which are triangular ovate, have a distinct stalk, and the whole frond has a light and airy appearance, owing to the small and narrowly wedge-shaped pinnules being rather widely set on the hair-like divisions of the fronds. 2*s.* 6*d.* each.

**ADIANTUM** FORMOSUM, 1*s.* 6*d.*
GRACILLIMUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MUNDULUM, 3*s.* 6*d.*
PEDATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
WILLIAMSII, 3*s.* 6*d.*
**ALSOPHILA** AUSTRALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
**ALSOPHILA** CAPENSIS, 10*s.* 6*d.* and 15*s.*
REBECCÆ, *vide* page 125.
**ASPLENIUM** BULBIFERUM, 1*s.* 6*d.* and 2*s.* 6*d.*
FALCATUM, 7*s.* 6*d.*
**CIBOTIUM** REGALE, 3*s.* 6*d.* and 5*s.*
**CYATHEA** BURKEI, *vide* page 121.

## CYATHEA DEALBATA.

The Silver Fern of New Zealand, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* For large plants, *vide* page 121.

## CYATHEA DREGEI.

A very fine South African greenhouse Fern, with bipinnate fronds of stoutish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntish at the point, and the sori in the lower half immersed in rufous wool. 3*s.* 6*d.* and 5*s.* For large plants, *vide* page 121.

## CYATHEA SPINULOSA.

A fine Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being muricated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10*s.* 6*d.*

**CYATHEA** MEDULLARIS, 3*s.* 6*d.* and 5*s.*
(CIBOTIUM) PRINCEPS, 3*s.* 6*d.* and 5*s.*
**CYRTOMIUM** CARYOTIDEUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FALCATUM, 2*s.* 6*d.*
FORTUNEI, 2*s.* 6*d.*
**DAVALLIA** DISSECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s*
**DICKSONIA** ANTARCTICA, 2*s.* 6*d.* and 3*s.* 6*d.*
For large plants, *vide* page 121.
(BALANTIUM) CULCITA, 5*s.*
SQUARROSA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**DIDYMOCHLÆNA** TRUNCATULA, 3*s.* 6*d.*
**DORYOPTERIS** PALMATA, *vide* page 123.

ALSOPHILA REBECCÆ.

## ALSOPHILA REBECCÆ.

An elegant Tree Fern introduced from Queensland. The stem is very slender; the fronds are elliptic, bipinnate, the larger pinnæ bearing on each side numerous pinnules, which are stalked, linear acuminate, with an unequal subcordate base and an inciso-crenate margin. The texture of the frond is firm, the surface glabrous; the rachis clothed on the upper surface with black fibrillose scales. It is very distinct from all other Australian Ferns. 3*s*. 6*d*. and 5*s*.

## DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. 3*s*. 6*d*.

**GLEICHENIA** DICARPA, 5*s*. and 7*s*. 6*d*.
DICARPA LONGIPINNATA, 10*s*. 6*d*. and 15*s*.
DICHOTOMA, 5*s*. and 7*s*. 6*d*.
FLABELLATA, 10*s*. 6*d*.
MENDELII, 1 guinea.
MICROPHYLLA, 10*s*. 6*d*.
RUPESTRIS GLAUCESCENS, 10*s*. 6*d*.
SEMIVESTITA, 5*s*. and 7*s*. 6*d*.
SPELUNCÆ, 1 guinea.
**HYMENOPHYLLUM** DEMISSUM, 5*s*. and 7*s*. 6*d*.
**LASTREA** ARISTATA VARIEGATA, 1*s*. 6*d*. and 2*s*. 6*d*.
GLABELLA, 2*s*. 6*d*. and 3*s*. 6*d*.
**LOMARIA** CILIATA, 3*s*. 6*d*.
CYCADÆFOLIA, 5*s*. and 7*s*. 6*d*.
GIBBA, *vide* page 123.
DALGAIRNSIÆ, 1½ and 2 guineas.
DISCOLOR BIPINNATIFIDA.
ZAMIÆFOLIA, 3*s*. 6*d*. and 5*s*.
**NEPHRODIUM** MOLLE CRISTATUM, 3*s*. 6*d*.
MOLLE RAMOSUM, 3*s*. 6*d*.
**ONYCHIUM** JAPONICUM, 1*s*. 6*d*.
**OSMUNDA** JAPONICA CORYMBIFERUM, 5*s*. & 7*s*. 6*d*.
PALUSTRIS, 3*s*. 6*d*.
**PLATYCERIUM** ALCICORNE, 3*s*. 6*d*.
ALCICORNE MAJUS, 7*s*. 6*d*.
**POLYPODIUM** TRICHODES (LASTREA TENERICAULIS) 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
**PTERIS** ARGYREIA, 1*s*. 6*d*. and 2*s*. 6*d*.
CRETICA ALBO-LINEATA, 1*s*. 6*d*.
—— MAYII, 3*s*. 6*d*.
SERRULATA CRISTATA, 2*s*. 6*d*.
—— —— VARIEGATA, 3*s*. 6*d*.
—— FIMBRIATA, 5*s*.
—— LEYI, 2*s*. 6*d*.
TREMULA, 1*s*. 6*d*. and 2*s*. 6*d*.
—— FLACCIDA, 2*s*. 6*d*. and 3*s*. 6*d*.

## PTERIS TREMULA GRANDICEPS.

This handsome greenhouse Fern, which is well adapted to become a very useful one for decorative purposes, is a hybrid between *Pteris tremula* and *P. serrulata cristata*. The plant forms a dense tuft of evergreen fronds of an elegant semi-dependent character, an appearance which is chiefly induced by the graceful manner in which the ends of the fronds and pinnules are crested and tasselled. The apex of the fronds is divided into a crest made up of four or five principal divisions and numerous multifurcations, the pinnæ and pinnules also terminating in narrow apices. The crests are flattish and fimbriately tasselled. The plant is free in growth, and of most attractive appearance. 7*s*. 6*d*.

**PTERIS** TRICOLOR, *vide* page 124.
**TODEA** AFRICANA, 2*s*. 6*d*. and 3*s*. 6*d*.

## TODEA (LEPTOPTERIS) SUPERBA.

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which is unquestionably one of the most handsome yet known. It should be seen to be justly appreciated. The fronds which are fifteen to eighteen inches in length, are of a bright green, of transparent texture and of a lanceolate outline, spreading, beautifully arching and feathered down to the very base; the pinnæ are crowded and cut into narrow segments, which, instead of lying flat, as in *Todea hymenophylloides*, are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*. Fine strong plants, 10*s*. 6*d*., 15*s*. and 1 guinea.

### TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

### TRICHOMANES RADICANS.

**(THE KILLARNEY OR IRISH BRISTLE FERN).**

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 7*s.* 6*d.* and 10*s.* 6*d.*

**WOODWARDIA ORIENTALIS,** 2*s.* 6*d.* and 3*s.* 6*d.*

## NEW HARDY FERNS.

### LASTREA PROLIFICA.

A most interesting hardy evergreen Fern, introduced from Japan, and described in the *Gardeners' Chronicle*, where a letter of Mr. Lafosse was quoted in which the plant is highly eulogised for its beauty. It has triangular, bipinnate, coriaceous, shining green fronds, with the pinnules narrow, often pointed, usually with a lobe or two at the base, but in different plants and parts of the same plant extremely variable in their actual form and character. The sori are large and cover the narrow segments, and these sori are themselves covered by large persistent indusia, which are red in the centre and lead-coloured at the margin. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

### POLYSTICHUM POLYBLEPHARUM.

A fine hardy evergreen Fern from Japan. The fronds are of moderate size, ovate-lanceolate, bipinnate, with the lower pinnæ deflexed, the pinnules marginate, trapezio-ovate or oblong, with a few coarse deep teeth. The lower anterior pinnules are considerably larger than the rest, narrow oblong, and deeply inciso-lobate. The sori are numerous, and covered with thick rufescent indusia. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

## CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

## SELAGINELLAS (LYCOPODIUMS.)

*G*, greenhouse; *H*, hardy; *S*, stove.

| | s. | d. |
|---|---|---|
| *S* **AFRICANA** | 2 | 6 |
| *S* **ALBO-SPICA** | 3 | 6 |
| *S* **AMŒNA**, *vide* below | | |
| *S* **APUS (APODA)** | 1 | 6 |
| *S* **ATROVIRIDIS** | 2 | 6 |
| *S* **BROWNII** | 2 | 6 |
| *S* **CANALICULATA**, *vide* page 130. | | |
| *S* **COGNATA**, *vide* page 130 | | |
| *S* **CONVOLUTA** (PARADOXA) | 2 | 6 |
| *S* **CUSPIDATA** | 2 | 6 |
| *S* **EMILIANA** | 3 | 6 |
| *S* **FILICINA** (DICHROUS) | 2 | 6 |
| *S* **FLAGELLIFERA**, *vide* page 130. | | |
| *S* **GALEOTTII** (SCHOTTII) | 2 | 6 |
| *S* **GRANDIS** | 3*s.* 6*d.* & | 5 0 |
| *S* **INÆQUALIFOLIA** | 1*s.* 6*d.* & | 2 6 |
| *G* **INVOLVENS VARIEGATA**, *vide* page 128. | | |
| *G* **KRAUSSIANA** (DENTICULATA) | 0 | 9 |
| *G* —— **AUREA** | 1*s.* 6*d.* & | 2 6 |
| *G* —— **VARIEGATA** | 2 | 6 |
| *S* **LÆVIGATA** (CÆSIA ARBOREA) | 3 | 6 |
| *S* **LOBBII** | 2 | 6 |
| *S* **LYALLII** | 3 | 6 |
| *S* **MARTENSII** | 1 | 6 |
| *S* —— **ALBO-VARIEGATA** | 2 | 6 |
| *S* **POULTERI** | 2 | 6 |
| *S* **RUBRICAULIS** | 2 | 6 |
| *S* **SERPENS** (MUTABILIS and VARIABILIS) | 1 | 6 |
| *S* **SETOSA** | 2 | 6 |
| *S* **TASSELLATA**, *vide* page 129. | | |
| *S* **VOGELLII VARIEGATA** | 5 | 0 |
| *S* **UNCINATA** (CÆSIA) | 1 | 6 |
| *S* **WALLICHII** | 3 | 6 |
| *G* **WILDENOVII** (PUBESCENS) | 2 | 6 |

Selection of good kinds can be supplied at 18s. per dozen.

### SELAGINELLA AMŒNA.

A beautiful Club-Moss, belonging to the caulescent group. It grows about a foot high, the erect stem being furnished with small scattered leaves; the upper portion is triangular and pinnately branched, the branches themselves being bipinnate, and the whole plant of a bright and cheerful green. The upper part of the stem and the branches have spreading distant acuminate leaves, with smaller intermediaries. It has been introduced from Mexico. 2*s.* 6*d.* and 3*s.* 6*d.*



SELAGINELLA INVOLVENS VARIEGATA.

## SELAGINELLA INVOLVENS VARIEGATA.

A dwarf dense-growing variegated form of greenhouse Club-Moss, introduced from Japan; some of the branchlets are creamy white, and these, being mixed in freely with the green branchlets, produce an elegant variegation. The plant forms a pretty dwarf tuft, consisting of an overlapping series of branches, surrounding the central axis. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Royal Horticultural Society's Exhibitions, in 1880, 1881, and 1882. *3s. 6d.* and *5s.*

SELAGINELLA TASSELLATA.

## SELAGINELLA TASSELLATA.

A remarkably handsome and elegant species introduced from Brazil. From the creeping caudex are developed at intervals erect stems; these have flat closely pinnate branches and branchlets, from the tips of which are produced fertile quadrangular spikelets about an inch and a half in length, giving the plant the appearance of being furnished with a profusion of elegant tassels. This striking and peculiar character renders it one of the most desirable and attractive of the Club-mosses. *7s. 6d.*

### SELAGINELLA CANALICULATA.

A remarkable handsome species from the Islands of the South Pacific. It is of scandent habit, the stems rooting freely from the base, tinted with pale brownish-red, and furnished with scattered ovate-oblong unequal-sided leaves: the branches are tripinnate; the larger leaves are distant semi-ovate, while the leaves of the alternate divisions are close set and ovate-oblong acute. 3*s.* 6*d.* and 5*s.*

### SELAGINELLA COGNATA.

A very fine species, of sub-climbing habit. It has stoutish erect rooting stems, which are furnished with obliquely-ovate spreading leaves, set on at about half an inch apart. The leaves become gradually smaller on the successive series of branchlets, the small intermediate ones converging with the point upcurved, which gives the surface a somewhat bristly appearance. It has been introduced from the Isles of the South Pacific Ocean. 5*s.*

### SELAGINELLA FLAGELLIFERA.

A very elegant species of a bright cheerful green colour, introduced from the Fiji Islands. The leaves on the main rachis are spreading, broadly cordate, with a stout midrib and entire margins. The fructification is terminal on the branchlets, the spikelets tetragonal, from a quarter to half an inch long. From the free manner in which this species produces long flagelliform rooting stems or runners, it is particularly adapted for rockwork or basket-culture. 7*s.* 6*d.*

### SELAGINELLA VICTORIÆ.

An elegant sub-scandent species, introduced from the South Sea Islands. It has erect stems, which produce alternate lateral branches of an ovate outline, flat and closely pinnate. The colour is a dark green, the spikelets and young growth being of a paler hue, having a long terminal pinnulet to each branch. 3*s.* 6*d.*

# PALMS, CYCLANTHS & CYCADS,

## Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk * are kinds that will succeed in a greenhouse.*

**ACANTHOPHŒNIX** CRINITA (ARECA CRINITA) ..... 10*s.* 6*d.* and 15*s.*

**ACANTHORRHIZA** ACULEATA (CHAMÆROPS STAURACANTHA) ..... 10*s.* 6*d.* and 15*s.*

***ARCHONTOPHŒNIX** ALEXANDRÆ (PTYCHOSPERMA ALEXANDRÆ) ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

* CUNNINGHAMIANA (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
In all sizes..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* to 1, 1½ and 2 guineas.

**ARECA**-ALBA, *vide* DICTYOSPERMA ALBUM.

ALICÆ, a North-east Australian Palm, found in Trinity Bay by Mr. Walter Hill, and commemorates the late Grand Duchess of Hesse—Princess Alice. The leaves are pinnatisect, the pinnæ-like segments sessile. Its comparatively dwarf habit will render this pinnate Palm, a valuable one for decorative purposes ..... 1 guinea

AUREA, *vide* DICTYOSPERMA AUREUM.

* BAUERI *vide* RHOPALOSTYLIS BAUERI.

CRINITA, *vide* ACANTHOPHŒNIX CRINITA.

LUTESCENS, *vide* CHRYSALIDOCARPUS LUTESCENS

MADAGASCARIENSIS ..... 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

MONOSTACHYA, *vide* BAOULARIA MONOSTACHYA

RUBRA, *vide* DICTYOSPERMA RUBRUM

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA

TRIANDRA ..... 10*s.* 6*d.* and 15*s.*

VERSCHAFFELTII, *vide* HYOPHORBE VERSCHAFFELTII

**ARENGA** SACCHARIFERA "Gomuti Palm" ..... 10*s.* 6*d.* and 15*s.*

* WIGHTII ..... 1 guinea

**ASTROCARYUM** MALYBO (A. AROENTEUM) ..... 1½ and 2 guineas

**BACULARIA** MONOSTACHYA, "Walking Stick Palm," (ARECA MONOSTACHYA, LINOSPADIX MONOSTACHYA) ..... 2*s.* 6*d.*, 3*s.* 6*d.* & 5*s.*

**BOWENIA** SPECTABILIS SERRULATA, a distinct and remarkable Australian Plant, Bowenia being the only known Cycad with bipinnate fronds. It has a short thick caudex, from the crowns of which are developed its large and handsome leaves, which differ materially from the typal and only other known Boweuia in having the margins distinctly toothed or serrated. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Carlisle, and the First Prize at the International Horticultural Exhibition at Ghent ..... 5*s.* and 7*s.* 6*d.*

**CALAMUS** AUSTRALIS .....

CILIARIS ..... 1, 1½ and 2 guineas

MICRANTHUS ..... 7*s.* 6*d.* and 10*s.* 6*d.*

(DÆMONOROPS) PALEMBANICUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

(——) PERIACANTHUS ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

TRINERVIS ..... 2 guineas

**CALYPTROGYNE** SWARTZII "Mountain Thatch Palm" (CALYPTRONOMA SWARTZII) 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*

TERES, a useful and ornamental stove Palm, imported from British Guiana. It has smooth terete green petioles, and spreading or drooping leaves, which in the young plants consist of two pairs of linear-oblong tapered leaflets about two inches wide, bright green, and having the principal ribs raised on both surfaces ..... 1 and 1½ guinea

**CALYPTRONOMA** SWARTZII, *vide* CALYPTROGYNE SWARTZII

**CARLUDOVICA** DRUDEI, a noble and decorative stove Cyclanth, introduced from the United States of Colombia. In habit it somewhat resembles a Fan Palm, with handsome and effective deep green lustrous leaves. The flowers are borne on a stalked erect spadix of cylindrical form and of ivory-white colour, and resemble a bottle brush by reason of the long stamens which project horizontally from the female flowers ..... 10*s.* 6*d.* and 15*s.*

PALMATA ..... 10*s.* 6*d.* and 15*s.*

PLUMIERI, a remarkably interesting plant. It has an erect waving caudex, with alternate leaves. The leaf blades are bipartite, the divisions lanceolate, plicate, with the ribs raised on the upper surface, bright green above, paler beneath. The pendulous spadices are four inches long, axillary, pedunculate, and covered with twisted threads 10*s.* 6*d.*

WALLISII, a Palm-like stove plant. It has erect semi-terete petioles, which support the spreading ovate blade of the leaf, which is two-lobed and plicate. Each division of the leaf is about a foot long and six or eight inches broad. Flowers white, remarkably sweet-scented. Introduced from the United States of Colombia ..... 7*s.* 6*d.* and 10*s.* 6*d.*

**CARYOTA** URENS "Wine Palm" ..... 7*s.* 6*d.* and 10*s.* 6*d.*

**CATAKIDOZAMIA** HOPEI .....

DENISONI, *vide* LEPIDOZAMIA

**CERATOZAMIA** FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinnæ deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green ..... 3 and 4 guineas.

**CEROXYLON** NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS

**CHAMÆDOREA** ELEGANTISSIMA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

FORMOSA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

**CHAMÆDOREA** GRAMINIFOLIA .. 10*s.* 6*d.* and 15*s.*

* POLITA, a neat-habited greenhouse Palm. The stems are quite smooth, as also are the petioles, which are terete, the leaves being bifid, or when a stage more advanced breaking up into two pairs of green pinnæ, with the terminal leaflet larger than the others. It has been imported from Mexico. 10*s.* 6*d.*

***CHAMÆROPS** EXCELSA, *vide* TRACHYCARPUS EXCELSUS

* FORTUNEI, *vide* TRACHYCARPUS FORTUNEI

* HUMILIS, this useful decorative Palm can be supplied in all sizes, from 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea to 2, 3 and 4 guineas each.

* —— GRACILIS ..... 15*s.* and 1 guinea.

* —— ROBUSTA ..... 15*s.* and 1 guinea.

* —— TOMENTOSA ..... 15*s.* and 1 guinea.

STAURACANTHA, *vide* ACANTHORRHIZA ACULEATA

**CHRYSALIDOCARPUS** LUTESCENS (ARECA LUTESCENS, HYOPHORBE INDICA, H. COMMERSONIANA), in all sizes.....1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.

***COCOS** AUSTRALIS (DIPLOTHEMIUM CAMPESTRE), 5*s.* and 7*s.* 6*d.*

* CHILENSIS, *vide* JUBÆA SPECTABILIS

* FLEXUOSA ..... 3*s.* 6*d.* and 5*s.*

INSIONIS (GLAZIOVA INSIONIS), 7*s.* 6*d.* and 10*s.* 6*d.*

***COCOS** PLUMOSA ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

PROCOPEANA ..... 5*s.* and 7*s.* 6*d.*

* WEDDELLIANA (GLAZIOVA ELEGANTISSIMA, LEOPOLDINA PULCHRA), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnæ or segments, of a rich green colour. In all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.

***CORYPHA** AUSTRALIS, *vide* LIVISTONA AUSTRALIS

* DECORA, an elegant and ornamental species introduced from Queensland. It early develops characterized leaves, which are fan-shaped in outline and divided almost to the petiole into linear lanceolate segments each about half-an-inch in breadth. This species will undoubtedly be found one of the most useful of greenhouse palms..... 10*s.* 6*d.*, 15*s.* and 21*s.*

**CYCAS** ARMSTRONGII .....

CIRCINALIS ..... 1½ and 2 guineas.

MEDIA, a noble form of Cycad introduced from intertropical New Holland. The trunk is both stout and tall, cylindrical, and tolerably even in outline, the surface closely dotted by the scar-like marks which indicate the places whence leaf-stalks have been removed. This stem produces a grand head of leaves, which are of a large size, and somewhat variable in form and character in different specimens. Trunks in various sizes. Prices on application.

NORMANBYANA ..... 10*s.* 6*d.* and 15*s.*

PLUMA .....

* REVOLUTA, in all sizes, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea; fine specimens, 3, 4 and 5 guineas each.

RUMPHII .....

SIAMENSIS .....

**CYCLANTHUS** DISCOLOR..... 1 guinea.

**CYPHOKENTIA** GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS

MACROCARPA, *vide* KENTIOPSIS MACROCARPA

**DÆMONOROPS**, *vide* CALAMUS

**DICTYOSPERMA** ALBUM (ARECA ALBA) ..... 3*s.* 6*d.* and 5*s.*

AUREUM (ARECA AUREA) a fine and graceful Palm, with yellowish stems ..... 10*s.* 6*d.* and 15*s.*

RUBRUM (ARECA RUBRA) ..... 3*s.* 6*d.*, 5*s* and 7*s.* 6*d.*

**DIOON** EDULE ..... 1, 2 and 3 guineas.

**DIPLOTHEMIUM** CAMPESTRE, *vide* COCOS AUSTRALIS

CAUDESCENS (CEROXYLON NIVEUM) ..... 5*s.* and 7*s.* 6*d.*

**DRYMOPHLŒUS** SINOAPORENSIS (PTYCHOSPERMA SINOAPORENSIS). Truly a "most elegant" Palm. It has slender stems, and rich green leaves on smooth green petioles. The leaves are elegantly drooping in habit and ovate in form, consisting of numerous narrow leaflets, tapering to a long slender point. It has been introduced from Singapore.

***ENCEPHALARTOS** ALTENSTEINII.....

* (ZAMIA) BRACHYPHYLLUS .....

* CAFFRA .....

* (ZAMIA) CYCADÆFOLIUS .....

*ENCEPHALARTOS FRIDERICI-GUILIELMI.
GHELLINCKII (GRACILIS)
* HILDEBRANDII, this fine Cycadaceous plant has been introduced from Eastern Africa.
* HORRIDUS .....
* —— MULTIFLEXUS .....
* (ZAMIA) LEHMANNI .....
* (——) —— GLAUCUS ....
* (——) —— SPINOSUS ....
* (——) VILLOSUS .....
* (——) —— AMPLIATUS ..
* (——) —— DENTICULATUS
* (——) —— GRACILIS ....
* (——) —— VROOMII .... 4 and 5 guineas.
EUTERPE EDULIS "ASSAI PALM" (OREODOXA SANCONA) 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
GEONOMA CARDERI ..... 15*s.* and 1 guinea.
GEONOMA GRACILIS ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*
LATIFOLIA ..... 3*s.* 6*d.* and 5*s.*
PRINCEPS ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
SPECIOSA ..... 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
SCHOTTIANA ..... 3*s.* 6*d.* and 5*s.*
SPIXIANA ..... 7*s.* 6*d.* and 10*s.* 6*d.*
GLAZIOVA ELEGANTISSIMA, *vide* COCOS WEDDELLIANA
INSIONIS, *vide* COCOS INSIGNIS
GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA
FORSTERIANA, *vide* HOWEA FORSTERIANA
*HEDYSCEPE CANTERBURYANA "Umbrella Palm" (KENTIA CANTERBURYANA), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
HETEROSPATHE ELATA (METROXYLON ELATUM), 10*s.* 6*d.*, 15*s.* & 1 guinea.
*HOWEA BELMOREANA, "Curley Palm," (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 1 guinea.
* FORSTERIANA, "Flat or Thatch-Leaf Palm," (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA), 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA)
HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS
INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS
(ARECA) VERSCHAFFELTII, 10*s.* 6*d.*, 15*s.* and 1 guinea
*JUBÆA SPECTABILIS, "Coquito Nut Palm," (COCOS CHILENSIS, MOLINIA CHILENSIS)
*KENTIA AUSTRALIS
* BELMOREANA, *vide* HOWEA BELMOREANA
* CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA
* FORSTERIANA, *vide* HOWEA FORSTERIANA
GRACILIS, *vide* KENTIOPSIS OLIVÆFORMIS
LINDENI, *vide* KENTIOPSIS MACROCARPA
LUCIANI
MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII
MONOSTACHYA, *vide* AREOA MONOSTACHYA
* RUPICOLA
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA
KENTIOPSIS MACROCARPA (CYPHOKENTIA MACROCARPA, KENTIA LINDENI) ..
OLIVÆFORMIS (KENTIA GRACILIS, CYPHOKENTIA GRACILIS) .....
LATANIA AUREA, *vide* L. VERSCHAFFELTII
* BORBONICA, *vide* LIVISTONA CHINENSIS
* COMMERSONI (L. RUBRA)..... 1 and 1½ guinea.
* VERSCHAFFELTI (L. AUREA) ..... 15*s.* and 1 guinea.

GEONOMA GRACILIS.

HOWEA (KENTIA) BELMOREANA.

**LEOPOLDINA** PULCHRA, *vide* Cocos Weddelliana

**LEPIDOZAMIA** Peroffskyana (Macrozamia Denisoni) .....

**LICUALA** GRANDIS (Pritchardia grandis). As a new introduction, scarcely any plant has made a greater sensation than this remarkable Palm. When exhibited by Mr. W. B. at the International Horticultural Exhibition, held at Brussels, it won the First Prize for a new Palm not in commerce. At the same time another specimen was also shown in the six New Plants with which Mr. W. B. gained the First Prize. Again at the International Horticultural Exhibition, held at Ghent, it was one of the twelve New Plants with which Mr. W. B. won the First Prize. It was discovered in the South Sea Islands by one of Mr. W. B.'s Plant Collectors, and takes rank amongst the most distinct and attractive Palms ever introduced .....

PELTATA ..... 5*s.* and 7*s.* 6*d.*

**LINOSPADIX** MONOSTACHYA, *vide* Bacularia monostachya

**LIVISTONA** ALTISSIMA ..... 10*s.* 6*d.*, 15*s.* & 1 guinea.

* AUSTRALIS (Corypha australis) ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*

* CHINENSIS (Latania borbonica, L. sinensis, L. mauritiana) in all sizes, from 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 1 guinea, to 2, 3, 4 and 5 guineas each.

HOOGENDORPHII, a fine Stove Palm, of spreading habit; the leaves, which are nearly three feet broad, are palmately divided, the segments being broad, and giving the leaves a bold and distinctive character .....5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

* MAURITIANA, *vide* L. chinensis

ROTUNDIFOLIA (subglobosa) ..... 3*s.* 6*d.* and 5*s.*

* SINENSIS, *vide* L. chinensis

**LOXOCOCCUS** RUPICOLA (Ptychosperma rupicola) ..... 1 and 1½ guinea.

***MACROZAMIA** CORALLIPES .....

* CYLINDRICA, a distinct and well-marked Cycad, introduced from Queenslaud. It has a long-necked stem, and dark green coriaceous leaves; the pinnæ are glossy on the surface, each being marked at the base with a large ivory-white patch, which strongly contrasts with the dark green mid-rib which lies between the two rows of ivory markings.

* DENISONI, *vide* Lepidozamia Peroffskyana

* FRASERI .....

* MACKENZII, a handsome and ornamental Cycad from Queensland. The leaves are ovate in outline, with numerous pairs of narrow tapering segments of a dark green colour, and nine to ten inches in length. The rachis is strongly convex behind, slightly so in front, with the segments of the central portion set on at about half an inch apart, the upper ones being more closely, the lower ones more distantly placed. For Illustration, *vide* page 136. ..... 3, 4 and 5 guineas.

* PLUMOSA, this beautiful Cycadaceous plant has been imported from Queensland. From a small ovate stem, the scales of which are woolly, rise the erect spirally-twisted leaves, which have a flattened petiole. These leaves are furnished nearly to the base with narrow linear leaflets, which are set on at intervals of about a quarter of an inch, and are from six to eight inches long. The plant is remarkable for its distinct and elegant character. It has been awarded a First Class Certificate by the Royal Horticultural Society. 2, 3 and 4 guineas.

* SPIRALIS .....

**MARTINEZIA** EROSA ..... 2 guineas.

GRANATENSIS ..... 10*s.* 6*d.* and 15*s.*

**MAXIMILIANA** REGIA ..... 7*s.* 6*d.* and 10*s.* 6*d.*

**METROXYLON** ELATUM, *vide* Heterospathe elata

***MOLINIA** CHILENSIS, *vide* Jubæa spectabilis

**ŒNOCARPUS** BACABA..... 31*s.* 6*d.*

**OREODOXA** SANCONA, *vide* Euterpe edulis

**PHŒNICOPHORIUM** SECHELLARUM, *vide* Stevensonia grandifolia

***PHŒNIX** COMPACTA, a dwarf-growing hybrid, the result of a cross between *P. æquinoctialis* and *P. leonensis*; its dense compact habit of growth will render it extremely useful for decorative purposes ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

* DACTYLIFERA (the Date Palm) ..... 10*s.* 6*d.*, 15*s.* & 1 guinea.

* HYBRIDA, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature ..... 1 guinea.

PHŒNIX RUPICOLA.

*PHŒNIX INTERMEDIA, an interesting hybrid between *P. sylvestris* and *P. æquinoctialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

* RECLINATA ..... 3*s*. 6*d*., 5*s*., 7*s*. 6*d*. & 10*s*. 6*d*.

* RUPICOLA, this is one of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phœnices to that of *Cocos Weddelliana* among Cocoses. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lance-shaped in outline, with long narrow pinnæ, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition 2*s*. 6*d*. and 3*s*. 6*d*.; fine plants, 21*s*., 31*s*. 6*d*. and 42*s*.

* SYLVESTRIS, a Sugar-yielding Palm 1*s*. 6*d*., 2*s*. 6*d*., 3*s*. 6*d*. & 5*s*.

**PHOLIDOCARPUS** THUR 21*s*. and 31*s*. 6*d*.

**PHYTELEPHAS** MACROCARPA, this Palm yields the Vegetable Ivory of commerce 1 and 1½ guinea

**PINANGA** KUHLEI ..... 7*s*. 6*d*. and 10*s*. 6*d*.

LEPIDA, *vide* page 9.

MACULATA ..... 10*s*. 6*d*. to 1 guinea

SANDERIANA ..... 1 guinea

SPECTABILIS, an ornamental Stove Palm, introduced from the East Indies. The leaves have short petioles with long sheathing bases, which in the young state are bilobed, and in the more mature state pinnate, of a dark green colour, mottled with light green, the nerves being prominently raised on the upper surface; the under surface of the leaves have a silvery appearance ..... 21*s*.

**PRITCHARDIA** AUREA ..... 1½, 2 and 3 guineas

GRANDIS, *vide* LIOUALA GRANDIS

PACIFICA ..... 1 and 1½ guinea

***PTYCHOSPERMA** ALEXANDRÆ, *vide* ARCHONTOPHŒNIX ALEXANDRÆ

* CUNNINGHAMIANA, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA

LÆVIGATA ..... 10*s*. 6*d*., 15*s*. & 1 guinea

MACARTHURII (KENTIA MACARTHURII) ..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

RUPICOLA, *vide* LOXOCOCCUS RUPICOLA

SINGAPORENSIS, *vide* DRYMOPHLŒUS SINGAPORENSIS

**REGELIA** PRINCEPS, *vide* VERSCHAFFELTIA SPLENDIDA

***RHOPALOSTYLIS** BAUERI (ARECA BAUERI, SEAFORTHIA ROBUSTA)..... 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

SAPIDA, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA)..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

***RHAPIS** FLABELLIFORMIS ..... 5*s*., 7*s*. 6*d*. to 1 guinea

**ROSCHERIA** MELANOCHÆTES (VERSCHAFFELTIA MELANOCHÆTES) .....

**SABAL** ADANSONI "DWARF PALMETTO" ..... 3*s*. 6*d*. and 5*s*.

GRANATENSIS ..... 3*s*. 6*d*. and 5*s*.

UMBRACULIFERA (BLACKBURNIANA), noble and very distinct ..... 3*s*. 6*d*. and 5*s*.

***SEAFORTHIA** ELEGANS, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA

* ROBUSTA, *vide* RHOPALOSTYLIS BAUERI

**STANGERIA** PARADOXA.....small plants, 7*s*. 6*d*.; strong specimens, 1½, 2 and 3 guineas

**STEVENSONIA** GRANDIFOLIA (PHŒNICOPHORIUM SECHELLARUM), ..... 1, 1½, 2 to 5 guineas

**THRINAX** BARBADENSIS, a very elegant neat-growing Fan Palm. The petiole terminates in a digitately multipartite blade, the numerous segments of which are of a lively green colour. It is, as its name implies, a native of the Island of Barbadoes. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, at Kensington ..... 1, 1½ and 2 guineas

CHUCO ..... 5*s*. and 7*s*. 6*d*.

ELEGANS, very handsome for exhibition purposes ..... 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

ELEGANTISSIMA, an exceedingly elegant and graceful Palm ..... 15*s*. and 1 guinea

* PARVIFLORA..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

**TRACHYCARPUS** EXCELSUS (CHAMÆROPS EXCELSA), in all sizes, from 3*s*. 6*d*., 5*s*., 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*. to 2, 3, 4 and 5 guineas each.

FORTUNEI (CHAMÆROPS FORTUNEI), in all sizes, from 3*s*. 6*d*., 5*s*., 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*. to 2, 3, 4 and 5 guineas each.

**VERSCHAFFELTIA** MELANOCHÆTES, *vide* ROSCHERIA MELANOCHÆTES

SPLENDIDA (REGELIA PRINCEPS), a magnificent and very distinct Palm from the Island of Seychelles .....

MACROZAMIA MACKENZII. For description and price, *vide* page 134.

**ZALACCA** NITIDA, a handsome Stove Palm from Western Africa. It forms a noble head of handsome pinnato leaves, with a spiny trunk. In the young plants the leaves, which are of a shining rich dark green colour, are only biparted, with broad divisions. It is a highly ornamental species ..... 15*s*.

*ZAMIA BRACHYPHYLLUS, *vide* ENCEPHALARTOS BRACHYPHYLLUS
* BREVIFRONS ..... 1½ and 2 guineas
* CYCADÆFOLIA, *vide* ENCEPHALARTOS CYCADÆFOLIUS
* FURFURACEA ..... 2 and 3 guineas
* INTEGRIFOLIA ..... 2 and 3 guineas
* LEHMANNI, *vide* ENCEPHALARTOS LEHMANNI
LINDENI .....
OBLIQUA .....
PRASINA ..... 1½ guinea
* ROEZLII .....
SKINNERI .....
* VILLOSA, *vide* ENCEPHALARTOS VILLOSUS
* VROOMII, *vide* ENCEPHALARTOS VROOMII.

# NEW AND CHOICE CALADIUMS.

**Mr. WILLIAM BULL'S Selection of Twelve Varieties, 24s., 30s. and 42s.**

**New and Choice Varieties 5s., 7s. 6d., 10s. 6d., 15s. and 21s. each.**

**ADOLPHE ADAMS,** green, densely speckled with white; rose-coloured mid-ribs. 2*s.* 6*d.* and 3*s.* 6*d.*

**ADOLPHE ANDRIEN,** a very attractive variety with large richly coloured foliage. 3*s.* 6*d.*

**AGRIPPINE DIMITRY,** white ground, green margin and veins, pink centre. 3*s.* 6*d.*

**AÏDA,** transparent ruddy rose tissue with a network of green ribs. 5*s.*

**ALBO-LUTEUM,** yellowish-white with green tint, very long leaves. 5*s.*

**ALCIBIADE,** crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. 3*s.* 6*d.*

**ALFRED BLEU,** green, with white spots and flesh-coloured centre. 2*s.* 6*d.* and 3*s.* 6*d.*

**ALFRED MAME,** carmine-red, bordered with white and spotted with rose. 7*s.* 6*d.*

**ALPHAND,** green, spotted red; crimson centre. 2*s.* 6*d.* & 3*s.* 6*d.*

**ALPHONSE KARR,** carmine centre and red spots. 3*s.* 6*d.*

**ALZIRE,** 7*s.* 6*d.*

**AMŒNUM,** transparent rose, with red ribs, violet-rose veins green margin. 5*s.*

**ANNA DE CONDEIXA,** rose centre, with clear green margin, and white, yellow and dark green zone. 5*s.*

**ANNIBAL,** 3*s.* 6*d.*

**ARETHUSE,** 5*s.*

**ARGYRITES,** pale green with white spots. 1*s.* 6*d.* & 2*s.* 6*d.*

**ARISTIDE,** light green; crimson centre. 3*s.* 6*d.* and 5*s.*

**ARSINOË,** 3*s.* 6*d.* and 5*s.*

**ARTEMISE,** silvery-white with rosy-crimson ribs. 3*s.* 6*d.*

**AUGUSTE CARPENTIER,** carmine-red centre, surrounded with reddish-maroon and margined golden-green. 5*s.*

**AUGUSTE LEMOINIER,** soft green centre and rosy-crimson rib and veins. 3*s.* 6*d.*

**AUGUSTE REVIÈRE,** white centre and rays, and crimson spots. 3*s.* 6*d.*

**AURORE BOREALE,** dark red, spotted with bronzy-green, reddish carmine ribs. 10*s.* 6*d.*

**BARAQUINII,** crimson centre, dark green margin. 2*s.* 6*d.* and 3*s.* 6*d.*

**BARAQUINII SUPERBUM,** 5*s.*

**BARILLET,** green, bright rosy crimson centre and ribs. 3*s.* 6*d.* and 5*s.*

**BARON DE ROTHSCHILD,** mottled green, with red centre and spots. 3*s.* 6*d.*

**BARONNE JAMES DE ROTHSCHILD**, young leaves of a bright rose colour; the more matured foliage soft rose, with red veins. 7*s.* 6*d.*

**BARRAL**, bright green, with a fine red centre, and large spots of rose. 3*s.* 6*d.* & 5*s*

**BEETHOVEN**, ground colour white, intersected and veined with green, centre rib delicate rose. 2*s.* 6*d.* and 3*s.* 6*d.*

**BELLEYMEI**, white variegated leaves. 2*s.* 6*d.* and 3*s.* 6*d.*

**BELLINI**, mottled pale green ground, with rosy centre and spots. 2*s.* 6*d.* and 3*s.* 6*d.*

**BELLONE**, centre carmine-rose, shading off to reddish-maroon and metallic brown. 7*s.* 6*d.*

**BEROSE.** 5*s.*

**BICOLOR.** 1*s.* 6*d.*

**BICOLOR FULGENS.** 3*s.* 6*d.*

**BICOLOR SPLENDENS.** 2*s.* 6*d.* and 3*s.* 6*d.*

**BOIELDIEU**, like *Bicolor splendens*, but superior. 3*s.* 6*d.*

**BOSPHORE.** 10*s.* 6*d.*

**BRONGNIARTII**, 2*s.*6*d.*& 3*s.* 6*d.*

**BUREL**, dark bluish-green veined bright rose, marked with rosy-violet and spotted orange-red. 3*s.* 6*d.*

**CALYPSO**, dark green margin, bright crimson centre and veins and pink spots. 3*s.*6*d.*& 5*s.*

**CANDIDUM**, white ground with strongly marked ribs. 5*s.*

**CANNÆRTII**, leaves flushed with salmon-red, and spotted white. 2*s.* 6*d.* and 3*s.* 6*d.*

**CARDINALE**, brilliant red, dotted with golden-yellow and greenish-yellow. 10*s.* 6*d.*

**CERES**, rich green with rosy-salmon centre. 5*s.*

**CHANTINII**, reddish ground, spotted with white. 2*s.* 6*d.*

**CHANTINII FULGENS**, rich metallic green, with crimson centre and white spots. 5*s.*

**CHARLEMAGNE**, large rosy-red leaves, nerves dark red. 15*s.*

**CHARLES VERDIER**, fine green, with blush-pink centre and spots. 2*s.* 6*d.* & 3*s.* 6*d.*

**CHELSONI**, bright glossy green, suffused with brilliant red, and blotched with crimson. 2*s.* 6*d.* and 3*s.* 6*d.*

**CLIO**, ground colour deep rose shaded white; green ribs, and narrow green margin. 5*s.*

**COMTESSE DE CONDEIXA**, white ground shaded rose; carmine-red veins; narrow green margin. 5*s.*

**COMTESSE DE MAILLE**, white ground, veined with bright rosy-red and green. 5*s.*

**COMTESSE DU BERTHIER.** 3*s.* 6*d.*

**COYPEL.** 5*s.*

**CYPRIS.** 3*s.* 6*d.*

**DE CANDOLLE**, rich green, rose coloured spots and creamy-white centre rays. 3*s.* 6*d.*

**DE HUMBOLDT**, glossy green, spotted with scarlet. 3*s.* 6*d.*

**DELICATISSIMUM.** 10*s.* 6*d.*

**DEVINCK**, leaves heart-shaped; delicate pink centre ribs, with white spots. 3*s.* 6*d.*

**DONIZETTI**, rich red centre, green border, rose spots. 3*s.*6*d.*

**DR. BOISDUVAL**, centre rayed crimson; snow-white blotches on a green ground. 3*s.* 6*d.*

**DR. LINDLEY**, crimson centre, the green ground marked with rose blotches. 3*s.* 6*d.*

**DUC DE CLEVELAND**, red centre, surrounded with pea-green; red spots. 3*s.* 6*d.*

**DUC DE MORNY**, deep green leaf borders with large crimson-rayed centre. 3*s.* 6*d.*

**DUC DE NASSAU**, brilliant red centre and ribs, white spots. 2*s.* 6*d.* and 3*s.* 6*d.*

**DUC DE RATIBOR**, green with red mid-ribs and white spots. 2*s.* 6*d.* and 3*s.* 6*d.*

**DUCHARTRE**, leaf ground white, flushed rose, green veins and red spots. 3*s.* 6*d.*

**EDOUARD ANDRE**, crimson centre, rose blotches. 3*s.* 6*d.*

**EDOUARD MOREAUX**, mottled green ground, with lake centre. 3*s.* 6*d.* and 5*s.*

**EDOUARD RODRIGUES**, deep carmine, margined with light green, and spotted with rose. 3*s.* 6*d.* and 5*s.*

**E. G. HENDERSON**, green, with transparent rose spots and mottled crimson rays and centre. 3*s.* 6*d.*

**ELSA**, silvery rose, with red spots; fine. 7*s.* 6*d.*

**ELVINA**, bright green, blotched with red; grey centre and veins. 3*s.* 6*d.*

**EMILIE VERDIER**, leaves of a light transparent rose colour, spotted with red. 3*s.* 6*d.*

**ETOILE D'ARGENT**, green, mid-ribs and veins creamy-white, shaded grey. 5*s.*

**EUCHARIS**, rose centre with violet reflections margined with bright green. 5*s.*& 7*s.* 6*d.*

**EUTERPE.** 5*s.*

**FAUST.** 7*s.* 6*d.*

**FELICIEN DAVID**, carmine centre, surrounded white, and veined with red on green ground. 3*s.* 6*d.* and 5*s.*

**FERDINAND DE LESSEPS**, dark carmine-red ground with violet-rose ribs, and deep green spots. 5*s.*

**FLORE.** 5*s.*

**GAZE DE PARIS**, translucid leaves, green ribs. 5*s.*

**GERARD DOW**, pale yellow ground, carmine mid-rib, deep red veins, narrow green margin. 7*s.* 6*d.*

**GOLDEN QUEEN**, pale golden yellow. 5*s.*

**GLUCK.** 7*s.* 6*d.*

**GRATIOSUM.** 3*s.* 6*d.*

**GRETRY**, carmine centre, with white spots. 3*s.* 6*d.*

**HELEVY**, white mid-ribs and crimson blotches. 3*s.* 6*d.*

**HEROLD**, dark carmine veins, surrounded by light green, blotched pure white. 3*s.* 6*d.*

**HOULLETTII**, green with white spots. 2*s.* 6*d.* and 3*s.* 6*d.*

**IBIS ROSE**, a magnificent variety, with beautiful rich rose-coloured foliage. 15*s.*

**IMPERATRICE EUGENIE**, light green with greyish-pink centre, and rose-coloured veins. 2*s.* 6*d.* and 3*s.* 6*d.*

**ISADORA LEROY**, rich metallic green, with crimson-red centre rays. 3*s.* 6*d.*

**ISIS**, bright rose, veins violet-carmine. 10*s.* 6*d.*

**JOHN R. BOX**, red and greenish-maroon ground; carmine-red veins; violet-rose centre. 7*s.*6*d*

**JULES DUPLESSIS**, bright rose centre, shaded with red and bordered with green. 5*s.*

**JULES PUTZEYS**, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3*s.* 6*d.* and 5*s.*

**JUNON.** 7*s.* 6*d.*

**JUPITER.** 3*s.* 6*d.*

**KETELEER**, spotted white, upon emerald-green; large crimson centre. 3*s.* 6*d.*

**LAINGII**, reddish-carmine centre; the whole of the leaf sprinkled with white. 3*s.* 6*d.*

**L'ALBANE.** 3*s.* 6*d.*

**LAMARTINE**, crimson centre white and red spots. 3*s.* 6*d.*

**LA PERLE DU BRÉSIL**, white, delicately tinted with rose, mid-rib and veins dark green. 3*s.* 6*d.* and 5*s.*

**L'AURORE**, orange-red, carmine veins, creamy-white margin. 7*s.* 6*d.*

**L'AUTOMNE**, creamy-white, with bluish maculations. 10*s.*6*d*

**LAVINIA**, bright green with grey centre and veins. 3*s.*6*d.*

**LEOPOLD ROBERT,** rosy-white ground; carmine-red veins shaded with reddish-brown; green margin. *5s.*

**LEPESCHKINEI,** leaves marked with rich rose spots; bright red centre. *3s. 6d.*

**LEPLAY,** leaves marked with white, and beautifully veined with rosy-violet. *3s. 6d.*

**LE TITIEN,** ground network of red and rich green, pure magenta ribs. *5s.*

**LOUISE DUPLESSIS,** red rays and veins on a white ground; green margin. *3s. 6d.*

**LOWII,** *vide* ALOCASIA LOWII.

**LUCY,** pea-green; crimson centre; white spots. *2s. 6d.*

**LUDDEMANNI,** deep crimson ribs; the leaf blotched with magenta and white. *3s. 6d.*

**LULLII.** *3s. 6d.* and *5s.*

**MADAME ALFRED BLEU,** deep green, with large white blotches, and broad crimson-scarlet veins. *3s. 6d.* and *5s.*

**MADAME ALFRED MAME,** light green, covered with large white spots; rosy-carmine centre *3s. 6d.* and *5s.*

**MADAME DE LA DEVANSAYE,** leaves white, shaded rose, and veined with red and green. *3s. 6d.* and *5s.*

**MADAME DOMBRAIN,** centre and ribs pale yellowish-green, shaded rose, and spotted with white and rose. *3s. 6d.*

**MADAME FRITZ KŒCHLIN,** white ground, violet-rose ribs, green veins. *3s. 6d.*

**MADAME HEINE,** silvery-white, stained and edged with pale green; distinct. *3s. 6d.*

**MADAME HOULLET,** large leaves, with clustering blush-white blotches. *3s. 6d.*

**MADAME HUNNEBELLE,** leaves veined with garnet on white ground, and margined with green. *3s. 6d.* and *5s.*

**MADAME JULES MENOREAU,** white centre, tinted rose, veined rich bright rose, margined green. *5s.* & *7s. 6d.*

**MADAME JULES PICOT,** translucid rosy-violet leaf. *15s.*

**MADAME LAFORGE,** centre and ribs reddish-crimson, with green margin. *3s. 6d.*

**MADAME LEMOINIER,** pale rose with darker ribs; veins and centre encircled with creamy-white. *5s.*

**MADAME MARJOLIN SCHEFFER,** white foliage, charmingly veined and netted with rosy-lake. *3s. 6d.*

**MADAME MITJANA,** transparent reddish-crimson rose centre. *10s. 6d.*

**MADAME T. DE VIGIER,** rosy-white, carmine nerves. *15s.*

**MADAME WILLAUME,** delicate salmon-rose-coloured transparent leaves. *3s. 6d.*

**MARCHANDII,** *5s.*

**MARQUIS DE CAUX,** red centre and veins, with rose blotches on margins. *3s. 6d.*

**MARS,** clouded crimson centre, the whole leaf spotted with crimson *3s. 6d.*

**MARTERSTYGINUM,** crimson centre and white spots. *2s. 6d.* and *3s. 6d.*

**MAXIME DUVAL,** fine broad crimson centre and ribs, green margin. *3s. 6d.*

**MAX KOLB,** light green ground with pale centre; distinct. *2s. 6d.* and *3s. 6d.*

**MERCADANTE,** pale copper-coloured centre and veins, bordered with green. *3s. 6d.*

**MEYERBEER,** white leaf ground, green veins and red mid-ribs. *2s. 6d.* and *3s. 6d.*

**MINERVE,** silvery-white mid-rib and rays, surrounded with greyish-white; green margin, with white spots. *5s.*

**MITHRIDATE,** crimson-lake with darker ribs, and dark bronze-green margin. *5s.*

**MONSIEUR A. HARDY,** rich reddish-carmine veins on white ground, tinted with rose and spotted with green. *5s.*

**MONSIEUR D'HALLOY,** delicate rose, bright rose centre, carmine and green veins. *7s. 6d.*

**MONSIEUR J. LINDEN,** fine large whitish leaf, with metallic reflections, coral-rose veins and reticulated green border. *5s.*

**MOZART,** rose centre and veins on green ground. *3s. 6d.*

**MRS. LAING,** white ground; deep rose centre and veins; green margin. *5s.* and *7s. 6d.*

**NAPOLÉON III,** flamed crimson centre, with forked rays, and carmine-red spots. *3s. 6d.*

**ONSLOW,** deep rosy-crimson centre with broad green margin, spotted with rose. *3s. 6d.*

**ORNATUM,** golden-yellow ground; carmine ribs encircled with rosy-lake; red-violet veins. *5s.*

**PAUL VERONESE,** pinkish-white centre, deep scarlet ribs and green margin. *3s. 6d.* & *5s.*

**PETROPOLIS,** *5s.*

**PETSCHKAUI,** *5s.*

**PHILIPPE HERBERT,** deep mottled crimson rays and clear green margin, spotted with crimson. *2s. 6d.*

**PHILIPPE SCHULDT,** *5s.*

**PICTUM,** green, blotched and spotted with white. *3s. 6d.*

**PRINCE ALBERT EDWARD,** dark emerald-green, rich crimson radiating mid-rib, white spots. *2s. 6d.* & *3s. 6d.*

**PRINCE OF WALES,** large golden-yellow leaves. *5s.*

**PRINCESS ALEXANDRA,** rosy-salmon leaf, green centre rib, bordered with magenta-crimson; green margin with light pink chain. *3s. 6d.*

**PRINCESS OF TECK,** bright orange-yellow, veins suffused with deep red. *5s.* and *7s. 6d.*

**PRINCESS OF WALES,** golden-yellow, spotted with crimson. *5s.*

**PRINCESS ROYAL,** leaves of a golden ground colour, with crimson centre. *5s.*

**PROSERPINE,** *3s. 6d.*

**PYRRHUS,** centre and ribs deep crimson, pea-green margin. *3s. 6d.* and *5s.*

**QUADRICOLOR,** centre of leaf pale yellowish-green, ribs white, edged rosy-crimson, and margined green. *3s. 6d.*

**RAMEAU,** centre and ribs deep reddish-crimson, surface covered with white blotches, shaded red. *3s. 6d.* & *5s.*

**RAOUL PUGNO,** very transparent, pale flesh colour, margin dark green. *7s. 6d.*

**RAULINII,** rich red centre and veins, finely spotted with white. *3s. 6d.*

**REGALE,** silvery-grey centre, rosy red ribs, vermilion-red spots. *2s. 6d.* and *3s. 6d.*

**REINE MARIE DE PORTUGAL,** violet-rose centre with red veins, dark maroon zone-green border. *5s.* & *7s. 6d.*

**REINE VICTORIA,** green veins and margins, spotted with white and rich crimson. *2s. 6d.* and *3s. 6d.*

**ROSSINI,** pale centre, pink mid-ribs, red blotches. *3s. 6d.*

**ROUILLARD,** green margin, pale green centre, mid-rib and rays violet-plum; whole of leaf spotted crimson. *3s. 6d.*

**RUBENS,** golden-green ground, shaded bright red and veined with dark brown. *5s.*

**RUBRUM METALLICUM,** violet-red, rose centre, shaded violet, margin copper-red. *15s.*

NEW AND CHOICE CALADIUMS—continued

**SALVATOR ROSA**, bright red centre tinted with rosy-violet; light green margin. *5s.*
**SANCHONIATHON**, crimson centre; deep crimson ribs and pea-green margin. *3s. 6d.*
**SANGUINOLENTUM**, green with white mid-rib and red spots. *3s. 6d.*
**SIEBOLDII**, rich green, with fiery red crimson-rayed centre and claret-red spots. *3s. 6d.*
**SIRIUS**, centre scarlet-red, spotted with rosy-red and golden-green. *7s. 6d.*
**SIR WALTER SCOTT**, *5s.*
**SOFIA**, *7s. 6d.*
**SOUVENIR DE LILLE**, translucid delicate rose leaves, nerves bright rose. *15s.*
**SOUVENIR DE MADAME BERNARD**, bright red centre, dotted with golden-yellow, green and white; light green border. *7s. 6d.*
**SOUVENIR DE MADAME E. ANDRE**, green marbled with white, veined with rosy-crimson. *3s. 6d.* and *5s.*
**SOUVENIR DES TOUCHES**, carmine shaded violet; red veins, rose spots surrounded with white. *7s. 6d.* & *10s. 6d.*
**SOUVENIR DU DOCTEUR BLEU**, reddish-scarlet centre; pale green border shaded with rich red. *10s. 6d.*
**SPONTINI**, pea-green, with white spots and rosy-pink ribs and veins. *5s.* and *7s. 6d.*
**TENIERS**, carmine centre outer portion green, with carmine veins. *10s. 6d.*
**TRICOLOR**, grey-green with red-lake centre and carmine mid-ribs. *5s.* and *7s. 6d.*
**TRIOMPHE DE L'EXPOSITION**, crimson centre, red ribs, green border. *3s. 6d.*
**URANUS**, *3s. 6d.*
**VAN DYCK**, transparent rosy-lake, pale rose centre, grey-green margin. *5s.*
**VELLEDA**, *3s. 6d.*
**VERDI**, crimson-lake centre, with small green zone and apple-green margin. *5s.*
**VESTA**, greenish-white veins, surrounded with crimson; leaf spotted rose. *3s. 6d.*
**VICOMTESSE DE LA ROQUE-ORDAN**, red mid-rib and rays bordered white; green margin. *3s. 6d.*
**VILLE DE MULHOUSE**, greenish-white, shaded rose; rich green centre. *5s.*
**VIRGILE**, *3s. 6d.*
**VIRGINALE**, shining white, veined dark bluish-green; a grand variety. *5s.* and *7s. 6d.*

# BEGONIAS.

## HANDSOME-FLOWERED, TUBEROUS-ROOTED SECTION.

**ALFONSO**, a fine flower; colour cinnamon, shaded with salmon. *1s. 6d.*
**AURELIA**, a very fine large flower of a cinnamon-rose colour; very distinct. *1s. 6d.*
**BERTHA**, a splendid flower with broad petals, of a soft salmon-pink colour. *3s. 6d.*
**BRILLIANT**, rich bright orange, a dazzling colour; flowers large and fine; very showy. *2s. 6d.*
**CALYPSO**, a fine flower with very broad petals of a bright rose colour, shaded with magenta. *2s. 6d.*
**CARDINAL**, a magnificent variety, producing large flowers of a deep rich magenta-rose colour. *2s. 6d.*
**CAROLINE**, deep rosy-pink, a very fine showy flower with broad petals. *1s. 6d.*
**CHELSEA GIANT**, light carmine-scarlet; a huge flower. *3s. 6d.*
**CLEMENCE DENIZARD**, bright rosy-carmine flowers, very full and double. *3s. 6d.*
**CLEOPATRA**, rosy-lake, shaded with magenta; a very large flower with fine broad petals. *2s. 6d.*
**CLIMAX**, deep rich rosy-carmine; the two outer petals extremely broad; a beautiful variety. *1s. 6d.*
**CORONET**, rich rosy-carmine; a large flower with broad petals. *2s. 6d.*
**CORSAIR**, rosy-salmon; a most profuse blooming variety. *1s. 6d.*
**DAPHNE**, a fine large flower of a pretty pink colour, with purple shade. *3s. 6d.*
**DAVISII**, a very dwarf growing species, freely producing attractive bright scarlet flowers. *1s.*
**DEFIANCE**, a showy variety, producing fine large flowers of a light orange-scarlet colour. *3s. 6d.*
**DELICATA**, a charming variety, with beautiful blush-white flowers. *1s. 6d.*
**DRAGON**, a beautiful flower, with fine long petals; colour rich bright rose; very effective. *2s. 6d.*
**EMBLEM**, a large flower with broad petals, of a deep rose colour, shaded with magenta. *1s. 6d.*
**ENSIGN**, bright pink; a beautiful shade of colour; flowers large; a very elegant variety. *1s. 6d.*
**ETHEL**, a beautiful flower of a light salmon-pink colour. *3s. 6d.*
**FIREFLY**, an exceedingly attractive variety, producing fine flowers of a bright scarlet colour. *3s. 6d.*
**FLAMBEAU**, bright crimson, shaded with rose, fine round flower. *3s. 6d.*
**FLAMMETTA**, bright orange-scarlet; a remarkably large and fine flower. *2s. 6d.*
**FRŒBELLI**, a splendid species from Ecuador, producing brilliant scarlet flowers. *1s.*
**GEM**, light cream colour, the reverse of petals light pink; extremely distinct and attractive. *2s. 6d.*
**HERMINE**, light orange-cinnamon, a very distinct and attractive shade of colour. *1s. 6d.*
**ICARUS**, a very fine large flower of a bright salmon colour. *2s. 6d.*
**IMPERIALIS**, splendid flower, dark rosy-crimson. *5s.*
**JUPITER**, deep crimson, fine large flower of good shape. *7s. 6d.*
**LUCINDA**, a large and fine flower, with remarkably long petals of a deep rose colour. *2s. 6d.*
**MABEL**, delicate salmon-pink; a fine flower of good shape. *3s. 6d.*
**MAGNET**, beautiful light pink, the reverse of the petals deep pink; a charming variety. *1s. 6d.*
**MARATHON**, deep crimson; a very fine large flower. *2s. 6d.*
**MARTHA**, soft delicate rose-pink; a beautiful flower. *3s. 6d.*
**MAZEPPA**, very light cream colour, the reverse of the petals tinted with orange-pink. *1s. 6d.*
**MINIATA**, a fine showy variety, producing flowers of a bright rosy-carmine colour. *1s. 6d.*
**MODIOLA**, bright rose, shaded with salmon; a very large flower with fine broad petals. *2s. 6d.*

## HANDSOME-FLOWERED BEGONIAS.

**MRS. H. COPPIN**, very clear bright yellow. 2*s.* 6*d.*
**OBERON**, bright crimson, shaded with orange-scarlet; a splendid variety. 2*s.* 6*d.*
**ORESTES**, deep rosy-carmine; a magnificent flower with fine large petals. 2*s.* 6*d.*
**PEARCEI**, flowers large, bright yellow, and borne on slender stems well above the foliage. 1*s.* 6*d.*
**PEARCEI GRANDIFLORA**, fine large flowers, of a bright golden-yellow colour. 2*s.* 6*d.*
**PHYLLIS**, a beautiful variety, with blossoms of a delicate sulphur colour, tinted with pink. 1*s.* 6*d.*
**PINK BEAUTY**, fine large bright rosy-pink flowers, beautiful shape. 5*s.*
**REGALIS**, a beautiful salmon-rose flower, of good form and substance. 5*s.*
**RUBESCENS**, a fine variety, giving a profusion of large rich salmon-tinted red blossoms. 2*s.* 6*d.*
**SERAPH**, a fine flower of a soft pink colour; the two outer petals suffused with rose. 1*s.* 6*d.*
**SPARKLER**, a splendid flower with fine broad petals of a bright crimson colour. 2*s.* 6*d.*
**STARLIGHT**, a beautiful variety, with large flowers of a pretty shade of blush-pink. 2*s.* 6*d.*
**SUNRISE**, a magnificent variety, producing large flowers of a bright rosy-scarlet colour. 1*s.* 6*d.*
**SUNSET**, rich crimson; a fine large showy flower. 2*s.* 6*d.*
**SURPRISE**, a beautiful variety, producing pretty bright pink flowers in great profusion. 1*s.* 6*d.*
**TEMPLAR**, a fine flower, with broad petals of a rosy-pink colour. 2*s.* 6*d.*
**TROJAN**, an effective variety, freely producing fine flowers of a light rosy-pink colour. 1*s.* 6*d.*
**VERONA**, bright rosy-pink; a very pretty variety. 2*s.* 6*d.*
**VESTA**, pure white; very large flower. 5*s.*
**VICTORY**, a magnificent flower, with broad petals of a dazzling vermilion-scarlet colour. 5*s.*
**VIVICANS**, a very graceful plant, with brilliant orange-scarlet bell-shaped flowers. 1*s.* 6*d.*
**WHITE QUEEN**, a beautiful variety, producing ivory-white flowers tinted with rose. 1*s.* 6*d.*

Selections of good single-flowering Varieties can be made by Mr. W. B. at 18s., 30s. and 42s. per dozen. Unnamed Seedlings raised from the best varieties, when dormant, 6s. and 9s. per dozen, 2 and 3 guineas per 100.

## DOUBLE-FLOWERING BEGONIAS.

Selections of choice double-flowering varieties made at 2, 3, and 4 guineas per dozen.

# BEGONIAS.

## VARIEGATED-FOLIAGED SECTION.

These are remarkablo for their variegated and beautifully coloured ornamental foliage.

**ANTONA**, dark centre, surrounded with silver-grey and margined with bronze. 3*s.* 6*d.*

**BARANA**, leaves silver, marked in tho centre and round the margin with olive-green. 3*s.* 6*d.*

**LEDA**, leaf bright silver, marked in centre with bronzy-green, and prettily margined with brouze. 5*s.*

**MADAME HENRI GACHE**, tho finest of the variegated leaved section; the middle of the leaf is of a glistening greyish-silver, shaded in a most remarkable manner with bright rosy-crimson, the margin being olive-green spotted with silver; centre rich olive-browu. 2*s.* 6*d.*

**SYLVIA**, silver-grey leaves, beautifully marked in centre and rouud the margins with bright-bronzy green venations. 3*s.* 6*d.*

**VIRGINIA**, silver-grey, dark green venation in centre, the marginal venation of a bronzy-green. 3*s.*6*d.*

**ABBÉ DELAHAYE**, 2*s.* 6*d.*
**ACUMINATA SPLENDIDA**, 2*s.* 6*d.*
**ADRIEN ROBINE**, 2*s.* 6*d.*
**ALEXANDRINE OLSOUFIEFF** 3*s.* 6*d.*
**ANDALOUSIE**, 2*s.* 6*d.*
**ANNETTE**, 2*s.* 6*d.*
**ANNICA**, 2*s.* 6*d.*
**ARCTURUS**, 2*s.* 6*d.*
**ARGENTEA HIRSUTA**, 2*s.* 6*d.*
—— **ZEBRINA**, 3*s.* 6*d.*
**ARGUS**, 3*s.* 6*d.*
**ARIADNE**, 3*s.* 6*d.*
**CALLIOPE**, 2*s.* 6*d.*
**CASILDA**, 2*s.* 6*d.*
**COMTESSE DE THELUSSON**, **CORSAIR**, 3*s.* 6*d.* [2*s.* 6*d.*
**COUNTESS**, 3*s.* 6*d.*
**CRYSTALLINA**, 2*s.* 6*d.*
**DESFONTAINES**, 3*s.* 6*d.*
**DIADEMA**, 3*s.* 6*d.*
**DUCHESS**, 1*s.*
**EDOUARD LESTEUR**, 3*s.* 6*d.*
**ED. PYNAERT**, 3*s.* 6*d.*
**ELAINE**, 3*s.* 6*d.*
**EMILE CHATE**, 2*s.* 6*d.*
**EUGENIA**, 2*s.* 6*d.*
**FINETTE**, 3*s.* 6*d.*
**GLOIRE DE MONTEREAU**, 2*s.* 6*d.*
**GRAZIELLA**, 3*s.* 6*d.*
**HENRIETTE LUSSEAU**, 3*s.* 6*d.*
**JULES DEHAUSSY**, 3*s.* 6*d.*
—— **DUPLESSIS MAJOR**, 2*s.* 6*d.*
**LA PERLE DE PARIS**, 2*s.* 6*d.*
**LEBRUN**, 2*s.* 6*d.*
**LE SCHAH**, 3*s.* 6*d.*
**LESOUDSII**, 3*s.* 6*d.*
**LINNE**, 5*s.*
**LUCY CLOSON**, 3*s.* 6*d.*
**MADAME FRISTOT**, 3*s.* 6*d.*
—— **HACHETTE**, 3*s.* 6*d.*
—— **JULES LECOCQ**, 2*s.* 6*d.*
—— **LEBOUCQ**, 3*s.* 6*d.*
—— **PATE**, 3*s.* 6*d.*
—— **RAMBERT**, 3*s.* 6*d.*
—— **TAUBER**, 2*s.* 6*d.*
**MADEMOISELLE A. BLEU**, 3*s.* 6*d.*
—— **BERTHE PROUTIERE**, 3*s.* 6*d.*
—— **HENRIETTE GRAUX**, 2*s.* 6*d.*
**MALETTA**, 2*s.* 6*d.*
**MARGARITACEA**, 2*s.* 6*d.*
**MARIE FREEMAN**, 3*s.* 6*d.*
**MAYA**, 3*s.* 6*d.*
**MAZEPPA**, 3*s.* 6*d.*
**MENTOR**, 2*s.* 6*d.*
**META**, 2*s.* 6*d.*
**MONA**, 2*s.* 6*d.*
**MONGE**, 5*s.*
**MONSIEUR BIENAIME**, 2*s.* 6*d.*
**OTTO FORSTER**, 2*s.* 6*d.*
**PEARL**, 3*s.* 6*d.*
**PICTURATA**, 2*s.* 6*d.*
**PRINCE OF WALES**, 2*s.* 6*d.*
**PROGNE**, 5*s.*
**QUADRIZONALIS ORNATA**, 2*s.* 6*d.*
**ROSALIE**, 5*s.*
**SATIN BLANC**, 2*s.* 6*d.*
**SECRETAIRE DELAMARRE**, 2*s.* 6*d.*
**SERAPH**, 3*s.* 6*d.*
**STARLIGHT**, 5*s.*
**THEODORA**, 3*s.* 6*d.*
**TOURNEFORT**, 3*s.* 6*d.*
**VOIE LACTEE**, 2*s.* 6*d.*
**ZENOBIE**, 3*s.* 6*d.*

### BEGONIA BEDDOMEI (ASSAMICA).

A neat-growing species, introduced from Assam. It has short fleshy stems, short pale green softly hairy leaf-stalks, and oblique ovate olive-green leaves, marbled with silvery blotches above, and of a pale purplish-pink beneath. The flowers are of a pinkish flesh-colour. 3*s.* 6*d.*

### BEGONIA BIJOU.

A hybrid obtained by crossing *B. insignis* with *B. socotrana*. It is of good habit, and produces its flowers all through the year, but principally in the winter. The flowers, which are of medium size, are of a beautiful bright carmine, the centre being white. Very floriferous. 5*s.*

### BEGONIA COMPTA.

A pretty ornamental species from Brazil. Its leaves have palish-pink footstalks, which are five to six inches long, remarkable for the unequal development of their two halves, the one side being narrowed to the base, and the other developed into a roundish angular lobe. The colour is satiny-green with a silvery tinge along the course of the mid-rib; this coloration with the satiny surface being of a very pleasing character. 5*s.*

### BEGONIA DECORA.

A shrubby decorative variety, with dark green obliquely lanceolate leaves, profusely marked with oblong spots or dots of a silvery-grey colour; somewhat of the character of *B. argyrostigma*, but with the spots more minute. It has been introduced from Brazil. 5*s.*

BEGONIA ALBO-PICTA.

## BEGONIA ALBO-PICTA.

A neat and pretty species, introduced from Brazil, distinct in character from all the cultivated kinds whether species or varieties. It is shrubby in habit and of compact growth, having elliptic lanceolate leaves shortly stalked. The leaves are glossy green, freely spotted with bright silvery-white, the nebulous markings becoming smaller towards the margins. It has small and elegant foliage and will make a really useful and pretty plant for decorative purposes. 3*s.* 6*d.*

## BEGONIA EGREGIA.

A handsome and free growing new species, of very distinctive character. The leaves, which are produced on stout stems, are peltate, closely toothed along the margins; they are bright green in colour, and remarkable for their rough papillate hairy surface. The flowers are pure white, freely produced in large drooping corymbose cymes at the ends of the branches. It has been introduced from Brazil, and, being winter flowering, forms a desirable addition to our Stoves. 3*s*. 6*d*.

## BEGONIA GLOIRE DE SCEAUX.

A new hybrid winter-flowering bulbous variety raised between *B. socotrana* and *B. subpetala*. The plant is most proliferous, the flowers being of a beautiful bright rose colour. The glabrous leaves are cordiform, and of a dark metallic green. Flowering as this does from the beginning of January to the end of April, it will be found a very desirable acquisition. 3*s*. 6*d*.

## BEGONIA HYBRIDA COCCINEA.

A pretty and desirable hybrid variety, belonging to the winter-flowering section. It is of dwarf compact habit, bearing in the greatest profusion its beautiful bright scarlet flowers, making it admirably adapted for the decoration of greenhouses and conservatories during the dull winter months. 3*s*. 6*d*. and 5*s*.

## BEGONIA RUBELLA.

A very ornamental Indian species, with stout decumbent stems; the leaves are numerous and freely covered with deflexed red scales on a pallid ground, which gives to them a reddish appearance. The leaf blades are of a bronzy-green with a broad pale green band down the principal costa, and smaller bands of the same along the other main ribs, the whole dotted over with oblong blotches of purplish-brown; the under surface is red. 5*s*.

## BEGONIA SCEPTRA.

This is a very handsome and distinct species, a native of Brazil. The leaves are obliquely ovate in outline, deeply lobed on one side, the lobes oblong obtuse, the veins sunk, and the raised spaces between marked with large silvery blotches, and numerous smaller dots of silvery-grey. The leaf-stalks are red, this colour passing up the ribs of the under surface. 5*s*.

**BEGONIA** ALBO-PICTA, *vide* page 143.
ARGENTEO GUTTATA, 7*s*. 6*d*.
CLEMENTINÆ, 5*s*.
COMPTA, *vide* page 142

**BEGONIA** IMPERIALIS, 3*s*. 6*d*.
LUCIANÆ, 5*s*.
OLBIA, 3*s*. 6*d*.
SMARAGDINA, 3*s*. 6*d*.

The following are useful flowering species and varieties, and highly effective for decoration; the majority of them are winter-blooming; except those priced, 18s. and 30s. per dozen.

**ARGYROSTIGMA ELEGANTISSIMA**
**ASCOTIENSIS**
**BARBATA VARIEGATA**
**CARRIERI**
**—— VILLOSA**
**INGRAMII**
**FUCHSIOIDES**
**KNOWSLEYANA**
**LYNCHEANA**
**MANICATA**
**—— AUREO-VARIEGATA**
**MARGARITÆ**
**METALLICA**
**NITIDA**
**—— ALBA**
**SEMPERFLORENS ELEGANS**
**—— GIGANTEA CARMINEA**
**SEMPERFLORENS GIGANTEA ROSEA**
**—— MADAME DELEUIL**, 3*s*. 6*d*
**—— ROSEA**
**SAUNDERSIANA**
**SOCOTRANA**, 3*s*. 6*d*.
**SUTHERLANDI**
**VALIDA**
**WELTONIENSIS**

# ECHEVERIAS.

**ECHEVERIA** CÆRULESCENS, 2*s*. 6*d*.
GLAUCO-METALLICA, 1*s*. 6*d*. and 2*s*. 6*d*.
GRANDISEPALA, 2*s*. 6*d*.
IMBRICATA, 2*s*. 6*d*.
MUTABILIS, 2*s*. 6*d*.
OVATA, 2*s*. 6*d*.
PRUINOSA, 2*s*. 6*d*.

**ECHEVERIA** RETUSA GLAUCA, 1*s*. 6*d*. and 2*s*. 6*d*.
ROSEO-PICTA, 5*s*.
SCAPHYLLA, 2*s*. 6*d*.
SCHEIDECKERI, 1*s*. 6*d*.
SECUNDA, 9*d*. each; 6*s*. per dozen.
—— GLAUCA, 9*d*. each; 6*s*. per dozen.
SPATHULATA, 2*s*. 6*d*.

# CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed descriptions of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of names in their various sections. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.

## NEW CHRYSANTHEMUMS OF 1888.

### JAPANESE.

AVALANCHE, 7*s.* 6*d.*
CHARLES DICKENS, 3*s.* 6*d.*
LADY BRASSEY, 3*s.* 6*d.*
MARQUIS OF DOWNSHIRE,
OLYMPIA, 3*s.* 6*d.* [5*s.*
SARAH OWEN, 3*s.* 6*d.*

### JAPANESE—continued.

W. G. DROVER, 3*s.* 6*d.*
WILLIAM HOLBORN, 3*s.* 6*d.*

### CHINESE.

LORD EVERSLEY, 2*s.* 6*d.*

### ANEMONE.

MISS ANNIE LOWE, 5*s.*
THORPE JNR., 2*s.* 6*d.*

### LATE FLOWERING.

GOVERNOR OF GUERNSEY, 2*s.* 6*d.*

## NEW CHRYSANTHEMUMS OF 1887.

### JAPANESE.

AGNES FLIGHT, 2*s.* 6*d.*
ALBUM FIMBRIATUM, 2*s.* 6*d.*
ALICE BIRD, 2*s.* 6*d.*
ALPHA, 2*s.* 6*d.*
AMY FURZE, 1*s.* 6*d.*
ANNA M. PAYNE, 1*s.*
CAREW UNDERWOOD, 1*s.* 6*d.*
DAVID WINDSOR, 2*s.* 6*d.*
DUKE OF BERWICK, 1*s.* 6*d.*
EDWIN MOLYNEUX, 3*s.* 6*d.*
ELSIE, 2*s.* 6*d.*
FEU DE BENGALE, 1*s.*
GOLDEN GEM, 1*s.*
LADY T. LAWRENCE, 3*s.* 6*d.*
LADY EMILY, 1*s.* 6*d.*
MR. ADDISON, 1*s.* 6*d.*
MR. C. ORCHARD, 2*s.* 6*d.*
MACAULAY, 1*s.* 6*d.*

### JAPANESE—continued.

MARIE OUVRAY, 1*s.*
MR. D. B. CHAPMAN, 2*s.* 6*d.*
MR. H. CANNELL, 5*s.*
MR. MATHEWS, 5*s.*
MR. RALPH BROCKLEBANK,
MR. H. WELLAM, 3*s.* 6*d.* [1*s.*
MR. STEPHENSON CLARKE, 2*s.* 6*d.*
MR. W. H. BURBIDGE, 2*s.* 6*d.*
MISS STEVENS, 2*s.* 6*d.*
MRS. A. MAYES, 1*s.* 6*d.*
MRS. H. CANNELL, 3*s.* 6*d.*
MRS. H. J. JONES, 1*s.* 6*d.*
MRS. L. CASTLE, 3*s.* 6*d.*
MRS. J. WRIGHT, 1*s.* 6*d.*
PUTNEY GEORGE, 3*s.* 6*d.*
M. GARNAR, 3*s.* 6*d.*
ODORATUM, 2*s.* 6*d.*

### JAPANESE—continued.

STANSTEAD WHITE, 2*s.* 6*d.*
WILLIAM COBBETT, 1*s.* 6*d.*
WILLIAM STEVENS, 1*s.* 6*d.*

### CHINESE.

CHAS. GIBSON, 2*s.* 6*d.*
MRS. NORMAN DAVIS, 1*s.* 6*d.*

### ANEMONE.

MRS. M. RUSSELL, 2*s.* 6*d.*

### EARLY FLOWERING.

LAMBETH AMATEUR, 1*s.*
LORD MAYOR, 1*s.*

## NEW CHRYSANTHEMUMS OF 1886.

Price 12*s.* per dozen.

### JAPANESE.

ALFRED CHANTRIER
ANNIE CLARK
CHARLOTTE DE MONTCABRIER
CHIMÉNE
COMMANDANT DOMINÉ
DARWIN
DON DIÈGUE
DON QUICHOTTE
GIL BLAS

### JAPANESE.—continued.

HERNANI
LADY AVENEL
LADY BULLER
LADY MATHESON
L'AIGRETTE
LAMARTINE
MADAME CHRETIEN
MADAME LA MARQUISE DE MUN
MADAME MARIE CLOS
MADAME ROZAIN

### JAPANESE.—continued.

MADLLE. JULIETTE DORDAN
MADLLE. PAUL DUTOUR
MAIDENS' BLUSH
MARSA
MARTHA HARDING
M. BRASSAC
M. CAVALIER
M. CHRETIEN
M. D. D. HILLIER
M. H. ELLIOTT
M. J. ALDEBERT

NEW CHRYSANTHEMUMS OF 1886—continued.

JAPANESE—continued.

M. MAXIME CORNU
M. THOMAS S. WARE
M. WEICK
M. YVON
ORNEMENTS
PAUL ET SON
PRINCESSE BLANCHE
PRINCE ZILAH
ROBERT OWEN
ROB ROY
ROI DES JAPONAIS
ROZAIN BOUCHARLAT
SALMONEUM PLENUM
SOUV. D'ANGÈLE AMIEL
THEODORA
WALTER SCOTT
WILLIAM CLARK

CHINESE.

BRONZE QUEEN OF ENGLAND

POMPON.

BRAHMA
CREME
DIANA VERNON
LE CID
LILACEE
MADLLE. ELISE DORDAN
OSIRIS
SANS PAREIL
VICTOR HUGO
ZAIRE

ANEMONE.

E. M. BOLAS
LE CENTAURE
MADAME GHYS

EARLY FLOWERING.

A VILLATTE DES PRUGNES
BLANC PRECOCE
CRIMSON PRECOCITÉ
E. G. HENDERSON & SON
G. WRIGLEY
FLAMBEAU TOULOUSAIN
M. COSSART
M. WILLIAM HOLMES
ROSE D'ÉTÉ
WILLIAM BEALBY

The above new varieties 12s. per dozen.

# CHRYSANTHEMUMS—GENERAL COLLECTION.

## CHRYSANTHEMUMS—EARLY-FLOWERING.

For New Varieties, vide page 145.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ALICE BUTCHER, 1s.
ANASTASIO
AUREOLE
BOUQUET ESTIVAL, 9d.
CASSY
CLAIRE ALOZIO
CURIOSITY
DELPHINE CABOCHE
EARLY FLORA, 9d.
ELDORADO
ÉTÉ FLEURI, 9d.
FIBERTA, 9d.
FLEUR D'ÉTÉ, 9d.
FREDERIC MARRONET
FREDERICK PELÈ
GOLDEN FLEECE
G. WERMIG (Golden Madame Desgrange)
HÉLOISE MIELLEZ
HENDERSONI
HIPPOLYTE JAMAIN
INIMITABLE
LA BIEN-AIMÉE, 9d.
LAKME, 9d.
LAVALLEE
LE LUXEMBOURG
LEONIE LASSALI
LUCINDA
LYON
MADAME C. DESGRANGE
MADAME DUFOY
MADAME JOLIVART
MADAME PICOUL
MADELINE DAVIS, 9d.
MANDARIN, 9d.
MR. W. PIERCY
M. DUFOY
MRS. J. R. PITCHER, 9d.
NANUM
ORANGE YELLOW
PERPETUÉL TOULOUSAIN
PETIT MIGNON, 9d.
PIERRE VERFIEL, 1s.
POMPONIUM, 9d
PRECOCITÉ
ROI DES PRECOCES, 9d.
ST. CROUTS
ST. MARY
SALTER'S EARLY BLUSH, 9d.
SCARLET GEM
SOUVENIR
SOUVENIR DE M. RAMPONT
SURPRISE, 9d.
TORREADOR, 1s.
WHITE ST. CROUTS
ZENOBIE

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

## JAPANESE CHRYSANTHEMUMS.

For New Varieties, vide page 145.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

AGRÉMENTS DE LA NATURE
ALBERT DE NURIOS
ALEXANDRE DUFOUR, 9d.
AMARANTINA CARMINATA
ANGELE
ANNA DÉLAUX, 9d.
AQUIDNECK, 9d.
ARLEQUIN
AURORE BORÈALE, 9d.
BEAUTE DES JARDINS, 9d.
BEAUTE DE TOULOUSE
BEAUTY OF SWANLEY, 9d.
BELLE ÉTOILE, 9d.
BELLE GABRIELLE
BELLE PAULE, 9d.
BEND OR
BERTIER RENDATLER
BICOLOR, 9d.
BISMARCK
BOULE D'ARGENT
BOULE D'OR
BOUQUET FAIT
BRISE DU MATIN, 9d.
CERES

CHRYSANTHEMUMS—JAPANESE—continued.

CHRISTMAS EVE, 9*d.*
CŒUR FIDÈLE, 9*d.*
COLIBRI, 9*d.*
COMTE DE GERMINY
COMTESSE DE BEAUREGARD
COQUETTE, 9*d.*
COQUETTE DE CASTILLE, 9*d.*
CULLINGFORDII
DAIJ GAKKO
DELICATUM, 9*d.*
DIADEME, 9*d.*
DIAMOND
DR. AUDIGUIER
DR. MASTERS
DOLORES
DUCHESS, 9*d.*
DUCHESS OF ALBANY
DUCHESS OF ALBANY (Delaux), 9*d.*
DUCHESS OF CONNAUGHT
DUCHESSE DE GEROLSTEIN
EDOUARD AUDIGUIER, 1*s.*6*d.*
ELAINE
ELISE
EMBLÈME, 9*d.*
ENCHANTERESSE, 9*d.*
ESPÉRANCE
ETHEL
ETOILE DU MIDI
ETOILE FLEURI, 9*d.*
ETOILE TOULOUSAINE
FAIR MAID OF GUERNSEY
FEE RAGEUSE
FERNAND FÉRAL, 9*d.*
FIMBRIATUM, 9*d.*
FLAMBEAU
FLEUR DES BOIS, 9*d.*
F. L. HARRIS, 9*d.*
FLOCON DE NEIGE, 9*d.*
FRANCOIS DELAUX
FRIZOU, 9*d.*
FULGARE
FULTON
GEORGE WALCOTT, 9*d.*
GLOIRE DE TOULOUSE
GLOIRE RAYONNANTE
GLORIOSUM, 9*d.*
GOLDEN GLOIRE RAYONNANTE, 9*d.*
GOLDEN PRINCE, 9*d.*
GOLD LACE, 9*d.*
GOLD THREAD
GORGEOUS, 9*d.*
GRANDIFLORUM
HELVETIE, 9*d.*
HIVER FLEURI
HON. JOHN WELSH, 9*d.*
ILE JAPONAISE
ILLUSTRATION
ISODORE FERAL, 9*d.*
JAMES SALTER
JAPONAIS, 9*d.*
J. COLLINS, 9*d.*
J. DELAUX
JESSICA, 9*d.*
JOHN THORPE, 9*d.*
JUPITER, 9*d.*
KÆMPFER
KATAKANA
LA CHARMEUSE
L'ADORABLE, 9*d.*
LADY SELBORNE
LA FRISURE
LA NYMPHE
LA TRAVIATA, 9*d.*
LA TRIOMPHANTE, 9*d.*
L'AUBE MATINALE, 9*d.*
LAURENCE
L'EBOURIFFÉE, 9*d.*
LE CYGNE, 9*d.*
LE NÉGRE
L'INCOMPARABLE
L'INCROYABLE, 9*d.*
L'ISLE DES PLAISIRS
L'OR DE FRANCE, 9*d.*
LORD BEACONSFIELD
MADAME BERTIER RENDATLER
MADAME CLEMENCE AUDIGEUR
MADAME DE REYDELLET
MADAME DE SEVIN, 9*d.*
MADAME EMILE DUFOUR
MADAME FERAL, 9*d.*
MADAME JOHN LAING, 9*d.*
MADLLE. ANTOINETTE BRUNEL, 9*d.*
MADLLE. LACROIX, 9*d.*
MADLLE. LOUISE DE REYDELLET, 1*s.* [9*d.*
MADLLE. MELANIE FABRE,
MAGGIE MITCHELL, 1*s.* 6*d.*
MAGNUM BONUM
MAID OF ATHENS, 9*d.*
MANHATTAN, 9*d.*
MARGOT
MARQUIS OF LORNE
MARY MAJOR
MARY SALTER, 9*d.*
MASTIC
MIGNON
MINNIE MILLER, 9*d.*
M. ASTORG, 9*d.*
M. A. VILMORIN, 9*d.*
M. BLANC
M. BOYER
M. BRUNET
M. CASTEL
M. CHARLES HUBERT
M. COCHET, 9*d.*
M. COMTE, 9*d.*
M. CROUSSE
M. DELAUX
M. DEVEILLÉ
M. EUGENE POURQUIÉ
M. FREEMAN, 9*d.*
M. GARNIER, 9*d.*
M. GHYS, 9*d.*
M. HENRI JACOTOT
M. H. FLAUVANT, 9*d.*
M. J. H. LAING, 9*d.*
M. JOHN LAING, 9*d.*
M. JUAN CRUZ DE EGUILEOR
M. LEMOINE
M. LEON BRUNEL, 9*d.*
M. PAUL FABRE, 9*d.*
M. P. WOLKENSTEIN
M. RAOUX, 9*d.*
M. RICHARD LARIOS
M. VINTOUSKI, 9*d.*
M. VIVIAND MOREL, 9*d.* [9*d.*
MM. THIBAUT et KETELEER,
MRS. C. W. WHEELER, 2*s.* 6*d.*
MRS. GEORGE W. CHILDS, 9*d.*
MRS. WM. MENCKE, 9*d.*
MRS. VANNAMAN, 9*d.*
MOONLIGHT, 9*d.*
NINUS, 9*d.*
NUIT D'HIVER
PARASOL
PÈRE DÉLAUX
PETER THE GREAT
PETIT NORBERT
PHŒBUS, 1*s.*
PLUIE D'OR
PRESIDENT ARTHUR, 9*d.*
—— CLEVELAND, 9*d.*
—— GARFIELD, 9*d.*
PRINCE OF ORANGE, 9*d.*
RED DRAGON
REDUPLICATA, 9*d.*
REINE DES BEAUTÉS
REX RUBRORUM
ROSA BONHEUR
ROSE CELESTE, 9*d.*
—— LACE, 9*d.*
—— SUPREME
ROSEUM SUPERBUM
R. T. BIGGS
RUBRUM STRIATUM
SAMUEL HENSHAW, 9*d.*
SARNIA
SOLEIL LEVANT
SOURCE D'OR
SOURCE JAPONAISE
SOUVENIR D'AMSTERDAM,
SOUVENIR DE HAARLEM, 9*d.*
SOUVENIR DE REINE MARIE
SOUVENIR DU JAPON, 9*d.*
SNOWSTORM, 9*d.*
STRIATUM PERFECTUM
SYRINGA, 9*d.*
TALFOURD SALTER, 9*d.*
TENDRESSE
THE COSSACK
THUNBERG
TISIPHONE
TOKIO
TRICOLOUR
TRIOMPHE DE LA RUE DU CHATELET
TUBIFLORUM, 9*d.*
VENUS
VILLE D'HYÈRES
WELCOME, 9*d.*
WENONAH, 9*d.*
WILLIAM ROBINSON, 9*d.*
W. L. SCHEFFER, 9*d.*

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

## CHRYSANTHEMUMS—ANEMONE-FLOWERED.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ACQUISITION
AGATHA
AGNES HAMILTON, 9*d.*
ATARGULLE
BIJOU
CALLIOPE
CINCINNATI, 9*d.*
DICK TURPIN
EUGÈNE LAUJAULET
FABIEN DE MADERANAZ
FAIR MARGARET
FINETTE
FIREFLY
FLEURE DE MARIE
GEORGES SAND
GLUCK
GOLDEN CEDO NULLI
GRACE DARLING
LADY MARGARET
LILAC CEDO NULLI
MADAME BERTHE PIGMY, 9*d.*
MADAME CLOS, 9*d.*
MADAME MONTELS
MADAME THERESE CLOS
MADEMOISELLE CABROL
MARIE STUART
M. CHATE
MISS EYRE
MISS NIGHTINGALE
MR. ASTIE
MRS. WYNESS
PRINCE OF ANEMONES
PRINCESS LOUISE
PRINCESS MARGUERITE
SIDONIE
SŒUR DOROTHÉE SOUILLE
VIRGINALE
WYOMING, 9*d.*

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

## CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS

For New Varieties, vide pages 145 and 146.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ABBE PASSAGLIA
AIMEE FERRIERE
ALFONSO
ALFRED SALTER
ARIADNE
AUREUM MULTIFLORUM
BARBARA
BEAUTY
BEVERLEY
BRONZE JARDIN DES PLANTES
CARMEN
CHERUB
CHEVALIER DOMAGE
CLEOPATRA
DAPHNE
DIANE
DIDO
DR. LINDLE
DR. ROZAS
DR. SHARPE
DUKE OF EDINBURGH
EMBLEM
EMPRESS OF INDIA
E. SANDERSON
EVE
EXQUISITE
FAUST
FINGAL
GARIBALDI
GAZELLE
GEORGE PEABODY
GEORGE STEVENS
GLOBE WHITE
GLORIA MUNDI
GOLDEN BEVERLEY
GOLDEN CHRISTINE
GOLDEN EMPRESS OF INDIA
GOLDEN GEORGE GLENNY
GOLDEN JOHN SALTER
GOLDEN QUEEN OF ENGLAND
GOLDEN TRILBY
GUERNSEY NUGGET
HERO OF STOKE NEWINGTON
IONA
JARDIN DES PLANTES
JEANNE D'ARC, 9*d.*
JOHN SALTER
JULIE LAGRAVERE
KING OF DENMARK
LADY HARDINGE
LADY SLADE
LADY TALFOURD
LEDA
LE GRAND
L'ÉMIR
LORD DERBY
LORD PALMERSTON
LORD STANLEY
LORD WOLSELEY
LUNA
MABEL WARD
MADAME CHATE
MADAME PAGES, 9*d.*
MARÉCHAL DUROC
MOUNT EDGCUMBE
MOUNT ETNA
MR. BUNN
MR. COBAY
MR. GEORGE GLENNY
MR. JAMES LAING
MR. W. H. MORGAN
MRS. G. RUNDLE
MRS. HALIBURTON
MRS. HEALE
MRS. HUFFINGTON
MRS. J. CROSSFIELD
MULBERRY
NIL DESPERANDUM
NOVELTY
ONDINE
ORANGE ANNIE SALTER
OSSIAN
PATRIE
PINK PERFECTION
PRINCE ALFRED
PRINCE OF WALES
PRINCESS BEATRICE
PRINCESS IMPERIAL
PRINCESS OF TECK
PURPUREUM ELEGANS
QUEEN OF ENGLAND
REFULGENS
REINE DES BLANCHES
RIVAL LITTLE HARRY
ROTUNDIFLORUM
ROYAL PURPLE, 9*d.*
SIR BEAUCHAMP SEYMOUR
SIR STAFFORD CAREY
SULPHUREUM SUPERBUM
THE REV. C. BOYS
VILLE DE TOULOUSE, 9*d.*
VIOLET UNIQUE
WHITE EVE
WHITE GLOBE, *vide* GLOBE WHITE
WHITE VENUS
ZEPHYR

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

## CHRYSANTHEMUMS.—POMPON, &c.

For New Varieties, vide page 146.

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

ADELE PRISSETTE
AIGLE D'OR
AMPHILLA
ANAIS
ANNETTE
ARIOSTO
AURORE
BERROL
BELLE NAVARRAISE, 9*d.*
BLACK DOUGLAS, 9*d.*
BOLIDE
BOULE DE NEIGE
BRUNETTE
CARMINATUM ALBUM
CENDRILLON
CHAMPS ELYSÉES
CRIMSON PERFECTION
DANAE
DIAMANT, 9*d.*
ELEGANT
ERNEST BENARY
ETINCELANT, 9*d.*
EXPOSITION DE CHALON, 9*d.*
FABIOLA
FANNY
FEU D'AMOUR
FREMY
GENERAL CANROBERT
GERBE D'OR
GERMAINE CLERMONT
GOLDEN MADLLE. MARTHE
GUILLAUME DELAUX, 9*d.*
HECLA
JASON
JERSEY GEM
JULIA ENGLEBACK
LACINIATUM SUPERBUM
LA DÉSIREE, 9*d.*
LA FAVORITE, 9*d.*
LA RENONCULE
LA VIERGE
LACINIATUM ROSEUM, 9*d.*
LUCIEN CABOCHE
LUCRECE
MADAME DE VATRY
MADAME EUGENE DOMAGE
MADAME RIEUX
MADLLE. DARNAUD
MADLLE. ELISA LAYEILLON
MADLLE. MARTHE
MADLLE. MATHILDE RAYNAUD
MADLLE. POURQUIE
MAGENTA KING, 9*d.*
MAID OF KENT, 9*d.*
MAIDEN'S BLUSH
MARABOUT
MARGUERITE VINCENT
MARIE CROZAT
M. BONAMY AINE
M. DELEUIL, 9*d.*
M. FELIX SEIGNOR
M. HOSTE
M. JOSE MARQUES LOUREIRO
M. LUQUET
M. ULRICH
MRS. MARDIN, 1*s.*
MUSTAPHA
NEATNESS, 9*d.*
NEW YORK, 9*d.*
OLIVAR
ORANGE BEAUTY, 1*s.*
ORANGE QUILL, 9*d.*
ORNATUM
PABLO
PERFECTION
POLYCARP
POMPON ROSE. 9*d.*
PRESIDENT DECAISNE
PRINCE VICTOR
PRINCESS MATHILDE
PROSERPINE
PURITY
RAJAH
ROSE D'AMOUR
ROSE DE LA CASTILE
ROSE TREVENNA
ROSINA
SAINT JUSTIA
SAINT MICHAEL
SALAMON
SANGUINEUM
SNOWDROP
SŒUR MELANIÉ
SOIREE D'ETE
TOUSSAINT MAURISOT
VARIEGATUM

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100.

## CHRYSANTHEMUMS.—SINGLE-FLOWERING.

ADMIRAL SIR THOMAS SYMONDS, 3*s.* 6*d.*
AMERICA
ATTRACTION
AURORA, 1*s.*
BRUNETTE
CANARIENSE, 1*s.*
CASINO, 1*s.*
COACHMAN
CRIMSON AND GOLD, 1*s.*
CRUSHED STRAWBERRY, 1*s.* 6*d.*
DR. KELLOCK
EXQUISITE
FIGARO, 1*s.*
GUS. HARRIS
HELIANTHUS, 1*s.* 6*d.*
HENRY IRVING
JANE, 2*s.*
LADY CHURCHILL, 1*s.*
LORD MAYOR
MAGENTA KING
MARIGOLD, 1*s.* 6*d.*
MARY ANDERSON, 1*s*
METEOR, 1*s.*
MISS CANNELL, 2*s.*
MISS ELLEN TERRY
MISS ROSE, 9*d.*
MOZART, 1*s.*
MRS. A. LE MOULT, 1*s.*
MRS. DEANE
MRS. FRANCIS RICARDO
MRS. J. WILLS
MRS. KELLOCK
MRS. LANGTRY
MRS. ROBERSTON, 1*s.*
MRS. W. WOOD
NELLY
OCEANA, 1*s.*
ORIFLAMME, 1*s.*
PERFECTION, 9*d.*
PRESIDENT ARTHUR, 1*s.*
PURE GOLD, 9*d.*
PYRETHRUM
QUEEN OF THE YELLOWS, 1*s.*
SADIE MARTINOT, 9*d.*
SCARLET GEM
SIMS REEVES, 9*d.*
TERRA COTTA
THE FRIARY BEAUTY
THE VIRGIN, 9*d.*
TRISTAM
W. A. HARRIS
W. E. GLADSTONE

Excepting those priced, all 6d. each, 4s. per dozen, or 28s. per 100

**CHRYSANTHEMUM FRUTESCENS,** *vide page* 155.

# NEW AND CHOICE FUCHSIAS.

*Those marked (*) are double-flowered varieties.*

***ADAIR**, short tube and well reflexed sepals of a bright crimson colour; short, double, bluish-purple corolla, occasionally flaked rose. 2*s.* 6*d.*

***A. DE NEUVILLE**, large open double reddish-violet corolla; bright rose reflexed sepals. 7*s.* 6*d.*

***ADMIRAL COURBET**, tube and sepals dark red, immense double corolla of a very dark violet colour. 2*s.* 6*d.*

***ADMIRAL MIOT**, tube and sepals bright red, large double plum-coloured corolla; very free and of good habit. 3*s.* 6*d.*

**ALICE MARY PEARSON**, creamy-white tube and sepals, the latter tipped with green short carmine-crimson corolla, good habit. 1*s.*

***ALPHONSE DAUDET**, bright red recurved sepals and bluish-violet corolla. 1*s.*

**AMADEO**, bright rosy-pink tube and sepals; tube very short; bright bluish corolla. 1*s.*

**ANNIE EARLE**, waxy-white tube and sepals, deep bright carmine corolla, very pleasing. 1*s.*

***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish-purple double corolla. 3*s.* 6*d.*

***AUGUSTE FLAMENG**, large reflexed rosy-carmine sepals, large and compact double dark lilac corolla; of good habit. 1*s.*

***AZUREA SUPERBA**, tube and recurved sepals of a bright reddish-coral colour; enormous double azure-violet corolla. 1*s.*

**BEAUTY OF LAVINGTON**, white tube and petals, corolla bright rosy-carmine, shaded with violet. 1*s.*

**BLUE KING**, bright crimson tube, well-reflexed sepals, and fine blue corolla. 1*s.*

**BULGARIE**, large brilliant red well-shaped sepals; very large extended corolla of a violet-plum colour. 1*s.*

**BULRUSH**, light crimson tube and sepals; tube long, and sepals horizontally reflexed; light rosy-purple corolla. 1*s.*

**CAMILLE FLAMMARION**, a large flower; with reflexed sepals of a rosy-red colour, and well-formed reddish-violet corolla. 1*s.*

**CECIL GLASS**, white tube and sepals; pale magenta-pink corolla, the petals margined with carmine; fine form. 1*s.*

**CISSIE**, bright crimson tube and sepals, the latter prettily recurved; fine full corolla of a rich dark purple colour. 1*s.*

***CLARINDA**, huge double white corolla, short tube and broad sepals, dark crimson. 1*s.*

***COLONEL DOMINÉ**, clear red reflexed sepals; large imbricated white corolla, lightly suffused with rose. 1*s.*

**COLOSSUS**, tube and sepals rich bright glossy crimson, corolla well expanded, of immense size, and of a deep purplish-plum colour; one of the largest and best. 2*s.* 6*d.*

***COMTE LÉON TOLSTOI**, large dark scarlet sepals; dark blue corolla, very double and compact. 7*s.* 6*d.*

**C. N. MAY**, scarlet tube and sepals; corolla very dark plum colour; excellent habit. 3*s.* 6*d.*

***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish-purple corolla. 3*s.* 6*d.*

**CREUSA**, rich crimson tube, and reflexed sepals; fine large corolla of a rich dark purple-plum colour, shaded at the base. 1*s.*

***DAUBENTON**, semi-double flowers; tube and sepals brilliant scarlet; corolla clear violet; dwarf and compact habit. 7*s.* 6*d.*

**DIADEM**, blush tube and sepals, corolla pale magenta, broadly edged with brilliant carmine, a fine showy variety. 2*s.* 6*d.*

**DORCAS**, short tube and large rosy-carmine sepals immense soft bluish-purple corolla, veined and shaded with rose. 2*s.* 6*d.*

***EDELWEISS**, a fine large flower with full and double white corolla; rich crimson sepals, broad, long and well reflexed. 1*s.*

***EDMOND ABOUT**, large vermilion-carmine; reflexed sepals; enormous double white corolla, suffused with rose; very floriferous. 7*s.* 6*d.*

**EMILY BRIGHT**, creamy-white tube and sepals; bright carmine corolla, of fine form. 1*s.*

**EMPEROR**, bright red tube and sepals, the latter long and broad; corolla maroon, shaded purple; a handsome and showy Fuchsia. 1*s.*

**ERNEST RENAN**, short rosy tube and reflexed sepals; rose corolla; of pyramidal habit. 7*s.* 6*d.*

***FATMA**, bright crimson tube and reflexed sepals; bluish-purple corolla. 2*s.* 6*d.*

**FLOCON DE NEIGE**, well reflexed carmine sepals; large creamy-white corolla. 1*s.*

***FLORA**, very short tube, and large bright rosy crimson sepals fully reflexed, the large double corolla being bright purple, flaked at the base with rosy-carmine. 2*s.* 6*d.*

***FRANCISQUE SARCEY**, corolla bluish-violet; large reflexed sepals, dark rose on the inside and bright red on the exterior. 1*s.*

***FRAU EMMA TOPFER**, broad well reflexed rosy-magenta sepals; double white corolla suffused and veined with rose; very floriferous, and of compact habit. 1*s.*

**GANNET**, short tube with long bright crimson reflexed sepals; bluish-purple corolla, shaded with rosy-crimson at the base. 2*s.* 6*d.*

**GAZELLE**, tube and sepals very bright crimson, very long corolla of a dark satiny-purple colour; distinct and attractive. 1*s.*

**GEM OF LAVINGTON**, white tube and petals, tinted with pink; stout carmine corolla, flushed with pale violet. 2*s.* 6*d.*

NEW AND CHOICE FUCHSIAS—continued.

**GERALD**, a very fine flower with rich crimson tube and sepals, the latter completely reflexed; large expanded corolla of a rich purplish-crimson colour. 1*s.* 6*d.*

**GLORY**, tube and sepals very brightly coloured and completely reflexed, the very large violet corolla being beautifully formed and widely expanded. 2*s.* 6*d.*

**HARLEQUIN**, a gigantic variegated flower; sepals rich carmine, broad and reflexed; immense bluish-purple corolla striped with rosy-pink. 2*s.* 6*d.*

**HARMONIE**, reflexed whitish-rose sepals, corolla soft lilac; of good habit. 1*s.*

**HERON**, short tube, and broad rosy-carmine sepals; corolla rich bluish-purple. 1*s.* 6*d.*

***HOCHE**, rose sepals, completely reflexed; full rosy-lilac corolla of good shape; a new colour. 1*s.* 6*d.*

**IRMA**, bright rosy-carmine tube and sepals, the latter being horizontally reflexed, and of extraordinary length, slightly and elegantly curled; long rosy-purple corolla. 2*s.* 6*d.*

**JAMES WELCH**, bright rosy-red tube and sepals, the latter beautifully reflexed; corolla pale maroon shaded with bright purple; very handsome. 1*s.* 6*d.*

**JASON**, fine corolla about 1½ inch long, and of an intense black-purple colour; sepals long and reflexed, of a deep crimson colour. 1*s.*

***JUMNA**, short tube and very broad bright crimson sepals; enormous rich purple double corolla, the base marked with rosy-crimson. 3*s.* 6*d.*

**JUNO**, short tube with large and broad well-reflexed crimson sepals, corolla deep purple marked with rosy-pink at base. 3*s.* 6*d.*

***KINGSBURYANA**, free bloomer, producing fine flowers with bright red tube and sepals, and large double white corolla. 1*s.*

***KLÉBER**, sepals horizontally reflexed, rosy-white tipped with green; double violet-blue corolla. 3*s.* 6*d.*

**LADY DOREEN LONG**, creamy-white tube and sepals; deep pink corolla, suffused with pale violet. 3*s.* 6*d.*

***LA FRANCE**, large recurved bright red sepals; the large double corolla being of a beautiful cobalt-blue; very fine. 1*s.*

**LADY HEYTESBURY IMPROVED**, an improvement on *Lady Heytesbury*, both in habit and flower. 9*d.*

**LAMUS**, tube and sepals rich deep scarlet; tube short, and sepals prettily recurved; corolla of a dark satiny-purple colour. 1*s.*

**L'AVENIR**, short tube and recurved sepals, rosy-crimson tipped with green; fine expanded tricolor corolla, blue, rose and white. 2*s.* 6*d.*

**LITTRÉ**, corolla of a dark violet colour, whitish at the base; short tube, and large recurved sepals of a soft rose colour. 1*s.*

**LOVELINESS**, a grand white Fuchsia, creamy tube and pale blush sepals very long and stout; pale violet-pink corolla margined with carmine; extra fine. 3*s.* 6*d.*

**LOVELY**, pure white tube and sepals, brilliant carmine corolla, slightly shaded with magenta; very pleasing. 1*s.*

**LYE'S PERFECTION**, creamy-white tube and sepals, the latter delicately suffused with pink and handsomely reflexed; corolla bright carmine; very showy. 1*s.*

***MADAME GALLI-MARIE**, a very large full double flower, long recurved brilliant rosy-red sepals, and alabaster white corolla. 1*s.*

***MADAME JULES CHRÉTIEN**, brilliant crimson tube and sepals; pure snowy white corolla, flaked with carmine. 1*s.*

***MADAME THIBAUT**, carmine tube and recurved sepals, fine large double corolla; carmine bordered with white. 2*s.* 6*d.*

**MAGNUM BONUM**, a very showy variety, with broad stout brilliant red sepals, and large well-formed rich violet corolla. 1*s.*

***MARVELLOUS**, tube and sepal deep rose; full, double, bright blue corolla of pretty rosette-like form. 1*s.*

**MEMPHIS**, tube and sepals of a rich crimson colour, the sepals gracefully reflexed; large and well-expanded rich purple corolla. 1*s.*

**MILTIADES**, deep crimson tube and sepals; the latter elegantly recurved; corolla of a deep rich purple colour. 1*s.* 6*d.*

***MINERVA**, a splendid flower with large and very full double white corolla, bright carmine tube, and reflexed sepals. 1*s.*

***MINSTREL**, tube and sepals bright rosy-crimson; corolla very full and double, ivory-white striped with rose at the base. 1*s.*

**M. BISCHOFFSHEIM**, long fiery salmon tube and sepals; long rosy-red corolla, marked with orange at the base. 7*s.* 6*d.*

**M. DUFAURE**, rosy-salmon corolla and elegantly recurved sepals of a yellowish-salmon colour, with green tips. 1*s.*

***MONUMENT**, full double corolla of a deep purple colour, striped with rosy-carmine; tube and sepals rosy-crimson. 1*s.*

**MR. F. GLASS**, tube and sepals bright crimson; corolla purplish-maroon; distinct. 1*s.*

**MRS. BRIGHT**, waxy white tube and sepals, clear orange-scarlet corolla; a wonderfully free-blooming variety of fine habit. 1*s.*

**MRS. F. GLASS**, creamy-white tube and sepals, fine stout deep pink corolla, shaded with violet. 1*s.* 6*d.*

***MRS. E. G. HILL**, flower very large and double, corolla creamy-white, dark red sepals well reflexed; of good habit and growth, and probably the finest double white variety existing. 5*s.*

***MRS SHORT**, the raiser describes this as the finest double white Fuchsia yet sent out; immense white corolla, bright rose tube and sepals. 3*s.* 6*d.*

***NANCY**, enormous flowers, very broad coral-red sepals, corolla very large and double, violet-purple with blue reflections. 5*s.*

**NELLIE**, creamy-white tube and sepals, pink corolla of good form, suffused with mauve; very distinct. 1*s.* 6*d.*

***NOVEAU MASTODONTE**, full double corolla dark violet veined with red; sepals reflexed, covering the brilliant red tube. 1*s.*

### NEW AND CHOICE FUCHSIAS—continued.

**PARACHUTE**, large and widely expanded corolla of a violet-lake colour marked with red; short, broad, recurved sepals of a reddish-scarlet colour. 1*s.* 6*d.*

***PATTERN**, short tube and broad rosy-crimson sepals; enormous bluish-purple double corolla, shaded and flaked with rose. 3*s.* 6*d.*

**PENELOPE**, tube and sepals bright red, long and large white corolla of good shape. 2*s.*6*d.*

**PERA**, short tube and bright coral-red sepals, horizontally reflexed; long bluish-purple corolla. 3*s.* 6*d.*

***PHENOMENAL**, short tube and reflexed sepals of a rich reddish-crimson colour; enormous corolla, very full and double, of a beautiful azure-violet colour flaked with red. 1*s.*

***PRESIDENT CARNOT**, rosy-crimson reflexed sepals, double violet blue corolla. 7*s.* 6*d.*

**PRESIDENT**, tube and well-recurved petals of a bright vermilion; beautiful formed corolla of the richest violet colour. 1*s.*

***PRÉSIDENT GREVY**, sepals rosy-lake, of fine form and well reflexed; very large double corolla of a peculiar shade of rose; plant dwarf and free. 1*s.*

**PROGRESS**, very long bright red sepals and rich violet corolla. 3*s.* 6*d.*

***RANGER**, short tube and completely recurved rosy-crimson sepals; fine large double light bluish-purple corolla, shaded with rose at the base. 3*s.* 6*d.*

***REAPER**, short tube and wide sepals, of a bright rosy-carmine colour; short double corolla of a purplish-crimson colour. 1*s.*

***REDWING**, short tube and bright red sepals; short and broad double rosy-purple corolla, flaked with carmine. 3*s.* 6*d.*

**ROSALIND**, large waxy-white tube and sepals, pale rosy-pink corolla. 3*s.* 6*d*

**ROSE OF CASTILE IMPROVED**, a great improvement on the old and favourite variety, of free growth and good habit. 9*d.*

***SÉNATEUR BERLET**, long brilliant carmine broad sepals well reflexed, enormous double violet corolla of perfect globular shape. 1*s.*

**SUNSHINE**, creamy-white tube, blush sepals; corolla bright carmine. 3*s.* 6*d.*

**SURPRISE**, waxy-white tube and sepals, the latter tipped with green, pale bright magenta corolla, fine and free. 1*s.*

***SYLVANUS**, short tube and long rosy-crimson sepals; bluish-purple corolla. 3*s.* 6*d.*

**THOMAS KING**, tube and sepals soft coral-red; corolla rich deep purple, sometimes striped with pale red. 1*s.* 6*d.*

***TRITON**, short tube and long crimson sepals well reflexed, double corolla, bright lavender flaked with bright rosy-pink. 2*s.* 6*d.*

**TULIP**, crimson sepals completely reflexed; large and much expanded tulip-shaped rich purple corolla, flaked with rose. 1*s.*

**UTERPE**, short tube and broad coral-red recurved sepals, dark plum-coloured corolla, shaded rosy-crimson at the base. 2*s.* 6*d.*

**VENUS VICTRIX IMPROVED**, white tube and sepals; dark purple corolla. 1*s.*

***VIOLET DE DUC**, a full double flower, with expanded corolla of a metallic violet colour, and short reddish reflexed sepals. 1*s.*

**VIRGINIA**, white tube and sepals; pale carmine corolla, flaked with violet; good habit. 3*s.* 6*d.*

***VOIX DU PEUPLE**, large flowers with fine expanded milky-white double corolla; sepals well recurved, of a rosy-carmine colour. 1*s.*

**WALTER LONG**, bright coral-red tube and sepals; clear violet corolla. 3*s.* 6*d.*

***WHITE GIANT**, a splendid variety, producing long racemes of flowers, of immense size; one of the largest double white corollas. 1*s.*

**WINIFRED GLASS**, blush tube and sepals; corolla rich carmine shaded with magenta; very free and pleasing. 1*s.*

***WYVERN**, short tube and large rosy-crimson sepals well-reflexed, long semi-double purple corolla. 2*s.* 6*d.*

**Selections made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.**

## HYBRID FUCHSIAS AND SPECIES.

**AMPLIATA**, a handsome large scarlet-flowered species, introduced from the Andes. 3*s.* 6*d.*

**BOLIVIANA GRANDIFLORA**, bright vermilion, long tube and immense sepals and corolla. 1*s.*

**CANARY BIRD**, foliage golden-yellow; tube and sepals scarlet; corolla dark purple. 1*s.* 6*d.*

**CRIMSON BEDDER**, a distinct variety with bronzy-crimson leaves, the bright colouring of which will make it a useful, novel, and effective bedding plant: the flowers are pale red. 2*s.* 6*d.*

**DEPENDENS**, of free trailing habit and somewhat pendulous growth, dark crimson flowers. 1*s.* 6*d.*

**GRACILIS VARIEGATA**, an elegant variety; leaves broadly margined with white. 1*s.* 6*d.*

**PROCUMBENS**, a distinct and interesting species; the flowers are about three-quarters of an inch long; orange-yellow tube and sepals of a deep violet colour edged with green. 1*s.*

**SPLENDENS**, rich crimson flowers with the ends of the sepals light green. 1*s.*

**SUNRAY**, a beautiful plant, with leaves of a rich bright crimson, white and bronzy-green, in about equal parts; the flowers are of fine form; scarlet tube and sepals; light purple corolla. 1*s.*

**TRIPHYLLA**, flowers at every growth in trusses of orange-scarlet or Indian-red colour; a very distinct and beautiful species. 1*s.* 6*d.*

# NEW AND CHOICE COLEUS.

**ALBERT ONILLON**, leaves dark-maroon; centre and nerves magenta. 3*s*. 6*d*.

**BOUTARD**, large leaves with red centre; red veins and margined with pale green. 3*s*. 6*d*.

**CHAM**, bright green leaves; striped and splashed with crimson and gold. 3*s*. 6*d*.

**COMTESSE DE SÉGUR**, centre bright-rose bordered with gold. 3*s*. 6*d*.

**CORNÉLIE**, light green leaves; centre gold and crimson. 3*s*. 6*d*.

**DÉSAUGIERS**, leaves red and maroon; bordered and spotted with green and gold. 3*s*. 6*d*.

**EDITH**, bright green; centre red and maroon, speckled with gold. 3*s*. 6*d*.

**ESTELLE**, leaves maroon; margined with green and gold. 3*s*. 6*d*.

**HÉRODE**, centre reddish-purple; veined bright red. 3*s*. 6*d*.

**LE KAIN**, leaves variegated with green; red, gold and maroon. 3*s*. 6*d*.

**MULTICOLOR**, red leaves; speckled, maculated and rayed with white, rose, and green. 3*s*. 6*d*.

**ROLAND**, centre of leaves bright maroon; bordered with blackish-maroon. 3*s*. 6*d*.

# CHOICE COLEUS.

**ALARM**, 1*s*.
**ALPHONSE BERNOUD**, 2*s*. 6*d*.
**AMAZEMENT**, 1*s*.
**ANACREON**, 2*s*. 6*d*.
**ARLEQUIN**, 2*s*. 6*d*.
**AURORA**, 1*s*.
**BEAUMARCHAIS**, 2*s*. 6*d*.
**BEACON**, 1*s*. 6*d*.
**BUTTERFLY**, 1*s*.
**CAPTIVATION**, 1*s*.
**CARNIVAL**, 1*s*. 6*d*.
**CELINE CHENU**, 2*s*. 6*d*.
**CHANCELLOR**, 1*s*. 6*d*.
**CHELSEA BEAUTY**, 1*s*.
**CLAIREDECHANDENEUX**, 1*s*.
**CLOWN**, 1*s*.
**COLIGNY**, 2*s*. 6*d*.
**COMTE DE SERVILLIERS**, 2*s*. 6*d*.
**COMTESSE AGUADO**, 1*s*.
—— **DE KERCHOVE**, 1*s*. 6*d*.
**COMUS**, 1*s*. 6*d*.
**COUNSELLOR**, 1*s*.
**CRÉBILLON**, 1*s*. 6*d*.
**CUPID**, 1*s*.
**DOLLY VARDEN**, 1*s*.
**DUCHESS OF TECK**, 1*s*.
**ECLIPSE**, 1*s*.
**ELDORADO**, 1*s*.
**ELFRIDA**, 1*s*.
**EMBLEM**, 1*s*.
**ERNEST**, 1*s*.
**ERNST BENARY**, 1*s*.
**FLAMBEAU**, 1*s*.
**GAIETY**, 1*s*.
**GEM**, 1*s*.
**GIL BLAS**, 2*s*. 6*d*.
**GEORGE BOLAS**, 1*s*.
**GLITTER**, 1*s*.
**GRANITE**, 2*s*. 6*d*.
**GLOW**, 1*s*.
**HARLEQUIN**, 1*s*.
**HEBE**, 1*s*.
**HERALD**, 1*s*.
**JAMES BARNSHAW**, 1*s*.
**JASON**, 1*s*.
**JOHN BENARY**, 1*s*.
**JUNO**, 1*s*.
**JUVENAL**, 2*s*. 6*d*.
**LE COUTANCONNAIS**, 1*s*.
**LOUIS CHRETIEN**, 1*s*. 6*d*.
**LOUIS KETELEER**, 1*s*. 6*d*.
**LURLINE**, 1*s*.
**MADAME DE LA LARDIÉRE**, 1*s*. 6*d*.
**MADEMOISELLE LUCIE THOMAS**, 1*s*.

CHOICE COLEUS—continued.

**MADEMOISELLE DE LA ROCHETTERIE**, 1*s.* 6*d.*
**——JEANNE DE NADAILLAC**, 2*s.* 6*d.*
**MADONNA**, 1*s.*
**MAGIC**, 1*s.*
**MAGGIE**, 1*s.*
**MARINER**, 1*s.*
**MARQUIS DE NADAILLAC**, 2*s.* 6*d.*
**MARY BOLAS**, 1*s.*
**MIDAS**, 2*s.* 6*d.*
**MIRABEL**, 1*s.*
**MODEL**, 1*s.*
**MON CAPRICE**, 1*s.* 6*d.*
**M. BOUTARD**, 1*s.* 6*d.*
**M. CASIMIR PERIER**, 1*s.*
**M. COLMET D'AAGE**, 1*s.*
**M. DESBROSSES**, 1*s.*
**M. P. HOCHET**, 1*s.*
**M. THIBAUT**, 1*s.*
**MRS. G. SIMPSON**, 1*s.*
**MULTICOLOR SPLENDENS**, 1*s.*
**NIMROD**, 1*s.*
**NONSUCH**, 1*s.*
**PARAGON**, 1*s.*
**PEGASUS**, 1*s.*
**PERICLES**, 1*s.*
**PLACIDA**, 1*s.*
**PLATON**, 2*s.* 6*d.*
**POMPADOUR**, 1*s.*
**PRESIDENT DE LA ROCHETTERIE**, 1*s.* 6*d.*
**QUADRICOLOR**, 1*s.*
**RAINBOW**, 1*s.*
**RECAMIER**, 2*s.* 6*d*
**ROYALTY**, 1*s.*
**RUBICON**, 1*s.*
**RUDE**, 2*s.* 6*d.*
**SOVEREIGN**, 1*s.*
**SOWTERI**, 1*s.*
**SPANGLE**, 1*s.*
**STELLA**, 1*s.*
**SYBIL**, 1*s.*
**THEOPHRASTE**, 2*s.* 6*d.*
**TINTORET**, 1*s.* 6*d.*
**TURBAN**, 1*s.*
**ZELINDA**, 1*s.*

# NEW AND CHOICE BEDDING AND SOFT-WOODED PLANTS.

**ABUTILON**, of sorts, *vide* page 68.
**AGERATUM**, of sorts, 6*s.* per dozen.
**ALTERNANTHERA**, of sorts, 6*s.* per dozen.
**BOUVARDIA**, ALBA ODORATA, 2*s.* 6*d.*
ALFRED NEUNER, 1*s.* and 1*s.* 6*d.*
CANDIDISSIMA, 1*s* 6*d.*
CONSPICUA, 2*s.* 6*d.*
DAVIDSONI, 1*s.* 6*d.* and 2*s.* 6*d.*
DAZZLER, 1*s.*
ELEGANS, 1*s.*
FLAVESCENS, 1*s.* 6*d.*
HOGARTHI FL. PL., 1*s.* 6*d.*
HUMBOLDTII, 2*s.* 6*d.* and 3*s.* 6*d.*
—— CORYMBIFLORA, 1*s.* 6*d.*
JASMINOIDES, 1*s.* and 1*s.* 6*d.*
**BOUVARDIA**, JASMINOIDES LONGIPETALA, 1*s.* 6*d.*
LONGIFLORA FLAMMEA, 1*s.* 6*d.*
MAIDEN'S BLUSH, 1*s.* 6*d.*
PRESIDENT CLEVELAND, 3*s.* 6*d.*
—— GARFIELD, 1*s.* and 1*s.* 6*d.*
PRIORY BEAUTY, 1*s.* 6*d.*
QUEEN OF ROSES, 1*s.*
ROSEA OCULATA, 1*s.*
SANG LORRAINE, 1*s.* 6*d.*
'TRIOMPHE DE NANCY, 1*s.* 6*d.*
UMBELLATA ALBA, 1*s.* 6*d.*
—— CARNEA, 1*s.* 6*d.*
UNIQUE, 2*s.* 6*d.*
V. LEMOINE, 1*s.* 6*d.*
VIVICANS, 2*s.* 6*d.*
VREELANDII, 1*s.*

## BOUVARDIA ETNA.

A new variety, producing in the freest manner fine round umbels of large double flowers of a reddish-vermilion colour. 3*s.* 6*d.*

## BOUVARDIA FLAVESCENS FLORE PLENO.

A fine new variety of vigorous habit, giving large corymbs of large double flowers. The tube of the flower is of a sulphur-yellow colour, the corolla being yellowish and the lobes large and regular. 3*s.* 6*d.*

## BOUVARDIA LE VESUVE.

Fine corymbs of very large cinnabar-red flowers, having exserted stigmas, producing a somewhat remarkable effect. 7*s.* 6*d.*

## BOUVARDIA LUTEOLA PLENA.

A charming companion to the double red and scarlet kinds. It produces fine panicles of large flowers, with pale yellow tubes, the corolla being regularly made up of four rows of petals of a pale yellow colour passing to white. 7*s.* 6*d.*

## CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2*s.* 6*d.* and 3*s.* 6*d.*

## CANNA IRIDIFLORA EHEMANNI, 3*s.* 6*d.*

## CANNAS.

These are striking foliage plants, very effective for sub-tropical gardening and border grouping. 12*s*., 18*s*. and 30*s*. per dozen.

**CHRYSANTHEMUM** FRUTESCENS, 1*s*.
FRUTESCENS ALICE CROUSSE, 1*s*. 6*d*.
—— COMTE DE CHAMBORD, 1*s*. 6*d*.
**CHRYSANTHEMUM** FRUTESCENS ETOILE D'OR, 1*s*. 6*d*.
**CARNATIONS**, Tree of sorts, 30*s*. and 42*s*. per doz.

## DAHLIAS.

**Choice Exhibition Varieties**, 9*s*., 12*s*., 18*s*. and 30*s*. per dozen.
**Choice Exhibition Varieties, Fancy Flowers**, 9*s*., 12*s*., 18*s*. and 30*s*. per dozen.
**Dwarf Bedding Varieties**, 9*s*. and 12*s*. per dozen.
**Bouquet or Pompon Varieties**, 9*s*. and 12*s*. per dozen.
**Single-Flowered Dahlias**, 9*s*., 12*s*. and 18*s*. per dozen.

## ECHEVERIAS, *vide* page 144.

## HELIOTROPE, ALBERT DÉLAUX.

A dwarf-habited variety of free growth, producing profusely fine heads of bloom of a violet colour shaded with rose, deliciously fragrant; the foliage is beautifully marbled with golden-yellow; a charming novelty. 1*s*.

**HELIOTROPE**, PRESIDENT GARFIELD, 1*s*.
WHITE LADY, 1*s*.
**LOBELIA SYPHILITICA**, APOLLO, rosy-purple, medium size, 2*s*. 6*d*.
—— EMPRESS, rosy-purple, 2*s*. 6*d*.
**HELIOTROPIUM**, INCANUM, 3*s*. 6*d*.
**LANTANAS**, of sorts, 18*s*. per dozen.
**LOBELIA SYPHILITICA**, JUPITER, rosy-purple, medium-size, 2*s*. 6*d*.
—— LANCELOT, purplish-rose, white eye, 2*s*. 6*d*.
—— STROMBOLI, 2*s*. 6*d*.

**IBERIS SEMPERVIRENS FLORE-PLENO.**

This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 9*d*. each.

## MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9*s*., 12*s*. and 18*s*. per dozen.

## MIMULUS MOSCHATUS.

**GRANDIFLORUS**, a new and robust hybrid Musk, an excellent bedding plant, freely producing large pure yellow flowers of fine shape. Awarded First Class Certificate by the Floral Committee of the Royal Horticultural Society. 1*s*.
**RUBER**, this remarkable novelty is a hybrid Musk of very dwarf and compact growth, producing large flowers of a reddish-buff colour. 1*s*.

## PENTSTEMON FOLIO-VARIEGATIS.

A pretty variety with purple flowers, the foliage being variegated in a most pleasing manner with yellow and cream colour. 3*s*. 6*d*.

## PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12*s*. and 18*s*. per dozen.

## PETUNIAS—New Double Varieties.

**ARLQUIN**, enormous very double white flowers, blotched with bluish-violet; petals fimbriated. 2*s*. 6*d*.
**LE BLASON**, very double flowers, clear violet veined with purple. 2*s*. 6*d*.
**MONT-VALERIEN**, fine fimbriated flowers, white, reticulated and veined with purple. 2*s*. 6*d*.

PETUNIAS, New Double Varieties—continued.

**OTHELLO**, whitish lilac and rose, centre veined with purple. 2*s.* 6*d.*
**PRIAM**, large fimbriated plum coloured flowers. 2*s.* 6*d.*
**RAPHAEL**, very double flowers, bluish-violet, maculated white. 2*s.* 6*d.*

**Choice Selections of Double-flowered kinds**, including blotched, fringed and variegated varieties, 18*s.* and 30*s.* per dozen; choice new kinds, 42*s.* per dozen.
**Choice Selections of Single-flowered kinds**, including striped and blotched varieties, 12*s.* and 18*s.* per dozen.

## PHLOXES (HERBACEOUS).

**Selections of good and choice kinds at 12*s.* and 18*s.* per dozen.**

## SALVIA, INGÉNIEUR CLAVENAD.

A variety raised from *S. splendens*, similar in character, but more floriferous, and the flowers much darker in colour. 5*s.*

**SALVIA** BETHELII, 1*s.*
BOLIVIENSIS, 1*s.*
CÆLESTINA, 1*s.* 6*d.*
GESNERÆFLORA, 1*s.*
M. ISSANCHOU, 1*s.* 6*d.*
PATENS, 6*d.*
**SALVIA** PITCHERI, 1*s.* 6*d.*
RUTILANS, 1*s.* 6*d.*
SPLENDENS, 1*s.*
SPLENDENS BRUANTII, 1*s.*
**SEMPERVIVUM** HAWORTHII, 1*s.*

## PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. **Good Selections made at 30s. and 42s. per dozen.**

# WILLIAM BULL, F.L.S.,

RESPECTFULLY INVITES THE NOBILITY AND GENTRY ABOUT TO FURNISH CONSERVATORIES TO AN INSPECTION OF THE

# MAGNIFICENT SPECIMEN ORNAMENTAL PLANTS

IN HIS

## WINTER GARDEN,

SOME OF WHICH ARE THE MOST HANDSOME IN EUROPE,

AND

THE LARGEST AND BEST STOCK EXTANT

OF

# TREE FERNS,

**Well Established, with Handsome and Graceful Heads.**

THE COLLECTION OF

## CYCADACEOUS PLANTS

*Is unequalled in extent, and in the Size and Beauty of the Specimens.*

## NEW PLANTS

### Introduced and sent out for the first time in 1884.

ABROMA SINUOSA
ACALPHA ODOVATA
ALOCASIA SANDERIANA
ANTHURIUM INTERMEDIUM
BEGONIA BEDDOMEI (ASSAMICA)
—— HYBRIDA COCCINEA
—— SCEPTRA
CALAMUS SIKKIMENSIS
CALPIOARPUM ORNATUM
CHAMÆDOREA POLITA
CHEILANTHES CHLOROPHYLLA
CROTON EXCURRENS
—— RUBERRIMUS
—— SCEPTRE
CUPANIA GRANDIDENS
CYATHEA SPINULOSA
DEYEUXIA ELEGANS VARIEGATA
DRACÆNA CLAUDIA
—— MADAGASCARIENSIS
—— PLUTUS
ELÆOCARPUS GRANDIS
FARADAYA PAPUANA
HÆMANTHUS INSIGNIS
HIBISCUS CHRYSANTHUS
HOYA CUMINGIANA
HYMENOSPORUM FLAVUM
IMPATIENS CUSPIDATA
MARANTA ARGENTEA
—— GRATIOSA
—— MUSAICA
—— NITIDA
—— POLITA
—— SPECIOSA
MARCGRAVIA INDICA
MASDEVALLIA TORTA
MUSSÆNDA THEIFERA
PANAX ELEOANS
—— FISSUM
PANDANUS DISCOLOR
PHYLLAGATHIS GYMNANTHA
PLEROMA MARMORATA
POTHOS FLEXUOSUS
PTYCHOSPERMA SINGAPORENSIS
SARRACENIA ATKINSONIANA
—— EXCELLENS
—— EXCULTA
—— EXORNATA
—— FORMOSA
—— ILLUSTRATA
—— MADDISONIANA
—— MITCHELLIANA
—— RUBRA ACUMINATA
—— SWANIANA
—— TOLLIANA
—— WILSONIANA
SCHISMATOGLOTTIS DECORA
SCINDAPSUS ARGYRÆUS
SELAGINELLA AMŒNA
—— COGNATA
—— PERVILLEI
SMILAX AURICULATA
SPATHOGLOTTIS PACIFICA
SPIRÆA ASTILDOIDES
TREVESIA EMINENS.

## NEW PLANTS

### Introduced and sent out for the first time in 1885.

ARDISIA PICTA
ARISÆMA FIMBRIATUM
BEGONIA ALBO-PICTA
BIGNONIA REGALIS
CAMOËNSIA MAXIMA
CLERODENDRON DELECTUM
CRINUM SANDERIANUM
CURCULIGO DENSA
DICHÆA VAGINATA
DRACÆNA EXCELLENS
ERYTHRINA VESPERTILIO
GOVENIA DELICIOSA
HELIOTROPIUM INCANUM
HEMIGRAPHIS COLORATA
IXORA EMINENS
—— GEMMA
MARANTA CONSPICUA
NEPENTHES RAFFLESIANA INSIGNIS
ODONTOGLOSSUM VEXILLARIUM INSIGNE
PHILODENDRON NODILE
PINANGA SANDERIANA
SCHISMATOGLOTTIS SIAMENSIS
STYRAX CALIFORNICA

## NEW PLANTS

### Introduced and sent out for the first time in 1886.

ANTHURIUM CHELSEIENSE
ARISTOLOCHIA ELEGANS
BEGONIA COMPTA
—— DECORA
CLERODENDRON MINAHASSÆ
COTONEASTER FONTANESII
DENDROBIUM PARTHENIUM
ERANTHEMUM MACROPHYLLUM
—— VELUTINUM
EUCHARIS MASTERSII
GYMNADENIA MACRANTHA
IMPATIENS HAWKERII
IXORA CONSPICUA
—— SPECIOSA
PALICOUREA JUGOSA
PINANGA SPECTADILIS
SELAGINELLA FLAGELLIFERA
SMILAX DISCOLOR.
TECOMA AMBOINENSIS
THUNIA MARSHALLIANA IONOPHLEBIA
ZALACCA NITIDA

## NEW PLANTS.

### Introduced and sent out for the first time in 1887.

ADIANTUM ASSIMILE CRISTATUM
ALOCASIA GRANDIS
APHELANDRA CHRYSOPS
ARISTOLOCHIA RIDICULA
BEGONIA EGREGIA
BOUGAINVILLEA REFULGENS
CLERODENDRON RUMPHIANUM
CORYPHA DECORA
COSTUS MOSAICUS
CROTON BEAUTY
CROTON NEWMANII
—— SUNSHINE
CYPIPEDIUM AMANDUM
—— CONCINNUM
—— REGALE
HÆMANTHUS ADYSSINICUS
HELICONIA BREVISPATHA
LASTREA JEMMANI
MARANTA ICONIFERA
NEPHTHYTIS PICTURATA
PANCRATIUM GUIANENSIS
POTHOS ARGENTEUS
—— NITENS
PTERIS TREMULA GRANDICEPS
RHODODENDRON ALBESCENS
—— GRAVEOLENS
SELAGINELLA TASSELLATA
THUNIA MARSHALLIANA TRICOLOR

## NEW PLANTS.

### Introduced and sent out for the first time in 1888.

*Vide* pages 7 to 9.

"The Calceolaria you sent me last year turned out very good, the blooms were large and beautiful."

"The Calceolaria from the seed we had from you are the finest we have ever seen in this locality; they have been much admired; hope you can send the same strain again."

"The Calceolaria has been all that could be desired."



"The Calceolaria seed we received from you has given our customers the greatest satisfaction, and we have much pleasure in recommending it."

"The Calceolaria I had from you proved a first-rate strain."

"The seeds I had from you I am happy to say turned out well, especially the Primula, Calceolaria, and Cineraria."

**CALCEOLARIA, HERBACEOUS** (Bull's Prize Strain.) *Vide* page 159.

"The Premier mixture of Primula that we had from you last season has turned out to be extremely fine, especially the doubles. Please send us another packet."

"Your Primulas have been a splendid lot, strong in growth, throwing their flowers well above the foliage, a capital strain."

"The Primulas from seed we had from you turned out to be extremely fine."



"I have had some flowers 2½ in. in diameter on your Primulas, and of good substance, and the plants 18 in. across."

"We have much pleasure in informing you that the Primula seed which we had of you has given great satisfaction to our customers."

"My Primulas from your seed were the admiration of everyone who saw them."

**PRIMULA SINENSIS FIMBRIATA.** For choice varieties, *vide* page 159.

"The Cineraria seed sent me last year has given great satisfaction, the flowers have been rich in colour, remarkably large, and from 2 to 2½ in. in width; they have been greatly admired, and said to be the finest strain seen in this locality."

"The Cineraria seed which you sent me has given great satisfaction; the plants have been admired by all who have seen them."



"Your strain of Cineraria has been exceedingly fine with me this season; the flowers have been rich in colour, varied, and remarkably large."

"The Cineraria seed I had from you was a really good strain."

"The plants from the Cineraria seed you sent us were admired by every one who saw them."

**CINERARIA** (Bull's Prize Strain.) *Vide* page 159.

# Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and included descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

## SEEDS FROM PRIZE STRAINS.

| | Per pkt.—s. | d. |
|---|---|---|
| **ABUTILON**, new varieties, extra choice .. | 1 | 0 |
| **Anricnla, Alpine**, very fine strain.. 1*s.* & | 1 | 6 |
| **Balsam**, Camelia-flowered .. .. .. | 1 | 0 |
| **BEGONIA HYBRIDA GIGANTEA**, the flowers, which are produced in great abundance, are of gigantic size, measuring 4 to 5 inches, and of various and attractive colours 1*s.* 6*d.*, 2*s.* 6*d.* & | 5 | 0 |
| **Begonia**, ornamental foliaged varieties .. | 2 | 6 |
| —— double .. .. .. .. .. | 2 | 6 |
| **Calandrinia nmbellata**, crimson .. .. | 0 | 6 |
| **CALCEOLARIA, HERBACEOUS, Bull's Prize Strain** .. 1*s.* 6*d.*, 2*s.* 6*d.* & | 5 | 0 |
| **Campanulata turbinata intermedia** .. | 1 | 6 |
| **Candytuft**, dark crimson .. .. .. | 0 | 3 |
| —— **Tom Thumb**, white .. .. .. | 0 | 6 |
| **CARNATION**, Bizarre (Dodwell's), 2*s.* 6*d.*, 3*s.* 6*d.* & | 5 | 0 |
| —— Flaked (Dodwell's) ..2*s.* 6*d.*, 3*s.* 6*d.* & | 5 | 0 |
| —— Self ,, ..2*s.* 6*d.*, 3*s.* 6*d.* & | 5 | 0 |
| —— Fancy ,, ..2*s.* 6*d.*, 3*s.* 6*d.* & | 5 | 0 |
| —— Yellow ground flowers, 2*s.*6*d.*, 3*s.*6*d.* & | 5 | 0 |
| **CHRYSANTHEMUM JAPONICUM** .. | 1 | 0 |
| —— large flowering, extra choice .. | 1 | 0 |
| —— **pompon** varieties .. .. .. | 1 | 0 |
| **CINERARIA**, extra choice mixed 1*s.* 6*d.* & | 2 | 6 |
| —— **hybrida grandiflora nana** .. 1*s.* 6*d.* & | 2 | 6 |
| —— double .. .. .. .. .. | 2 | 6 |
| **Cockscomb**, Glasgow prize .. .. | 1 | 0 |
| **COLEUS**, choice hybridised .. 1*s.* & | 1 | 6 |
| **CYCLAMEN PERSICUM**, prize strain, finest, mixed colours .. 1*s.* 6*d.* & | 2 | 6 |
| —— —— **giganteum** *(grandiflorum)* .. | 2 | 6 |
| —— —— **Charming Bride**.. .. .. | 2 | 6 |
| **DAHLIA, single**, choice mixed .. .. | 1 | 0 |
| **Daisy, double**, extra choice mixed .. | 0 | 6 |
| **Eschscholtzia carminea**, carmine rose .. | 0 | 6 |
| —— **Mandarin**, orange .. .. .. | 0 | 6 |
| **GLOXINIA**, extra choice hybridised .. | 2 | 6 |
| —— Finest spotted .. .. .. .. | 2 | 6 |
| —— **grandiflora erecta** .. .. .. | 2 | 6 |
| —— —— **pendula** .. .. .. | 2 | 6 |
| **Godetia, Duchess of Albany** .. .. | 0 | 6 |
| —— **Lady Albemarle** .. .. .. | 0 | 6 |
| **Hollyhock**, extra choice mixed .. .. | 1 | 0 |
| **Larkspur, Dwarf Rocket**, finest mixed .. | 0 | 3 |
| **LAVATERA ARBOREA VARIEGATA** .. | 1 | 0 |
| **Leptosiphon densiflorus**, purple .. .. | 0 | 3 |
| **Lobelia erinus speciosa** .. .. .. | 0 | 6 |
| —— **pumila**, dark blue .. .. .. | 0 | 6 |
| **Mignonette, Golden Queen** .. .. | 1 | 0 |
| —— **Machet** .. .. .. .. .. | 1 | 0 |
| —— **Mammoth** (New) .. .. .. | 1 | 0 |

| | Per pkt.—s. | d. |
|---|---|---|
| **Myosotis dissitiflora** .. .. .. | 1 | 0 |
| —— **sylvatica** .. .. .. .. | 0 | 6 |
| **Nasturtium, Empress of India** .. .. | 0 | 6 |
| **PANSY, ASHBURNHAM STRAIN** .. | 2 | 6 |
| —— **Trimardeau**, extra choice .. .. | 1 | 0 |
| **Papaver Marselli, "The Mikado"** .. | 1 | 0 |
| —— **nndicaule album** .. .. .. | 1 | 0 |
| —— —— **miniatum** .. .. .. | 1 | 0 |
| **PEAS, SWEET**, Boreatton (New).. .. | 1 | 6 |
| —— —— CARDINAL .. .. .. | 1 | 0 |
| —— —— Duchess of Edinburgh.. .. | 0 | 6 |
| —— —— Isa Eckford .. .. .. | 1 | 0 |
| —— —— INDIGO KING .. .. .. | 0 | 6 |
| —— —— PRINCESS OF WALES .. .. | 1 | 0 |
| —— —— The Queen .. .. .. | 1 | 0 |
| —— —— Eckford's mixed .. .. | 0 | 6 |
| **PELARGONIUM**, Gold and Bronze, from named varieties .. 1*s.* 6*d.* & | 2 | 6 |
| Ivy-leaved, from named varieties .. | 2 | 6 |
| **PETUNIA**, choice hybridised .. .. | 1 | 0 |
| INIMITABLE FLORE PLENO, very choice, 1*s.* 6*d.* & | 2 | 6 |
| **Picotee**, Dodwell's Prize Strain 2*s.* 6*d.* & | 3 | 6 |
| **Pink**, finest laced varieties.. 2*s.* 6*d.* & | 3 | 6 |
| **Polyanthus**, choice mixed .. .. .. | 0 | 6 |
| —— **gold laced** .. .. .. .. | 1 | 0 |
| **Primula rosea** .. .. .. .. | 1 | 0 |
| —— OBCONICA (new) .. .. .. | 1 | 6 |
| —— SINENSIS FIMBRIATA FULGENS .. .. | 3 | 6 |
| —— —— MONT BLANC .. .. .. | 2 | 6 |
| —— —— SPLENDIDA .. .. .. | 2 | 6 |
| —— —— CHISWICK RED .. .. .. | 2 | 6 |
| —— —— ALBA .. .. 1*s.* 6*d.* & | 2 | 6 |
| —— —— RUBRA .. .. 1*s.* 6*d.* & | 2 | 6 |
| —— —— BULL'S PREMIER MIXTURE, 1*s.* 6*d.* & | 2 | 6 |
| —— —— ALBA OCULATA LUTEA .. .. | 2 | 6 |
| —— —— PUNCTATA ELEGANTISSIMA .. | 2 | 6 |
| —— —— VIOLACEA .. .. .. .. | 2 | 6 |
| —— —— ALBA FLORE PLENO 2*s.* 6*d.* & | 3 | 6 |
| —— —— RUBRA FLORE PLENO 2*s.* 6*d.* & | 3 | 6 |
| —— —— FLORE PLENO PRINCE ARTHUR, 3*s.* 6*d.* & | 5 | 0 |
| **PYRETHRUM** AUREUM SELAGINOIDES .. | 1 | 0 |
| **Statice snperba** (new) .. .. .. | 1 | 6 |
| **Stock, East-Lothian**, crimson .. .. | 1 | 0 |
| —— —— purple .. .. .. .. | 1 | 0 |
| —— —— scarlet .. .. .. .. | 1 | 0 |
| —— —— white .. .. .. .. | 1 | 0 |
| **Verbena, New Mammoth** .. .. .. | 1 | 0 |
| **Wallflower Harbinger**, fine dark red .. | 0 | 6 |
| —— **Belvoir Castle** .. .. .. .. | 0 | 6 |

# GLADIOLUS.

## (HYBRIDS OF GANDAVENSIS.)

There are few flowers more showy and beautiful than the Gladiolus, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some:—

The best and safest time for planting is from the beginning of April to the end of May, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep.

During excessively dry weather, copious waterings are recommended.

When any bulbs show signs of growth before the time mentioned above, they should be potted and kept in a cool frame until the proper season for planting out.

## CHOICE GLADIOLUS.

This beautiful tribe of plants should be largely planted everywhere, because—

They are perfectly hardy and easily grown.

They are gorgeously beautiful.

Their handsome spikes of flowers last a long time when cut and placed in water.

Planted by hundreds among Rhododendrons, they brighten and enliven the beds during the summer and autumn months.

**Orders are booked throughout the year at the following prices, and the bulbs supplied in January, February or March.**

| | | | |
|---|---|---|---|
| 100 | in 12 | Choice named varieties .. .. | 50s. |
| 100 | ,, 25 | Ditto, ditto .. .. .. | 80s. |
| 100 | ,, 25 | New and extra choice named varieties | 100s. |
| 50 | ,, 12 | Extra choice named varieties .. | 40s. |
| 50 | ,, 25 | New and extra choice named varieties | 50s. |
| 24 | ,, 12 | Choice named varieties .. .. | 15s. |
| 24 | ,, 12 | Extra choice named varieties .. | 20s. |
| 24 | ,, 12 | New and extra choice named varieties | 25s. |
| 12 | ,, 12 | Choice named varieties .. .. | 7s. 6d. |
| 12 | ,, 6 | Ditto, ditto .. .. .. | 5s. |

### GLADIOLUS, Finest Mixed Hybrids.

Various colours, 14*s.* per 100; 2*s.* per dozen.

### GLADIOLUS BRENCHLEYENSIS.

This beautiful and showy bright scarlet species is most effective when planted in quantity in beds or borders.

Selected bulbs 5*s.* 6*d.* per 100, or 50*s.* per 1,000.

### GLADIOLUS.

*Early Flowering Varieties.*

| | Per doz. | Per 100. |
|---|---|---|
| **CARDINALIS**, fiery scarlet, with white stripe .. .. .. .. .. | 2/- | 15/- |
| **COLVILLI**, purplish lilac .. .. .. | 9*d.* | 3/6 |
| ,, **ALBUS** (The Bride), produces spikes of pure white flowers, specially useful for cutting .. .. .. | 1/9 | 12/6 |
| **FAIRY**, white, lower petals beautifully blotched deep rosy crimson .. .. | 5/- | 40/- |
| **GENERAL SCOTT**, delicate blush, suffused with rosy pink; lower petals blotched pale lemon, surrounded with crimson .. | 10/- | 60/- |
| **INSIGNIS**, scarlet tinged purple .. .. | 1/9 | 12/6 |
| **PRINCE ALBERT**, rosy scarlet, blotched white .. .. .. .. .. | 3/- | 21/- |
| **QUEEN VICTORIA**, deep red, shaded scarlet, white blotch .. .. .. | 1/9 | 12/6 |
| **ROSEO MACULATUS**, salmon scarlet, flakes white, with dark shading .. | 3/- | 21/- |
| **ROSY GEM**, delicate pink, invaluable for cutting .. .. .. .. | 1/3 | 7/6 |

# MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

# MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



## FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

**A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS.**

## EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 365, KING'S ROAD, CHELSEA, S.W.
*Cheques to be crossed* "LONDON JOINT STOCK BANK."
Telegraphic Address: "**WILLIAM BULL, LONDON.**"

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S Establishment filled with New and Rare Plants.

# INDEX.


PAGE

Abroma .. .. .. 11
Abyssinian Banana 60 & 78
Abutilon .. .. .. 68
Acacia .. .. 11 & 50
Acalypha .. .. .. 11
Achimenes .. .. .. 111
Acineta .. .. .. 80
Acmena ovata .. .. 50
Acropera .. .. .. 80
Ada .. .. .. .. 80
Adiantum .. .. 122 & 124
—— assimile cristatum .. 124
Æchmea .. .. .. 11
Aërides .. .. 80 & 81
Agapanthus .. .. 50
Agave .. .. .. 50
Aglaonema .. 7 & 11
—— picta compacta .. 7
Allamanda .. .. 11
Alocasia .. 7, 10 & 11
—— marginata .. .. 7
—— princeps .. .. 7
—— Sanderiana .. .. 10
Alpinia .. .. .. 11
Alsophila .. .. 124 & 125
Altilæa, *vide* Hibiscus .. 70
Amaryllis .. 11, 13 & 69
Amasonia .. .. .. 13
Amorphophallus .. 13 & 50
Amygdalus .. .. .. 69
Ananassa .. .. .. 13
Anchomanes .. .. 13
Angœctochilus .. .. 81
Anemidictyon .. .. 122
Angræcum .. .. .. 81
Anguloa .. .. 81 & 82
Anthurium 12, 13, 14 & 18
—— Chelseiense .. .. 12
—— insigne .. .. 13
—— splendidum .. .. 13
—— Scherzerianum maximum .. .. 14
Antigonon .. .. .. 18
Aphelandra .. 15 & 18
—— amœna .. .. 7
—— chrysops .. .. 15
Aralia .. 18, 50 & 69
Araucaria .. .. 50 & 52
Ardisia .. .. .. 18
—— polycephala .. .. 7
Areca .. .. .. 131
Arenga .. .. .. 131
Aristolochia 16, 17 & 18
—— elegans .. .. 16
—— ridicula .. .. 17
Arpophyllum .. .. 82
Artanthe .. .. .. 18
Artocarpus .. .. 18
Asparagus .. .. 51 & 52
—— plumosus nanus .. 51
—— tenuissimus .. .. 52
Asplenium .. .. 122 & 124
Astrocaryum .. .. 131
Ataccia .. .. .. 18
Aucuba .. .. .. 69
Azalea .. 52, 53 & 69
—— balsaminæflora .. 53
—— New Hybrid .. 52
Bambusa .. .. .. 69
Barkeria .. .. .. 82
Barleria .. .. .. 18

PAGE

Batatas .. .. .. 18
Bauhinia .. .. .. 18
Beaumontia .. .. 18
Bedding Plants .. 154 to 156
Begonia .. .. 140 to 144
—— albo picta .. .. 143
—— Handsome-Flowered 140 & 141
—— Variegated Foliaged 142 to 144
—— Winter-Blooming .. 144
Beloperone .. .. 18
Berberis .. .. .. 69
Bertolonia .. .. 18
Bignonia .. 18, 52 & 69
—— magnifica .. .. 18
—— regalis .. .. 18
Billbergia .. .. .. 18
Blandfordia .. 52 & 54
Bletia .. .. .. 82
Bomarea .. .. .. 55
Bougainvillea .. .. 18
—— refulgens .. .. 18
Bouvardia .. .. .. 154
Bowenia .. .. .. 131
Brasavola .. .. .. 82
Brassia .. .. .. 82
Brougiitonia .. .. 82
Brownea .. .. .. 18
Brugmansia .. .. 55
Brunsvigia, *vide* Amaryllis
Burbidgea .. .. .. 18
Burchellia .. .. 18
Burlingtonia .. .. 82
Caladium .. .. 137 to 140
Calamus .. .. .. 131
Calanthe .. .. 82 & 83
Calliphruria .. .. 20
Calodendron capense .. 55
Calpicarpum .. .. 20
Camarotis .. .. .. 83
Camellia .. .. .. 55
Camoënsia maxima .. 19
Campsidium .. .. 20
Canna .. .. 154 & 155
Capparis .. .. .. 20
Carludovica .. .. 131
Catasetum .. .. .. 83
Cattleyá .. .. 83 to 86
Ceratozamia .. .. 131
Chamæcladon .. .. 20
Chamærops .. .. 132
Chevalliera .. .. 20
Chirita .. .. .. 20
Chrysanthemum, Chinese or Large-flowered . 145, 146, & 148
—— New .. .. 145 & 146
—— frutescens .. .. 155
—— Japanese 145, 146 & 147
—— Pompon .. 146 & 149
Chysis .. .. .. 86
Cibotium .. .. 122 & 124
Cienkowskia .. .. 20
Cinnamomum 20, 69 & 79
Cirrhæa .. .. .. 86
Cissus .. .. 20 & 55
Clematis .. .. 55 & 69
Clerodendron .. .. 20
—— delectum .. .. 20
—— macrosiphon .. .. 20

PAGE

Clerodendron Minahassæ 20
—— Rumphianum .. 20
Cleyera .. .. .. 55
Climbing Plants for Stove 49
—— —— for Greenhouse 50
Cocos Weddelliana .. 132
Coelogyne .. .. 86 & 88
—— cristata hololeuca (alba) .. .. 88
Coffea .. .. 20 & 79
Colax .. .. .. 88
Coleus .. .. 148 & 149
Comparettia .. .. 88
Cotoneaster Fontanesii 69
Coryanthes .. .. 88
Corypha, *vide* Livistona .. 134
Corypha decora .. .. 132
Costus mosaicus .. .. 20
Crinum 20, 21, 22, 55, & 70
—— Augustum .. .. 20
Crossandra .. .. 22
Croton .. 7, 8, 22 to 26
—— Beauty .. .. 22
—— Delight .. .. 7
—— elegantissimus .. 23
—— illustris .. .. 24
—— insionis .. .. 26
—— Junius .. .. 7
—— Magnificent .. 8
—— Monarch .. .. 8
—— Nestor .. .. 25
—— ornatus .. .. 26
—— ruberrimus .. .. 26
—— Sunshine .. .. 26
—— Victory .. .. 8
Cryptochilus .. .. 88
Cupania .. .. 26 & 27
Curculigo .. .. .. 27
Curcuma .. .. .. 27
Curmeria .. .. .. 27
Cyanophyllum .. .. 27
Cyathea .. .. 121 & 124
—— dealbata .. 121 & 124
—— Dregei .. 121 & 124
Cycas .. .. 55 & 132
Cyclamen .. .. 56 & 70
Cyonoches .. .. .. 88
Cymbidium .. .. 87 & 88
Cyperus .. .. .. 27
Cyphomandra .. .. 27
Cypripedium 8, 88 to 90
—— amandum .. .. 88
—— hardy varieties .. 70
—— Saundersianum .. 8
Cyrtodeira .. .. 27
Cyrtopodium .. .. 90
Cyrtosperma .. .. 27
Dæmonorops, *vide* Calamus
Dahlia .. .. 56 & 155
Dalechampia .. .. 27
Davallia .. 122, 123 & 124
—— fijiensis plumosa .. 123
Davidsonia .. 27 & 80
Dendrobium .. 90 to 93
Dendrochilum .. .. 93
Deyeuxia .. .. .. 56
Dichæa vaginata .. .. 93
Dicksonia .. .. 120 & 124
—— antarctica .. 120 & 124
Dieffenbachia .. 27 to 29
—— Regina .. .. 28

# INDEX—*continued.*


PAGE

Dieffenbachia Rex .. 29
—— splendens .. .. 27
—— triumphans .. .. 28
Dionæa muscipula .. 56
Dioon edule .. .. 132
Dioscorea .. .. .. 27
Dipladenia .. .. 30
—— Brearleyana .. 30
Dipterix .. .. .. 30
Disa .. .. .. 93
Doodia aspera multifida 126
Dorstenia .. .. 30 & 79
Doryanthes .. .. 56
Double-flowered Epacris 56 & 57
—— —— Ivy-leaved Pelargoniums 117 & 118
—— —— Zonal Pelargoniums 118 & 119
Dracæna .. 8, 30, 31 & 56
—— aroenteo-striata .. 8
—— fragrans varieoata 30
—— Goldieana .. .. 31
—— Lindeni .. .. 30
Dracontium .. .. 30
Drosera .. .. .. 56
Drymonia .. .. .. 30
Drymophilœus .. .. 132
Echeveria .. .. .. 144
Echites .. .. .. 30
Elæocarpus .. 33 & 56
Encephalartos .. 132 & 133
Encholirion .. .. 33
Eomican chionantha .. 8
Epacris .. .. 56 & 57
—— double .. .. 57
Epidendrum .. .. 93
Epipremnum mirabile .. 33
Eranthemum .. .. 33
—— macrophyllum .. 33
—— velutinum .. .. 33
Erythrina .. .. 33 & 56
Erythroxylon Coca 33 & 79
Esmeralda bella .. .. 8
Euadenia eminens .. 33
Eucalyptus .. .. 58
—— citriodora .. .. 58
—— ficifolia .. .. 58
Eucharis .. .. 32 & 33
—— candida .. 32 & 33
—— Mastersii .. .. 32
—— Sanderii .. .. 33
Eucodonia .. .. .. 111
Euoenia .. .. .. 33
Eulalia .. .. .. 70
Eulophia .. .. .. 93
Euphorbia .. .. .. 33
Eurycles .. .. 33 & 34
Exostemma .. .. 33
Faradaya .. .. .. 33
Ferns .. .. 120 to 127
Ficus 33, 35, 58, 78 to 80
Fittonia .. .. .. 35
Flax, New Zealand .. 60
Franciscea .. .. .. 35
Fraxinus .. .. .. 70
Freesias .. .. .. 58
Fuchsia .. .. 150 to 152
Galaotodendron .. 35 & 79
Galeandra .. .. .. 94

PAGE

Garcinia .. .. 35 & 79
Gardenia .. .. .. 35
Geonoma .. .. .. 133
Geranium, *vide* Pelargoniums .. 113
Gesnera .. 35 & 111
Gladiolus .. .. .. 160
Gleichenia .. .. 126
Glonera .. .. .. 35
Gloriosa .. .. .. 35
Gloxinia .. .. 9 & 112
Godwinia gigas .. .. 35
Gomphia .. .. .. 35
Gongora .. .. .. 94
Goniophlebium .. .. 123
Goodyera .. .. .. 94
Grammatophyllum .. 94
Graptophyllum .. .. 35
Greenhouse Plants 50 to 68
Grevillea .. .. .. 58
Griffinia .. .. .. 35
Gymnadenia .. .. 94
Gymnogramma .. .. 123
Habrothamnus .. .. 58
Hæmanthus .. .. 35
—— abyssinicus .. .. 35
Hardy Plants .. 69 to 78
Hartwegia .. .. 94
Hedychium .. 35 & 59
Helcia .. .. .. 94
Heliconia .. .. .. 35
—— brevispatha .. .. 35
Heliotropium .. .. 155
Hemiorapbis .. .. 35
Heterospathe elata .. 133
Hibiscus .. 35 to 38, 58 & 70
—— syriacus .. .. 70
Hippeastrum, *vide* Amaryllis 11, 13 & 69
Hoffmannia .. .. 38
Houlletia .. .. .. 94
Hoya .. .. .. 38
Hydranoea .. 58 & 70
Hymenosporum .. .. 38
Imantophyllum .. 58 & 59
Impatiens .. .. 38 & 39
—— Hawkerii .. .. 39
Ionopsis .. .. .. 94
Ipomœa .. .. .. 38
Iris .. .. 59, 70 & 71
—— German .. .. 71
—— Kæmpferi .. .. 71
Isoloma .. .. .. 38
Ivy-leaved Pelargoniums 117 & 118
Ixora .. .. 38 & 40
—— conspioua .. .. 38
—— eminens .. .. 38
—— gemma .. .. 38
—— speciosa .. .. 40
Jacaranda .. .. .. 40
Jasminum .. .. 40 & 59
Jatropha .. .. .. 40
Juncus zebrinus, *vide* Scirpus
Justicia .. .. .. 40
Kentia .. .. .. 133
Kæmpferia .. .. 40
Lælia .. .. 94 & 95
Lamprococous .. .. 40
Landolphia .. .. 40

PAGE

Lapageria .. .. .. 59
—— alba .. .. .. 59
—— rosea .. .. .. 59
Laportea .. .. .. 40
Lasiandra .. .. .. 59
Lastrea .. 123, 126 & 127
—— Jenmani .. .. 123
Latania .. .. .. 133
Lavatera .. .. .. 59
Leptotes .. .. .. 95
Liberian Coffee .. 20 & 79
Lilacs, new double 74, 76 & 77
Lilium .. .. 71 to 73
—— auratum .. .. 71
—— longiflorum floribundum .. .. 72
Limatodis .. .. .. 95
Livistona .. .. .. 134
Lobelia .. .. .. 155
Lomaria .. .. 123 & 126
Luisia .. .. .. 95
Lycaste .. .. 95 & 96
—— Skinneri .. .. 96
Lycopodium, *vide* Selaginella 127 to 130
Mackaya bella .. .. 60
Macrozamia .. .. 134
Magnolia .. 40, 60 & 73
Manettia .. .. .. 40
Maranta .. .. 40 & 42
Marcgravia .. .. 42
—— indica .. .. 42
Mascarenhasia .. .. 42
Masdevallia .. 96 to 98
—— Harryana acanthifolia .. 96
—— —— conchiflora .. 97
—— —— regalis .. 97
Maxillaria .. .. 98
Medicinal and Officinal Plants .. 78 to 80
Medinilla .. .. .. 42
Mesospinidium .. .. 99
Microstylis .. .. 99
Miltonia .. .. .. 99
Monolophus .. .. 42
Monstera .. .. .. 42
Mormodes .. .. .. 99
Musa .. 42, 60, 78 & 79
Mussænda .. .. .. 42
—— erythrophylla .. 8
Myrtus .. .. .. 60
Nægelia, *vide* Gesnera .. 111
Napoleona .. .. .. 42
Nanodes .. .. .. 99
Nepenthes .. .. 42 & 43
—— Rafflesiana insionis 43
Nephrodium .. 123 & 126
Nephrolepis .. .. 123
Nephthytis liberica .. 42
—— picturata .. .. 41
Nerine .. .. .. 60
New Plants .. .. 157
—— —— announced for the first time .. 3 to 9
New Greenhouse Plants 50 to 68
—— Hardy Plants 69 to 78
—— Stove Plants 10 to 49
Nidularium .. 8 & 44
—— striatum .. .. 8

# INDEX—*continued.*


| | PAGE |
|---|---|
| Nosegay Pelargoniums .. | 117 |
| Odontoglossum .. 99 to | 104 |
| —— crispum (Alexandræ) | 100 |
| —— vexillarium .. | 102 |
| —— —— insigne.. .. | 103 |
| Officinal and Medicinal Plants .. 78 & | 80 |
| Oncidium .. .. 104 to | 106 |
| —— magranthum .. .. | 105 |
| Ophiopoogon .. .. | 60 |
| Orchids .. .. 80 to | 110 |
| Oxalis .. .. .. | 44 |
| Paliogurea jugosa .. | 44 |
| Palisota .. .. .. | 44 |
| Palms, Cycads, &c. 130 to | 136 |
| Palumbina .. .. .. | 106 |
| Panax .. .. .. | 44 |
| —— Victoriæ .. .. | 44 |
| —— New .. .. | 9 |
| Pancratium 44, 45 & | 60 |
| —— guianensis .. .. | 45 |
| Pandanus .. .. .. | 44 |
| Panicum, *vide* Oplismenus | 44 |
| Papihnia .. .. .. | 106 |
| Parmenteira .. .. | 44 |
| Passiflora 44, 46, 60, 73 & | 79 |
| Paullinia .. .. .. | 46 |
| Pavetta .. .. .. | 46 |
| —— natalensis .. .. | 9 |
| Pavonia .. .. .. | 46 |
| Pelargonium Bronze and Gold .. .. | 119 |
| —— Cape Hybrids .. | 117 |
| —— Chelsea Gem .. | 118 |
| —— Double - flowered Zonal .. 118 & | 119 |
| —— —— Ivy-leaved .. | 117 |
| —— Fancy .. .. | 117 |
| —— Hybrid Perpetual, &c. .. .. .. | 117 |
| —— Ivy-leaved .. 117 & | 118 |
| —— —— with double flowers 117 & | 118 |
| —— Nosegay .. .. | 117 |
| —— Regal .. .. | 113 |
| —— Show .. .. .. | 115 |
| —— Spotted .. 9 & | 114 |
| —— Tricolor .. .. | 119 |
| —— Variegated .. .. | 119 |
| —— Zonal .. 117 & | 118 |
| Pelligmia .. .. .. | 46 |
| Pentas .. .. .. | 46 |
| Pentstemon .. .. | 155 |
| Peperomia .. .. .. | 46 |
| Peristeria elata .. .. | 106 |
| Pescatoria .. .. .. | 106 |
| Petunia .. .. 155 & | 156 |
| Phaius .. .. .. | 106 |
| Phalænopsis .. .. | 106 |
| Philodendron .. .. | 46 |
| —— Carderi .. .. | 46 |
| —— nobile .. .. | 46 |
| Phlox .. .. 73 & | 156 |
| Phœnix .. .. 134 & | 135 |
| —— rupicola .. .. | 135 |
| Pholidota .. .. .. | 107 |
| Phormium .. .. .. | 60 |
| Phyllagathis .. .. | 46 |
| Phyllanthus .. .. | 46 |
| Phyllotænium .. .. | 46 |
| Pieris .. .. .. | 73 |

| | PAGE |
|---|---|
| Pilea .. .. .. | 46 |
| Pilumna .. .. .. | 107 |
| Pinanga lepida .. .. | 9 |
| —— maculata .. .. | 135 |
| —— Sanderiana .. .. | 135 |
| —— spectabilis .. .. | 135 |
| Piper .. 46, 73 & | 79 |
| Pitcairnia .. .. | 46 |
| Pittosporum .. 60 & | 61 |
| Pleione .. .. .. | 107 |
| Pleopeltis xiphias .. | 124 |
| Pleurothallis .. .. | 107 |
| Plumbago .. .. 46 & | 61 |
| Pogostemon .. .. | 46 |
| Poinciana .. .. .. | 46 |
| Poinsettia .. .. .. | 46 |
| Polygonum .. .. .. | 73 |
| Polystichum .. 124 & | 127 |
| Portlandia .. .. | 46 |
| Pothos .. .. 46 to | 48 |
| —— argenteus .. .. | 48 |
| —— flexuosus .. .. | 47 |
| —— nitens, .. .. | 48 |
| Primula .. .. 61 & | 73 |
| Promenæa .. .. .. | 107 |
| Psidium .. .. .. | 48 |
| Pteris .. .. 124 & | 126 |
| —— tremula grandiceps | 126 |
| Ptychosperma .. .. | 135 |
| Puya .. .. .. | 48 |
| Ravenala .. .. .. | 48 |
| Regal Pelargoniums .. | 113 |
| Reidia .. .. .. | 48 |
| Renanthera .. .. | 107 |
| Restrepia .. .. .. | 107 |
| Rheum .. .. .. | 74 |
| Rhododendron 9,65 to 67 & | 74 |
| —— albescens .. .. | 65 |
| —— Diana .. .. | 9 |
| —— graveolens .. .. | 66 |
| —— Fair Rosamond .. | 9 |
| —— Hodosoni .. .. | 66 |
| —— Pink Beauty .. | 67 |
| —— Rosy Gem .. .. | 66 |
| Rodriguezia .. .. | 107 |
| Rooeira .. .. .. | 48 |
| Rondeletia .. .. | 48 |
| Ronnbergia .. .. | 48 |
| Rosa .. .. .. | 74 |
| Roscoea .. .. .. | 48 |
| Rubus .. 48, 61 & | 74 |
| Rudoea .. .. .. | 48 |
| Ruellia .. .. .. | 48 |
| Saccharum .. .. .. | 48 |
| Saccolabium .. .. | 107 |
| Salvia .. .. .. | 156 |
| Sanohezia .. .. .. | 48 |
| Sanseveira .. .. .. | 48 |
| Sarcanthus .. .. | 107 |
| Sarcochilus .. .. | 108 |
| Sarcopodium .. .. | 108 |
| Sarracenia .. 61 to | 64 |
| Saxifraga .. .. .. | 74 |
| Schismatoglottis .. .. | 48 |
| Schomburgkia .. .. | 108 |
| Scindapsus, *vide* Pothos. | |
| Scirpus .. .. .. | 74 |
| Scuticaria .. .. .. | 108 |
| Seaforthia .. .. | 135 |
| Seeds .. .. 158 & | 159 |
| Selaginella .. 127 to | 130 |

| | PAGE |
|---|---|
| Selaginella amœna .. | 127 |
| —— coonata .. .. | 130 |
| —— flagellifera .. | 130 |
| —— involvens variegata | 128 |
| —— tassellata .. .. | 129 |
| Sempervivum .. .. | 156 |
| Senecio .. .. 64 & | 74 |
| Show Pelargoniums . | 115 |
| Shrubs, *vide* Hardy Plants | 69 |
| Smilax .. .. 48 & | 64 |
| —— discolor .. .. | 48 |
| Sobralia .. .. .. | 108 |
| Sonerila .. .. .. | 48 |
| Sophronitis .. .. | 108 |
| Sparmannia .. .. | 64 |
| Spathiphyllum .. .. | 48 |
| Spathoglottis .. .. | 108 |
| Spiræa .. .. 74 & | 75 |
| —— astilboides .. .. | 75 |
| Stadmannia .. .. | 48 |
| Stanhopea .. .. .. | 108 |
| Stephanotis .. .. | 48 |
| Stove Plants .. 10 to | 49 |
| Strelitzia .. .. .. | 48 |
| Streptocarpus .. .. | 48 |
| Styrax .. .. .. | 74 |
| Syngonium .. .. .. | 49 |
| Syringa .. 74, 76 & | 77 |
| Taccarum .. .. .. | 49 |
| Tacsonia .. .. 49 & | 64 |
| Tecoma .. .. 49 & | 64 |
| —— amboinensis .. .. | 49 |
| Terminalia .. .. | 49 |
| The Dove Flower .. | 106 |
| —— Irish Fern .. .. | 127 |
| Thrinax .. .. .. | 135 |
| Thunbergia .. .. | 49 |
| Thrixspermum .. .. | 108 |
| Thunia .. .. .. | 108 |
| Tillandsia .. .. .. | 49 |
| —— hieroglyphica .. | 49 |
| —— Lindeniana vera .. | 49 |
| Todea .. .. 126 & | 127 |
| Tonga .. .. .. | 33 |
| Torenia .. .. .. | 49 |
| Tree Ferns .. .. | 121 |
| Trevesia eminens .. | 49 |
| Trichocentrum .. .. | 108 |
| Trichopilia .. 108 & | 109 |
| Trichosma .. .. .. | 109 |
| Trioonidium .. .. | 109 |
| Tropical Fruits .. 78 & | 80 |
| Tuberoses .. .. .. | 64 |
| Tydæa .. .. .. | 113 |
| Uropedium .. .. .. | 109 |
| Utricularia .. .. | 49 |
| Vanda .. .. .. | 109 |
| Vanilla .. 49, 80 & | 109 |
| Veronica .. .. .. | 65 |
| Viburnum Sieboldii .. | 77 |
| Vitis .. 49, 64, 55 & | 77 |
| Vriesia .. .. .. | 49 |
| Warrea .. .. .. | 109 |
| Warscewiczella .. .. | 109 |
| Weigela .. .. .. | 78 |
| Wormia .. .. .. | 49 |
| Xylophylla .. .. | 49 |
| Zalacca nitida .. .. | 136 |
| Zamia .. .. .. | 136 |
| Zingiber .. .. 49 & | 79 |
| Zygopetalum .. .. | 110 |

# ORCHID EXHIBITION.

THE ORCHID EXHIBITION AT

*Mr. WILLIAM BULL'S Establishment*

FOR

## NEW AND RARE PLANTS,

536, KING'S ROAD, CHELSEA, LONDON, S.W.,

WILL OPEN

TO

**PATRONS OF THE ESTABLISHMENT**

AND

THOSE RECEIVING CARDS OF INVITATION,

*TUESDAY, MAY 1st, 1888,*

And continue on view throughout MAY, JUNE and JULY.

*The following are a few short extracts from the Press respecting Last Season's Exhibition:—*

"The Morning Post."

"The annual Exhibition of Orchids in blossom which has just been opened at Mr. William Bull's Establishment, in Chelsea, worthily maintains its well-won reputation. Both to the ardent floriculturist and the casual admirer it affords an opportunity of inspecting a collection of Nature's floral jewels, rich and rare, such as can nowhere else be enjoyed. Not only may the visitor admire at his leisure, free from such disagreeable surroundings as impenetrable jungles and malarious swamps, the choicest gems from Eastern and Western tropics, but a scene of fairy-like beauty, in which the various exhibits are arranged with a view to artistic effect, and the stiffness and formality of the ordinary flower show is conspicuous only by its absence."

"The Gardeners' Chronicle."

"On Tuesday, Mr. Bull opened at his Nurseries, in the King's Road, Chelsea, his Exhibition, which is annually looked forward to with so much pleasure by Orchid *connoisseurs*. There, gathered together in one place, may be seen the richest gems of the Orchid family effectively arranged—the display impressing the visitor botb by its arrangement and by the beauty and rarity of its components. We are unable to lay before our readers a full account of this Exhibition, to gain an adequate idea of which they should pay a visit to Chelsea and see for themselves. On entering the house devoted to this Exhibition, the first feeling is one of astonishment, which gives place to interest, which grows till, when the visitor thinks of leaving, it is with a wish that he may soon return."

"The Standard."

"Mr. William Bull's Exhibition of Orchids is as astonishing in numbers and quality as ever. For the uninitiated one can only describe it as a blaze of varied colour—a spectacle unequalled in Europe, and assuredly unapproached in the native homes of these lovely flowers. For a good many years past this show has been a feature of the London season, and it grows continually more astonishing. It is not necessary in the least to be enthusiastic about Orchids—scarcely, in truth, to care for them, in order to appreciate the glorious display. Such scenes helong to fairyland; and the visitor who has never seen an Orchid can enjoy them quite as well as the connoisseur, if not better, for he is not distracted by detail."

"The Gardening World."

"Mr. William Bull's magnificent display of Orchids in flower is now an established item in the calendar of annual fashionable events, and is looked forward to by many with as much interest as the opening of the Royal Academy or Grosvenor Gallery. The show-house, as before, is filled to repletion with the choicest species and varieties now in flower; and the arrangement of the plants is all that the most fastidious could desire, every specimen being so placed as to harmoniously contrast with its surroundings, and the result is a triumph of the floral decorator's art. The display is in every way a most remarkable one, and promises to remain so for the next three months."

"The Globe."

"One of the most important Exhibitions of rare Orchids yet held in London was yesterday opened at Mr. William Bull's Nursery, King's Road, Chelsea. The exceeding beauty, together with the enlarged supply of these beautiful exotics, have caused them to materially increase in public estimation of late years, and no surer sign of their chances of popularity is to be found than in the great reduction in price which has recently taken place in all kinds of Orchidaceous plants. The most notable feature about the present Exhibition is the magnificent *coup d'œil* presented by the large conservatory in which the plants are grouped. The whole place is one mass of colour, and the brilliant blooms of several thousand plants garnered from every corner of the globe contrast most advantageously with the maidenhair fern in which they are embedded. So striking is the effect produced that we question whether a similar display has ever been made."

Price 1/-

# A CATALOGUE of NEW PLANTS, &c.

No. 242

offered by

## WILLIAM BULL, F.L.S.

## Chelsea, S.W.

*Entered at Stationers Hall.*